

TRILOBITE TESTING COMPANY, L.L.C.

P.O. Box 362 • Hays, Kansas 67601

Drill-Stem Test Data

Well Name SCHWEER #3-29 Test No. 1 Date 4/5/92
Company BEREXCO INC. Zone Tested MARMATON
Address 970 4th FINANCIAL CNTR WICHITA KS Elevation N/A
Co. Rep./Geo. CHARLIE SPRADLIN Cont. BEREDCO RIG #2 Est. Ft. of Pay 4
Location: Sec. 29 Twp. 23S Rge. 32W Co. FINNEY State KS

Interval Tested 4437-4462 Drill Pipe Size 4.5 XH
Anchor Length 25 Wt. Pipe I.D. - 2.7 Ft. Run
Top Packer Depth 4432 Drill Collar - 2.25 Ft. Run 612
Bottom Packer Depth 4437
Total Depth 4462

Mud Wt. 9 lb / gal. Viscosity 48 Filtrate 9.2

Tool Open @ 5:11 AM Initial Blow WEAK SURFACE BLOW DIED IN 6 MINUTES

Final Blow NO RETURN BLOW

Recovery — Total Feet 10 Flush Tool? NO

Rec. 10 Feet of OIL SPOTTED MUD

Rec. Feet of

Rec. Feet of

Rec. Feet of

Rec. Feet of

BHT 108 °F Gravity °API @ °F Corrected Gravity °API

RW @ °F Chlorides ppm Recovery Chlorides 1300 ppm System

(A) Initial Hydrostatic Mud 2174.8 PSI Ak1 Recorder No. 13309 Range 4700

(B) First Initial Flow Pressure 24.2 PSI @ (depth) 4440 w/Clock No. 27566

(C) First Final Flow Pressure 24.2 PSI Ak1 Recorder No. 10332 Range 4050

(D) Initial Shut-in Pressure 677.9 PSI @ (depth) 4457 w/Clock No. 21058


(E) Second Initial Flow Pressure 37.8 PSI Ak1 Recorder No. Range

(F) Second Final Flow Pressure 37.8 PSI @ (depth) w/Clock No.

(G) Final Shut-in Pressure 760.1 PSI Initial Opening 15 Final Flow 30

(H) Final Hydrostatic Mud 2080.9 PSI Initial Shut-In 30 Final Shut-In 60

Our Representative ROD STEINBRINK TOTAL PRICE \$ 800



POINT This is an actual photograph of recorder chart
PRESSURE

	FIELD READING	OFFICE READING
(A) INITIAL HYDROSTATIC MUD	2171	2174.8
(B) FIRST INITIAL FLOW PRESSURE	23	24.2
(C) FIRST FINAL FLOW PRESSURE	23	24.2
(D) INITIAL CLOSED-IN PRESSURE	674	677.9
(E) SECOND INITIAL FLOW PRESSURE	35	37.8
(F) SECOND FINAL FLOW PRESSURE	35	37.8
(G) FINAL CLOSED-IN PRESSURE	758	760.1
(H) FINAL HYDROSTATIC MUD	2077	2080.9

TRILOBITE TESTING COMPANY L.L.C.

P.O. Box 362 • Hays, Kansas 67601

Test Ticket

No 4595

Well Name & No.	Schweer #3-29	Test No.	1	Date	4-5-92
Company	Berexco, Inc.	Zone Tested	Marmaton		
Address	970 Fourth Financial Center Wichita, KS. 67202				
Co. Rep./Geo.	Charlie Spradlin	cont.	Berexco #2	Est. Ft. of Pay	4'
Location: Sec.	29	Twp.	23 S	Rge.	32 W
		co.	Finney	state	KS.
No. of Copies	7	Distribution Sheet	Yes	No	Turnkey
			Yes	X	No
					Evaluation

Interval Tested	4437 - 4462	Drill Pipe Size	4 1/2" XH
Anchor Length	25'	Top Choke — 1"	Bottom Choke — 3/4"
Top Packer Depth	4432	Hole Size — 7 7/8"	Rubber Size — 6 3/4"
Bottom Packer Depth	4437	Wt. Pipe I.D. — 2.7 Ft. Run	—
Total Depth	4462	Drill Collar — 2.25 Ft. Run	612'
Mud Wt.	9.0	lb/gal.	Viscosity 48
			Filtrate 9.2
Tool Open @	5:11 am	w/Time Change	Initial Blow
			Weak surface blow died in 6 mins.

Final Blow No return blow.

Recovery — Total Feet	10'	Feet of Gas In Pipe		Flush Tool?	No
Rec.		Feet Of	%gas	%oil	%water
Rec.	10'	Feet Of	%gas	%oil	%water
			%gas	%oil	%water
Rec.		Feet Of	%gas	%oil	%water
Rec.		Feet Of	%gas	%oil	%water
Rec.		Feet Of	%gas	%oil	%water
BHT	108°	°F Gravity	°API @	°F Corrected Gravity	°API
RW		@	°F Chlorides	ppm Recovery	Chlorides 1,300
					ppm System
(A) Initial Hydrostatic Mud	2171	PSI	AK1 Recorder No.	13309	Range 4700
(B) First Initial Flow Pressure	23	PSI	@ (depth)	4440	w/Clock No. 27566
(C) First Final Flow Pressure	23	PSI	AK1 Recorder No.	10332	Range 4050
(D) Initial Shut-In Pressure	674	PSI	@ (depth)	4457	w/Clock No. 21058
(E) Second Initial Flow Pressure	35	PSI	AK1 Recorder No.		Range
(F) Second Final Flow Pressure	35	PSI	@ (depth)		w/Clock No.
(G) Final Shut-In Pressure	758	PSI	Initial Opening	15	Test 55000
(H) Final Hydrostatic Mud	2077	PSI	Initial Shut-In	30	Jars X 20000

TRILOBITE TESTING COMPANY SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND OF THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUBSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

Final Flow	30	Safety Joint	X	50000
Final Shut-In	60	Straddle		
		Circ. Sub	X	N/C
		Sampler		
		Extra Packer		
		Other		
		TOTAL PRICE \$	600.00	

Approved By Charles B. Spradlin
Our Representative Rod Steinbrink