Location. CNW SW   Sec. 19   T. 23   R.3W.
        660' NL 660' WL SW¼
Casing Record,   County   Harvey
        10'   Farm. J.J.Krehbiel   No. 2
20"   8."3276   Company. Olson Oil Co.-Shell.
15¼"255 65/8"   Contr. Olson Drlg Co.
12½"   53/16"   Comm, 12-4-32   Comp. 1-10-33
Total Depth. 3373
Correspondence Regarding This Well Should Be Referred To.

                                                        Elevation.
Figures Indicate Bottom of Formations.   Initial Production.
Date Issued. 2-4-33   Flow 120 bbls 24 hrs and
                                                        Est. 350,000 Gas.
                                                Formation   Depth.
Formation	Depth
shale and lime	261
red beds and shale	500
gypsum and grey shale	580
broken lime	690
lime	785
broken lime and shale	888
lime	902
shale grey	913
lime hard	920
shale hard and grey	929
shale grey	936
broken lime	1070
shale and red rock	1140
broken lime and shale grey	1197
lime	1202
shale grey and lime	1265
broken lime and shale	1300
shale blk	1480
broken lime and shale	1630
broken lime and shale	1804
broken lime	1817
shale hard	1881
shale and shells	1973
shale and lime	2264
shale	2295
broken lime and shale	2333
broken lime and red rock	2398
broken lime	2419
sand water	2422
lime	2425
sand water	2458
shale	2475
broken lime and shale	2480
broken lime and shale	2533
broken lime	2575
shale and broken lime	2598
lime	2700
shale	2715
lime	2789
broken lime	2795
shale and shells	2801
lime	2847
broken lime	2849
lime	2877
lime Porus Cored	2912
lime porus	2926
reaming core hole.	
no shows.	
lime	2935
shale and lime	2951
broken lime	2977
lime	2992
broken lime	3022
broken lime	3035
shale and shells	3059
shale and gyp	3077
shale and gyp	3084
broken lime	3173
broken lime	3175
shale	3263

SLC 3287 equals 3281.

Formation	Depth.
chat	3281
Top of chat 3257 (corrected)	
chat hard	3299
chat soft	3310
chat hard	3312
chat	3334
chat soft	3339
chat hard	3345
chat sft	3357
chat hard	3360
chat	3366
chat and lime	3370
Cored recovered 75%.	
chat and lime	3373
Cored. Recovered 33 1/3%	
chat and lime	3373
Reamed core hole.	
Prepare to run tubing. TD.	