

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY

508 East Murdock,

Wichita, Kansas

22-23-32W

Company- PAN AMERICAN PETROLEUM CORP.

Farm- Grain Gas Unit No. 1

CRAIN

SEC. 22 T. 23 R. 32W

C SE/4

1320' N of SL, 1320' E of

WL of SE/4

County Finney

KANSAS

Total Depth. 2700'


Comm. 11-28-57

Comp. 12-4-57

Shot or Treated.

Contractor. Noble Drlg.

Issued. 6-21-58



Elevation. 2920' DF

Production. 5,710,000 CFG

CASING:

8 5/8" 1085' cem w/700 sx.

5 1/2" 2684' cem w/800 sx.

Figures indicate Bottom of Formations.

surface sands	259
shale-sand	482
shale-gyp	855
shale & lime	1061
red bed - shale	1086
red bed - gyp - shale	1504
red bed - gray lime - shale	1980
redbed-shale-Anhydrite	2097
red bed-gyp-shale	2338
lime-shale	2412
lime-shale-Anhydrite	2530
lime-shale	2642
shale-sand	2700
Total Depth	

TOPS:

Herington 2651

Krider 2673

Ran Schlumberger

Perf. from 2664 to 2670' w/8 shots per foot.
no show of gas.

Acidized w/15,000 gals treated water, 15,000
lbs. sand, & flushed w/3000 gal water.

MP 850#, Treating pressure 600#. All water
was treated w/15 gal 15% acid per 1000 gals.
water.