Form 51—5M—11-38—Palace

Stafford KANSAS

Section 11 Township 24 Range 11-W

Well No. 5 Hayes

Company Stanolind

Zenith Pool



FORM 252-A 5M 10-38 KANSAS Stafford

Sec. 11 Twp. 24 R. 11-W

Well No. #5 Hayes Farm

Stanolind Company

(Zenith)

990 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

660 Ft. from W. Line

Elev. 1809



1939	REPORT
2/21	Location
3/3	R. R.
3/10	10" - 235' WOC.
3/17	Drlg. 2985'
3/24	Base Kind. 3740' T.D. 3746'
	7" - 3740' RUST.
3/31	T. D. 3748' 2000 acid.
	Flowed 122 oil in 5 hours.
	Deepened to 3765' T.D.
	Misener 3750, Viola 3764'
	Flowed 305 oil in 5 hours.

OVER

1939
4/5

7" - 3740'
B. Kind. 3740'
Misener 3750'
Viola 3764'
At 3748 - 2000 acid.
Flowed 122 oil in 5 hours.
T. D. 3765
B.H.P. 1187#
Average pressure 687#
4 hour prod. 148 bbls.
Potential 1454 bbls.

COMPLETED

Form 26—1M Bks.—2-29

Stafford KANSAS

Map No. 47 Sec. 11 Twp. 24 R. 11W

Well No. 5 Hayes

Stanolind Company

Contractor

FIRST REPORT

C S L NW SE

990 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

660 Ft. from W. Line

ZENITH POOL

SECTION PLAT

		o	

Location X

Rig up

Drilling and Remarks:

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

FEB 21 1939 19

H. D. Hatfield Scout

Form 26—1M Bks.—2-29

Stafford KANSAS

Map No. 47 Sec. 11 Twp. 24 R. 11W

Well No. 5 Hayes

Stanolind Company

Contractor

COMPLETED

C S L NW SE

990 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

660 Ft. from W. Line

ZENITH POOL

SECTION PLAT

		o	

Location

Rig up

Drilling and Remarks:

@ 3748 - 2000 Acid
Flowed 122 oil - 5 hrs
TD 3765
BHP 1187
Avg Pres 687
4hr Prod 148
Pot 1454

RECORD

Cased 7 in., 3740 ft.

~~Sand~~ B Kind 3740

~~Gas~~ Misener 3750

~~Oil~~ Viola 3764

Total Depth 3765

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

APR 5 - 1939 19

H. D. Hatfield Scout