


STANOLIND OIL & GAS CO.
 Charles O'Connor No. 2.

SEC.14 T.24 R.12W
 CWL NW NW
 1980'N SL 330'E WL NW $\frac{1}{4}$

Total Depth. 3831'
 Comm. 6-23-41 Comp. 7-10-41
 Shot or Treated.
 Contractor.
 Issued. 9-6-41 Rotary O-3831

County. Stafford

CASING:
 8 5/8" 268'11" Cem.
 5 1/2" 3824'3" Cem.



Elevation.

Production. Pot.24,638 B.

Figures Indicate Bottom of Formations. Drawdown, No wtr

cellar	5'10"
surface sands	145
red rock	281
shale & red rock	650
anhydrite	680
shale & shells	1540
lime	1720
lime & shale	2060
lime brkn	2154
lime brkn & shale	2487
shale & shells	2555
lime & shale	2703
shale & shells	3010
lime	3096
shale & lime	3178
lime	3280
shale & lime	3320
shale & shells	3390
lime & shale	3406
shale	3535
lime	3620
shale & lime	3688
lime	3737
lime & shale	3773
shale	3805
shale & lime	3817
limestone	3820
dolomite & lime	3825
lime & shale	3830
dolomite & lime	3831
Total Depth.	

Viola lime 3816-31

Tested $\frac{1}{8}$ BO, no wtr
 Acidized w/3000 Gals.
 Flowed thru 1" choke - 1st
 hr 77 B., 2nd hr 85 B, no wtr
 Drawdown potential 24,638 BO,
 no wtr
 360 Bbls in 12 hrs