


15-185-23600

21-24s-12w

MPD



**TRILOBITE  
TESTING, INC.**

**DRILL STEM TEST REPORT**

Prepared For: **Coral Production Corp.**

1600 Stout St., Ste. 1500  
Denver, CO 80202

ATTN: Peter Debenham

**21 24 12 Stafford KS**

**McClure #21-1**

Start Date: 2009.12.05 @ 18:04:00

End Date: 2009.12.06 @ 00:58:00

Job Ticket #: 36500 DST #: 1

RECEIVED  
FEB 19 2010  
KCC WICHITA

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp.


McClure #21-1

21 24 12 Stafford KS

DST # 1

Lansing "B-D"

2009.12.05



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Coral Production Corp.  
 1600 Stout St., Ste. 1500  
 Denver, CO 80202  
 ATTN: Peter Debenham


**McClure #21-1**  
**21 24 12 Stafford KS**  
 Job Ticket: 36500 **DST#: 1**  
 Test Start: 2009.12.05 @ 18:04:00

## GENERAL INFORMATION:

Formation: **Lansing " B-D"**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 20:02:00  
 Time Test Ended: 00:58:00  
 Interval: **3536.00 ft (KB) To 3603.00 ft (KB) (TVD)**  
 Total Depth: 3603.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Bottom Hole  
 Tester: Jerry Adams  
 Unit No: 45  
 Reference Elevations: 1890.00 ft (KB)  
 1882.00 ft (CF)  
 KB to GR/CF: 8.00 ft

**Serial #: 6798** **Inside**  
 Press@RunDepth: 103.86 psig @ 3543.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2009.12.05 End Date: 2009.12.06 Last Calib.: 2009.12.06  
 Start Time: 18:04:01 End Time: 00:58:00 Time On Btm: 2009.12.05 @ 20:00:00  
 Time Off Btm: 2009.12.05 @ 22:47:30

**TEST COMMENT:** IF:Fair blow . Built to 11 1/2".  
 IS:No blow .  
 FF:Weak blow . B.O.B. in 31 mins.  
 FS:No blow .



## PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1716.47	95.40	Initial Hydro-static
2	27.21	96.89	Open To Flow (1)
16	49.56	97.99	Shut-In(1)
45	979.08	99.02	End Shut-In(1)
46	55.08	98.73	Open To Flow (2)
105	103.86	101.06	Shut-In(2)
166	970.30	103.22	End Shut-In(2)
168	1705.01	103.45	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
50.00	SGCMw/oil scum 4%g 96%m	0.70
63.00	SG&WCMw/oil scum 4%g 16%w 80%n0.88	
62.00	Muddy Water 50%w 50%m	0.87
0.00	50' GIP	0.00
0.00	RW = .114 @ 71 deg.	0.00

## Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 36500      **DST#: 1**  
Test Start: 2009.12.05 @ 18:04:00


### Tool Information

Drill Pipe:	Length: 3517.00 ft	Diameter: 3.80 inches	Volume: 49.33 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			<b>Total Volume: 49.33 bbl</b>	Tool Chased 0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3536.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	67.00 ft			
Tool Length:	95.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3513.00	
Hydraulic tool	5.00			3518.00	
Jars	5.00			3523.00	
Safety Joint	3.00			3526.00	
Packer	5.00			3531.00	28.00      Bottom Of Top Packer
Packer	5.00			3536.00	
Stubb	1.00			3537.00	
Perforations	5.00			3542.00	
Change Over Sub	1.00			3543.00	
Recorder	0.00	6798	Inside	3543.00	
Recorder	0.00	8367	Inside	3543.00	
Blank Spacing	30.00			3573.00	
Change Over Sub	1.00			3574.00	
Perforations	26.00			3600.00	
Bullnose	3.00			3603.00	67.00      Bottom Packers & Anchor

**Total Tool Length: 95.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 36500      DST#: 1  
Test Start: 2009.12.05 @ 18:04:00

## Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 55000 ppm	
Viscosity: 52.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.95 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 6000.00 ppm			
Filter Cake: 0.20 inches			


## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
50.00	SGCMw/oil scum 4%g 96% <sub>m</sub>	0.701
63.00	SG&WCMw/oil scum 4%g 16% <sub>w</sub> 80% <sub>m</sub>	0.884
62.00	Muddy Water 50% <sub>w</sub> 50% <sub>m</sub>	0.870
0.00	50' GIP	0.000
0.00	RW = .114 @ 71 deg.	0.000

Total Length: 175.00 ft      Total Volume: 2.455 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #: none  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments:





**TRILOBITE**  
**TESTING, INC.**

## DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St., Ste. 1500  
Denver, CO 80202

ATTN: Peter Debenham

**21 24 12 Stafford KS**

**McClure #21-1**

Start Date: 2009.12.06 @ 12:00:26


End Date: 2009.12.06 @ 18:12:56

Job Ticket #: 35651                      DST #: 2

Trilobite Testing, Inc  
PO Box 1733 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

RECEIVED  
FEB 19 2010  
KCC WICHITA





**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Coral Production Corp.

**McClure #21-1**

1600 Stout St., Ste. 1500  
Denver, CO 80202

**21 24 12 Stafford KS**

Job Ticket: 35651

**DST#: 2**

ATTN: Peter Debenham

Test Start: 2009.12.06 @ 12:00:26


### Tool Information

Drill Pipe:	Length: 3641.00 ft	Diameter: 3.80 inches	Volume: 51.07 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 50000.00 lb
			<u>Total Volume: 51.07 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	29.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3640.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	36.00 ft			
Tool Length:	64.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3617.00	
Hydraulic tool	5.00			3622.00	
Jars	5.00			3627.00	
Safety Joint	3.00			3630.00	
Packer	5.00			3635.00	28.00 Bottom Of Top Packer
Packer	5.00			3640.00	
Stubb	1.00			3641.00	
Perforations	6.00			3647.00	
Recorder	0.00	6798	Inside	3647.00	
Recorder	0.00	8367	Inside	3647.00	
Perforations	26.00			3673.00	
Bullnose	3.00			3676.00	36.00 Bottom Packers & Anchor

**Total Tool Length: 64.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35651      **DST#: 2**  
Test Start: 2009.12.06 @ 12:00:26

## Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 46.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.94 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 6000.00 ppm			
Filter Cake: 0.20 inches			


## Recovery Information


Recovery Table

Length ft	Description	Volume bbl
15.00	SGCM w/oil scum 5%g 95%m	0.210
0.00	60' GIP	0.000

Total Length: 15.00 ft      Total Volume: 0.210 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #: none  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments:

### Pressure vs. Time





**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St., Ste. 1500  
Denver, CO 80202

ATTN: Peter Debenham

**21 24 12 Stafford KS**

**McClure #21-1**

Start Date: 2009.12.07 @ 03:42:26

End Date: 2009.12.07 @ 10:52:26

Job Ticket #: 35652                      DST #: 3

RECEIVED


FEB 19 2010

KCC WICHITA

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35652      **DST#: 3**  
Test Start: 2009.12.07 @ 03:42:26

## GENERAL INFORMATION:


Formation: **Lansing "H & I"**  
Deviated: No Whipstock:                      ft (KB)  
Time Tool Opened: 06:18:56  
Time Test Ended: 10:52:26  
Interval: **3674.00 ft (KB) To 3740.00 ft (KB) (TVD)**  
Total Depth: 3740.00 ft (KB) (TVD)  
Hole Diameter: 7.88 inches Hole Condition: Fair  
Test Type: Conventional Bottom Hole  
Tester: Jerry Adams  
Unit No: 45  
Reference Elevations: 1890.00 ft (KB)  
1882.00 ft (CF)  
KB to GR/CF: 8.00 ft

## Serial #: 6798

Inside

Press@RunDepth: 60.71 psig @ 3681.00 ft (KB)      Capacity: 8000.00 psig  
Start Date: 2009.12.07      End Date: 2009.12.07      Last Calib.: 2009.12.07  
Start Time: 03:42:27      End Time: 10:52:26      Time On Btm: 2009.12.07 @ 06:17:26  
Time Off Btm: 2009.12.07 @ 09:04:26

TEST COMMENT: IF: Strong blow . B.O.B. in 3 mins.  
IS: Very weak surface blow.  
FF: Strong blow . B.O.B. in 4 mins.  
FSI: No blow.



## PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1819.24	94.78	Initial Hydro-static
2	24.97	96.35	Open To Flow (1)
16	34.06	98.76	Shut-in(1)
47	847.52	99.76	End Shut-in(1)
48	38.57	99.47	Open To Flow (2)
106	60.71	102.19	Shut-in(2)
166	952.09	103.57	End Shut-in(2)
167	1790.07	103.81	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
30.00	SG&OCM 2%g 3%o 95%m	0.42
60.00	GO&WCM 30%g 10%o 5%w 55%m	0.84
0.00	500' GIP	0.00

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35652      **DST#: 3**  
Test Start: 2009.12.07 @ 03:42:26


**Tool Information**

Drill Pipe:	Length: 3672.00 ft	Diameter: 3.80 inches	Volume: 51.51 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 80000.00 lb
		<b>Total Volume:</b>	<b>51.51 bbl</b>	Tool Chased 0.00 ft
Drill Pipe Above KB:	26.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3674.00 ft			Final 47000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	66.00 ft			
Tool Length:	94.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:  
Hit bridge 250' off bottom. Worked thru it.

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3651.00	
Hydraulic tool	5.00			3656.00	
Jars	5.00			3661.00	
Safety Joint	3.00			3664.00	
Packer	5.00			3669.00	28.00      Bottom Of Top Packer
Packer	5.00			3674.00	
Stubb	1.00			3675.00	
Perforations	5.00			3680.00	
Change Over Sub	1.00			3681.00	
Recorder	0.00	6798	Inside	3681.00	
Recorder	0.00	8367	Inside	3681.00	
Blank Spacing	30.00			3711.00	
Change Over Sub	1.00			3712.00	
Perforations	25.00			3737.00	
Bullnose	3.00			3740.00	66.00      Bottom Packers & Anchor

**Total Tool Length: 94.00**



**TRILOBITE**  
**TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35652      **DST#: 3**  
Test Start: 2009.12.07 @ 03:42:26

## Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 40.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.77 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 8000.00 ppm			
Filter Cake: 0.20 inches			


## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	SG&OCM 2%g 3%o 95%m	0.421
60.00	GO&WCM 30%g 10%o 5%w 55%m	0.842
0.00	500' GIP	0.000

Total Length: 90.00 ft      Total Volume: 1.263 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #: none  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments:

### Pressure vs. Time




7 Mon Dec 2009

6AM

Time (Hours)

9AM



**TRILOBITE**  
**TESTING, INC.**

## DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St., Ste. 1500  
Denver, CO 80202

ATTN: Peter Debenham

**21 24 12 Stafford KS**

**McClure #21-1**


Start Date: 2009.12.08 @ 03:43:30

End Date: 2009.12.08 @ 10:51:30

Job Ticket #: 35653                      DST #: 4

RECEIVED  
FEB 19 2010  
KCC WICHITA

Trilobite Testing, Inc  
PO Box 1733 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE TESTING, INC**

# DRILL STEM TEST REPORT

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham


**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35653      **DST#: 4**  
Test Start: 2009.12.08 @ 03:43:30

## GENERAL INFORMATION:

Formation: **Viola**  
Deviated: No      Whipstock:      ft (KB)  
Time Tool Opened: 06:02:30  
Time Test Ended: 10:51:30  
Test Type: Conventional Bottom Hole  
Tester: Jerry Adams  
Unit No: 45  
Interval: **3918.00 ft (KB) To 3928.00 ft (KB) (TVD)**  
Total Depth: 3928.00 ft (KB) (TVD)  
Reference Elevations: 1890.00 ft (KB)  
1882.00 ft (CF)  
Hole Diameter: 7.88 inches      Hole Condition: Fair  
KB to GR/CF: 8.00 ft

**Serial #: 6798      Inside**  
Press@RunDepth: 84.73 psig @ 3919.00 ft (KB)      Capacity: 8000.00 psig  
Start Date: 2009.12.08      End Date: 2009.12.08      Last Calib.: 2009.12.08  
Start Time: 03:43:31      End Time: 10:51:30      Time On Btm: 2009.12.08 @ 06:01:30  
Time Off Btm: 2009.12.08 @ 08:46:30

**TEST COMMENT:** IF: Fair blow . B.O.B. in 13 1/2 mins.  
ISI: Weak surface blow .  
FF: Fair blow . B.O.B. in 11 mins.  
FSI: Weak blow . Built to 1".



## PRESSURE SUMMARY


Time (Mn.)	Pressure (psig)	Temp (deg F)	Annotation
0	2030.42	100.74	Initial Hydro-static
1	23.65	100.96	Open To Flow (1)
15	33.46	111.21	Shut-In(1)
44	828.71	112.31	End Shut-In(1)
45	35.23	112.09	Open To Flow (2)
104	84.73	117.66	Shut-In(2)
164	830.68	117.57	End Shut-In(2)
165	1986.51	117.27	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
50.00	GW&MCO 10%g 50%o 10%w 30%m	0.70
105.00	SO&MCW 3%o 72%w 25%m	1.47
0.00	470' GIP	0.00

## Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham


**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35653      **DST#: 4**  
Test Start: 2009.12.08 @ 03:43:30

### Tool Information

Drill Pipe:	Length: 3925.00 ft	Diameter: 3.80 inches	Volume: 55.06 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 55000.00 lb
			<u>Total Volume: 55.06 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	35.00 ft			String Weight: Initial 46000.00 lb
Depth to Top Packer:	3918.00 ft			Final 48000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	10.00 ft			
Tool Length:	38.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3895.00	
Hydraulic tool	5.00			3900.00	
Jars	5.00			3905.00	
Safety Joint	3.00			3908.00	
Packer - Shale	5.00			3913.00	
Packer	5.00			3918.00	28.00      Bottom Of Top Packer
Stubb	1.00			3919.00	
Recorder	0.00	6798	inside	3919.00	
Recorder	0.00	8367	inside	3919.00	
Perforations	6.00			3925.00	
Bullnose	3.00			3928.00	10.00      Anchor Tool
<b>Total Tool Length:</b>	<b>38.00</b>				



**TRILOBITE**  
TESTING, INC

# DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.  
1600 Stout St., Ste. 1500  
Denver, CO 80202  
ATTN: Peter Debenham

**McClure #21-1**  
**21 24 12 Stafford KS**  
Job Ticket: 35653      **DST#: 4**  
Test Start: 2009.12.08 @ 03:43:30

## Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	35000 ppm
Viscosity: 48.00 sec/qt	Cushion Volume: bbl		
Water Loss: 10.36 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 8000.00 ppm			
Filter Cake: 0.20 inches			

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
50.00	GW&MCO 10%g 50%o 10%w 30%m	0.701
105.00	SO&MCW 3%o 72%w 25%m	1.473
0.00	470' GIP	0.000

Total Length: 155.00 ft      Total Volume: 2.174 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #: none

Laboratory Name:      Laboratory Location:

Recovery Comments: Rw .262 @ 55F = 35000 chlorides

### Pressure vs. Time

