





1941  
4/30

Misener 3688'

Viola 3705'

5" - 3707'

T.D. 3742'

4500 acid.

Bomb potential 3883 bbls.

Maximum 3000 bbls.

42.7 Gravity

**COMPLETED**

Map No. 47 Sec. 12 Twp. 24 R. 11WWell No. 4 TretbarPhillips

Company

Contractor

**FIRST REPORT**

C N L NE NW

330 Ft. from N. Line

\_\_\_\_\_ Ft. from S. Line

660 Ft. from E. Line

\_\_\_\_\_ Ft. from W. Line

ZENITH POOL

**SECTION PLAT**

	o		

Location X

Rig up \_\_\_\_\_

Drilling and Remarks:

**RECORD**

Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth \_\_\_\_\_

**PRODUCTION**

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole \_\_\_\_\_

Abandoned \_\_\_\_\_

Date

JAN 15 1941<sub>19</sub>S. J. LEWIS Scout

Map No. 47 Sec. 12 Twp. 24 R. 11W

Well No. 4 Tretbar

Phillips Petroleum Company

COMPLETED Contractor

**SECTION PLAT**


C N L NE NW

330 Ft. from N. Line

\_\_\_\_\_ Ft. from S. Line

660 Ft. from E. Line

\_\_\_\_\_ Ft. from W. Line

ZENITH POOL

Location \_\_\_\_\_

Rig up \_\_\_\_\_

Drilling and Remarks:

*Mu sner 8688.*  
*Vista 8705*  
*5" @ 3707*  
*4500 sand*  
*Bon 8735*  
*Mat 3000*  
*422 gr.*

**RECORD**

Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth 3742

**PRODUCTION**

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole \_\_\_\_\_

Abandoned \_\_\_\_\_

Date

APR 30 1941 19

S. J. LEWIS Scout