										15~	185	770	,907	<u> </u>
ć,	RECEIVED APR 1 6 1979									\mathbf{c}				
	KANSAS DRILLERS LOG										s. 20 T. 24 R. 13 ¥ Loc. NE SW SE			
	API No. 15 —	185 County	2	0,90 Numb	<u>2</u> er						County Stafford			
BRA	Operator W. L. Kirkman, Inc.									一 °	ounty	640 Acres		
17A	Address P. O. Box 18611 Wichita, Kansas 67207													
WICHITA BRANCH	Well No. #1 Lease Name Claycomb										160 60			
A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Footage Location 990 FSL 1650 FFL SE/4 feet from (N) (S) line feet from (E) (W) line													
7	Principal Contractor 17-30, Inc.				Geologist T. Michael						160 160			
$\overline{}$	Spud Date • 4-21-79				Total Depth 2160			P.B.T.D.			Localev.: Gr.		well correctly 1932	
)	Date Completed 4-23-79				Oil Purchaser					D	F	КВ	19	37
	CASING RECORD													
	Report of all string	js set — surface,	intermedia	ite, pro	duction, et	c.								
)	Purpose of string	Size hole drilled	Size casing (in O.D.	set We	Veight lbs/ft. Se		ting depth Type		Type ceme	ent	Sacks	Ту	pe and perc additives	ent
	Surface 12-1/4		8-5/8			432					325			
0														
		LINER RECOR	RD						F	PERFORA	ORATION RECORD			
	Top, ft.	op, ft. Bottom, ft.			acks cement			Shots per ft.			Size & type		Depth interval	
		RD												
_ `	Size Setting depth		Paci	acker set at										
	ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD Amount and kind of material used Depth interval treat													
$\overline{}$									val treated					
<u>`</u> `														
		INITIAL PRODUCTION												
	Date of first production													
	RATE OF PRODUCTION PER 24 HOURS						Water				Gas-oil ratio			
0		DDIS, MCF						ng interval	bbls. CFPB					

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator W.L. Kirkman, Inc.	DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:					
Well No. #1 Lease Name Claycomb						
s 20 T 24 R 13 W						
WELL LOG Show all important zones of porosity and contents thereof; core cluding depth interval tested, cushion used, time tool open, flowi	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.					
FORMATION DESCRIPTION, CONTENTS, ETC.	ТОР	воттом	NAME	DEPTH		
DST #1 1902-40 Rec. 80' mud BHP 539-476			Herington Winfield Towanda	1895 1949 2014		
USE ADDITIONAL SHEETS, Date Received	IF NECESSARY, TO					
		Signature Title				
			Date			

State Geological Survey
WICHITA BRANCH

KANSAS DRILLERS LOG

API No. 15-185-20,902 15-185-20902

COMPANY W. L. Kirkman, Inc.

20 7 245 % 13W

ranm Claycomb

NO. 1

COUNTY Stafford

ROTARY TOTAL DEPTH 2,160°

COMM. April 20, 1979

COMM. April 23, 1979

CONTRACTOR H-30, Inc. (Rig #7)

ISSUED May 8, 1979

CASING

10 3/4"

8 5/8" Set at 432' cemented w/325 sxs cement

ELEVATION 1,937 K.B.

5 1/2"

4 1/2"

FIGURES INDICATE SOTTOM OF FORMATIONS

Sand and Shale	438•
Shale and Shells	1,772'
Shale and Lime	1,919'
Lime and Shale	2,160'
Rotary Total Depth	2,160'

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, Inc.

Slaw 6

State of Kansas)

County of Sedgwick

Subscribed and Sworn to before me a Notary Public in and for said county and state this 8th day of

ay, 1979.