

Form 51-5M-7-39-Palace

Section 15 Township 24 Range 12-W

Well No. #1 Charles "A"

Company Stanolind

Wildcat

NORTH

Israel

EAST

④

SOUTH

1940	REPORT
6/19	Derrick.
6/27	8" - 244' WOC.
7/3	Anhy 649' Drlg. 2117'
7/11	Topeka 3010' Lansing 3470'
	S.O. 3586-91' Core at 3632'
7/18	Cong. 3753' Viola 3815'
	Arb. 3994-96' T.D. Sat.
7/25	T.D. 4021' 5" - 3996'
	3000' water P.B.
7/31	T.D. 4021 small show oil PB 4004
	1000 acid No help PB 3886
	Perf. 144 shots 3815-50
	Have 3450' OIH CO (Tel)
8/2	Acidized 3000 gallons
	Let flow into pits to clean well
	1st hour flowed 105 bbls. 2 $\frac{1}{2}$ " tubing
	2nd " " 79 " 1 $\frac{1}{2}$ " choke (Tel)
	OVER

1940

8/7

Arb. 3994' Viola 3815'

5" - 3996'

T.D. 4021'

P.B. to 3886'

144 shots 3815-50'

1000 acid.

Bomb potential 11,324 bbls.

Maximum 3000 bbls.

COMPLETED

Map No. 47 Sec. 15 Twp. 24 R. 12WWell No. 1 Charles "A"

Stanolind

Company

Contractor

FIRST REPORT

C N L NE SE

330 Ft. from N. Line


_____ Ft. from S. Line

660 Ft. from E. Line

_____ Ft. from W. Line

WILDCAT

SECTION PLAT



Location _____

Rig up _____

Drilling and Remarks:

Derrick

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

JUN 19 1940
19

S. J. LEWIS Scout

Map No. 47 Sec. 15 Twp. 24 R. 12WWell No. 1 Charles "A"Stanolind

Company

Contractor

COMPLETED

C N L NE SE

SECTION PLAT

330 Ft. from N. Line Ft. from S. Line660 Ft. from E. Line Ft. from W. Line

			0

WILDCAT

Location Rig up

Drilling and Remarks:

*At 3994 Viola 3815**5" C 3996**P. B 3886.**144 sks to 3815-50**1000 acd**Born + P. 11324**Max 3000*

RECORD

Cased in., ft.Sand Gas Oil Total Depth 4021

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

AUG 7 1940

19

S. I. LEWIS Scout