FORM CP-1

# STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 500 INSURANCE BUILDING 212 NORTH MARKET WICHITA, KANSAS 67202

## WELL PLUGGING APPLICATION FORM File One Copy

RECEIVED
RECEIVED
RECEIVED
RECEIVED
RECEIVED
ROBERVATION DIVISION
CONSERVATION Kansas
Wichita, Kansas

Lease Owner	Okmar Oil Company		Co. A	Mic.	
	ll30 Wichita Plaza, Wichi	ita, Kansas 6720	)2		
Lease (Farm Name)_	Schraeder SV	٧D		Well No	4
	SE NW NW Sec. 3				
County	Hodgeman	Field Name (	(If Any)	Purdyville	
	5234   Oil Well_				A
Well Log filed with	n application Yes	or Well Log	filed with Pl	lugging Supervise	or
Date and hour plugg	ging is desired to begin	April 13, 1	968		
Plugging of the wel	l will be done in accordan	nce with the Rules	and Regulatio	ons of the State	
Corporation Commiss	ion.				
Name of company rep	presentative in charge of p	olugging operations	Harold Chamb	pers	
		Address	Box 723, Hay	y <b>s,</b> Kansas 6760	1
Plugging Contractor			_License No		
Address					
Invoice covering as	sessment for plugging this	well should be se	nt to Okmar	Oil Company	
		Address 1130 Wi	chita Płaza,	Wichita, Kansas	67202
and payment will be	guaranteed by applicant.	Jim Tha	Applicant or otcher 0, 1968	HER Acting Agent	

ROBERT B. DOCKING DALE E. SAFFELS JULES V. DOTY JAMES O. GREENLEAF RAYMOND B. HARVEY E. EDWARD JOHNSON Gen. Counsel

Governor Chairman Commissioner Commissioner Secretary



## State Corporation Commission

#### CONSERVATION DIVISION

(Oil, Gas and Water) 500 Insurance Bldg. 212 N WICHITA, KANSAS 67202 212 N. Market

April 11, 1968

#### WELL PLUGGING AUTHORITY

Well No. Lease Description County Total Depth Plugging Contractor

Schraeder SE NW NW 3-24-24W Hodgeman 5234

Okmar Oil Company 1130 Wichita Plaza Wichita, Kansas 67202

#### Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

Mr. E. Eves Box "P" Sublette, Kansas
is hereby assigned to supervise the plugging of the above named well.



WM. H. AVERY WILLIAM L. MITCHELL JOHN C. WOELK HARRY G. WILES RAYMOND B. HARVEY E. EDWARD JOHNSON Gen. Counsel

Governor Chairman Commissioner Commissioner Secretary

## State Corporation Commission

#### CONSERVATION DIVISION

(Oil, Gas and Water) ince Bldg. 212 N. Market 500 Insurance Bidg. 212 N. WICHITA, KANSAS 67202

VERBAL PERMIT FORM (To Be Filed By Plugging Agent) RECEIVED STATE CORPORATION COMMISSION APR 1 5 1968 CONSERVATION DIVISION Wichita, Kansas

J. P. Roberts Administrator 500 Insurance Building Wichita 2, Kansas

I	Dear Sir:		
M	Mr. Chambers of Okmar O	il Co.	has this
d	date requested permission to plug the fo	ollowing described w	e11:
N	Mr. Chambers guarantees p	ayment of the plugg	ing fee,
C	Operator's full Name: Okmar Oil Compa	ny	
C	Complete Address: 1130 Wichita Plaza,	Wichita, Kan	sas
1	Lease Name: Schraeder	Well No. 4	
I	Location: SE NW NW Se	ec. 3 Twp. 24 Rge. 2	+ (020) (W)
C	County Hodgeman T	otal Depth 52341 0	il Well
C	Gas WellInput WellSWD Well_X	D & ALost Hol	e
N	Mr. Chambers was instructed	to plug the well as	follows:
10 3/4"	" to 300 cirulated w/ cement.	5 1/2" to 522	61 cemented
Top per	rforations 4677! Plug botto	m w/ 200 sacks c	ement.
Top of	cement 2900'	Mud 2900 to	3001
Rock Br	ridge & 55 sacks cement 300' to 0'	•	(generalise side stroke-wardenstraken) in the west to a get the stroke side of the stroke
			applends European and administrative and apple apple and apple apple apple and apple apple and apple apple apple and apple apple apple apple and apple apple apple apple apple and apple app
	Ver	ry truly yours,	
	Con	servation privision	Agent

Form CP-3 Rev. 6-26-62

# KANSAS STATE CORPORATION COMMISSION

#### CONSERVATION DIVISION AGENT'S REPORT

J. P. Roberts
Assitant Director
500 Insurance Building
212 North Market
Wichita 2, Kansas

RECEIVED
STATE CORPORATION COMMISSION
APR 1 5 1968
CONSERVATION DIVISION
Wichita, Kansas

Operator	s Full Name Okmar Oil Company	y .
	Address: 1130 Wichita Plaza,	
Lease Name	e Schrader	Well No. 4
Location	SE NW NW	Sec. 3 Twp. 24 Rge. 24 (MEX) (W)
County	Hodgeman	Total Depth 5234
Abandoned	Oil Well Gas Well In	put WellSWD Well_X_D & A
Other well	l as hereafter indicated: None	)
Plugging (	Contractor: Allied Oilwell ce	ementing Co
Address:_	Box 207, Russell, Kansas	License No.
Operation	Completed: Hour 7:00PM Day	12 Month 4 Year 1968
The Above	well was plugged as follows:	
10 3/4"	to 300' cirulated w/ ceme	ent. 5 1/2" to 5226' cemented
Top per	forations 4677' Pl	lug bottom w/ 200 sacks cement
Top of	cement 2900!	Mud 2900! to 300!
Rock Br	idge & 55 sacks cement 300	to 0'. No Pipe pulled.
Allied	oilwell cementing pump truc	ok.
-		
I hereby	certify that the above well was p	plugged as herein stated.
	K K W W C A C A C A C A C A C A C A C A C A	Signed: Well Plugging Supervisor
	INV. NO. 7583-W	7
	INV, NO.	

Company: Armer-Koplin

Contractor: Speer Drilling Co pany

Drilling commenced: 8/9/51
Drilling completed: 9/6/51
Elevation: 2676 Gr. 2478 B.F. 2481 R.B.

Farm: Schrader - well #4 Location: SE NW NW of Sec. 3-24-24 Hodgeman County, Kansas Casing record: 10" set at 300 ft.

cemented w/200 sacks 5an set at 5226 ft. cemented w/300 sacks.

#### (figures below indicate bottom)

traffer an names microbard no	e com )	
Surface clay	100	
Shale & shells	165	
Sand	185	
Shale & shells		
Red bed, shale & shells	300 955	
Reb bed & shale		
Sand	1100	
Shale & red bed	1290	
	1447	
Shale & shells	1600	
Anhydrite	1635	
Shale & shells	5070	
Shale, salt & shells	2200	
Shale, lime & shells	2330	
Shale & lims	2395	
Shale & line shells	2477	
Shale & lime	2646	
Shale & line streaks	2735	
Shale & lime	4174	
Line	4135	
Lime & shale	4194	STATE CORPORALIVED
Lime	4337	STATE CORPORATION COMMISSION
Lime & shale	4470	COMMISSION
Lime	4589	APR 1 1 1060
Lime & shale	4589	CONSERVATION DIVISION
Line	4635	Wichita K
Lime & chert	4666	Wichita, Kansas
Line	4820	
Cherty line	14870	
Line	4886	
Cherty line	4870	
Line	4886	
Lime cherty	4993	
Lime	5030	
Lime & Chert	5172	
Limer sand & chert	5190	
Lime & cherty	5230	
FORMATION TOPS: (R.B. Meas.)		
Anhydrite	1600	
Heebner	3948	
Toronto	396l <sub>4</sub>	
LansKansas City	4023	
Marmaton	4408	
Conglomerate	4645	
Mississippian	4678	
Viola	5045	
Sinpson	5180	
Granite Wash	5225	

I hereby certify that this is a true and correct log of the above described well as shown by the drilling reports.

SPEER DRILLING COMPANY

STATE OF KANSAS

COUNTY OF SEDGAICK SS

Subscribed and sworn to before me, a notary public, in and for said County and State this 11th day of September, 1951.

1350

Company: Armer-Koplin
Contractor: Speer Drilling Company
Drilling commenced: 8/9/51
Drilling completed: 9/6/51
Elevation: 2676 Gr. 2478 B.F. 2481 R.B.

Farm: Schrader - well #4
Location: SE NW NW of Sec. 3-24-24
Hodgeman County, Kansas
Casing record: 10° set at 300 ft.
cemented w/200 sacks
5½° set at 5226 ft.
cemented w/300 sacks.

#### (figures below indicate bottom)

,	THE MALE DESIGNATION OF THE PARTY OF THE PAR		
Surface clay		100	
Shale & shells		165	
Sand		185	
Shale & shells		300	
Red bed, shale & shells		955	
Reb bed & shale	s.	1100	
Sand		1290	
Shale & red bed		1447	
Shale & shells		1600	
Anhydrite	24	1635	
Shale & shells		2040	
Shale, salt & shells		2200	
Shale, lime & shells		2330	
Shale & lims		2395	
Shale & lime shells		2477	
Shale & lime		2646	
Shale & lime streaks		2735	
Shale & lime		4114	
Lime		4135	
Lime & shale		4194	
Lime		4337	
Lime & shale		4470	
Lime		4589	
Lime & shale		4589	
Lime		4635	
Lime & chert		4666	
Lime		4820	
Cherty lime		4870	
Lime		4886	
Cherty lime		1.870	
Lime		4886	
Lime cherty		4993	
Lime		5030	ATE REC
Lime & Chert		5172	CORPOR EIL
Limen sand & chert		5190 Co.	AD MATION ED
Lime & cherty		5230 CON	SE R3 COMMAN
		72,0	WAY 198 MISSION
FORMATION TOPS: (R.B. M	eas.)	,	APR 3 O 1988 WICHITA, K. DIVE
Anhydrite		1600	APR 3 O 1988 Wichita, Kansas
Heebner		3948	
Toronto			
LansKansas City		3964	
Marmaton		4023 4408	
Conglomerate		4645	
Mississippian	7	4678	
Viola		5045	
Simpson		51760	
Granite Wash		5225	
AND THE PROPERTY		2662	

I hereby certify that this is a true and correct log of the above described well as shown by the drilling reports.

SPEER DRILLING COMPANY

STATE OF KANSAS ) SS

Subscribed and sworn to before me, a notary public, in and for said County and State this

11th day of September, 1951.

Notary Public

### STATE OF KANSAS STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 212 No. Market

#### WELL PLUGGING RECORD

212 No. Market Wichita, Kansas	Hode				Twp. 24 Rge.	
NORTH		"NE/CNW%SW%"	or footage from	n lines SE N		
	Lease Owner		Oil Compan			
1	Lease Name	ss 1130 Wic				Well No
- P	Character of	Well (complete	l as Oil. Gas or		ater Injec	ction
	Date well co	ompleted Sept	ember 15	(1) <sub>(1)</sub>		
	Application i	for plugging filed	Apri	1 10		
		for plugging appr	Λ ==	ril 11 ril 11		
		nmenced		ril 12		
		npleted bandonment of w			asing Failu	ıre
	TCason for a	Dandonment of w	en or producing	Tormation	ading raire	ire
	If a produci	ng well is abando	ned, date of las	t production		
Locate well correctly on above	Was permiss	sion obtained fro	m the Conserva	tion Division o	or its agents befo	ore plugging w
Section Plat Name of Conservation Agent who sup	menced?	Yes Ed	gar J. Eve	<u> </u>		
Producing formation Mississi	ppi	Depth to top 4	678 Bottom	5028	Total Danth of	Wall 5220
Show depth and thickness of all water			Dottom		Total Depth of	Well_JZ3U_
OIL, CAS OR WATER RECORD						TARNO DEC
					1	CASING REC
Mississippi	CONTENT	FROM	TO	SIZE	PUT IN	PULLED O
Mississippi	Oi1	4677	4713	10"	300	0
The second secon				5½	5226	0
					1.	
			-			
Mud from T.D. to 1100 down casing and let sacks of cement.	set. O' set 25 sac	k plug 1100	)' to 880',	pump 175	sacks plus	s 6% Ge1 ith 55
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	0' to 880', 1 plug at 2	, pump 175 285° and f	ill hole wi	s 6% Gel
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	0' to 880', 1 plug at 2	, pump 175 285° and f	ill hole wi	s 6% Ge1 ith 55
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2	pump 175	ill hole wi	s 6% Gel
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2	pump 175	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Gel
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let	set. O' set 25 sac	k plug 1100	o' to 880', I plug at 2  STATE CORPO	pump 175 285' and f	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let s sacks of cement.	set. O' set 25 sac set overnight	Set wood	o' to 880', I plug at 2  STATE CORPO  APR  CONSERVA: Wichita	pump 175 285' and f CEIVED RATION COMMI	ill hole wi	s 6% Ge1
Mud from T.D. to 1100 down casing and let sacks of cement.  Name of Plugging Contractor A11	(If addition ied Cementin	mal description is neg	O' to 880', I plug at 2  STATE CORPO  APR  CONSERVA: Wichita	pump 175 285' and f CEIVED RATION COMMI	ill hole wi	s 6% Gel
Mud from T.D. to 1100 down casing and let a sacks of cement.	set. O' set 25 sac set overnight	mal description is neg	o' to 880', I plug at 2  STATE CORPO  APR  CONSERVA: Wichita	pump 175 285' and f CEIVED RATION COMMI	ill hole wi	s 6% Gel ith 55
Mud from T.D. to 1100 down casing and let sacks of cement.  Name of Plugging Contractor A11 P.O. Box	of set 25 sacset overnight  (If additional content of the content	mal description is neg	STATE CORPO APR CONSERVA: Wichite	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas	ill hole wi	s 6% Gel
Mud from T.D. to 1100 down casing and let sacks of cement.  Name of Plugging Contractor A11 Address P.O. Box	of set 25 sacset overnight  (If additional content of the content	mal description is neg	Plug at 2  STATE CORPO  APR  CONSERVA: Wichite  67665	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas	ill hole wi	ith 55
Mud from T.D. to 1100 down casing and let sacks of cement.  Name of Plugging Contractor A11 Address P.O. Box  STATE OF Kansas  Jim Thatch	o' set 25 sacset overnight  (If additional ied Cementing 207, Russell 207, Cer	onal description is neg	Plug at 2  STATE CORPO  APR  CONSERVA: Wichita  Cessury, use BACK  67665	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)	SSION  No. 111 hole wi	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	o' set 25 sacset overnight  (If additional ied Cementing 207, Russell	onal description is neg  Kansas  OUNTY OFSed	Programme of the state of the s	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  wher) or (***)	SSION  No. 111 hole wi	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	o' set 25 sacset overnight  (If additional ied Cementing 207, Russell	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So	Programme of the state of the s	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  wher) or (***)	SSION  No. 111 hole wi	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	o' set 25 sacset overnight  (If additional ied Cementing 207, Russell	onal description is neg  Kansas  OUNTY OFSed	Programme of the state of the s	pump 175 285' and f CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  wher) or (***)	SSION  No. 111 hole wi	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	o' set 25 sacset overnight  (If additional ied Cementing 207, Russell	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So	Property of the state of the st	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  No. 111 hole wi	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	(If additional and its	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So  (Signature)	STATE CORPO  APR CONSERVA: Wichite  Cessury, use BACK 67665  gwick (employee of one facts, statement help me God	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  SSION  SS.  SS.  SS.  SS.  SS.  SS.  SS.  S	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	(If additional and its	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So  (Signature)	STATE CORPO  APR CONSERVA: Wichite  Cessury, use BACK 67665  gwick (employee of one facts, statement help me God	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  SSION  SS.  SS.  SS.  SS.  SS.  SS.  SS.  S	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	o' set 25 sac set overnight  (If additional content of the content	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So  (Signature)	STATE CORPO  APR CONSERVA: Wichite  Cessury, use BACK 67665  gwick (employee of one facts, statement help me God	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  SSION  SS.  SS.  SS.  SS.  SS.  SS.  SS.  S	of the above-o
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and that	(If additional and its	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So  (Signature)	STATE CORPO  APR CONSERVA: Wichite  Cessury, use BACK 67665  gwick (employee of one facts, statement help me God	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  SSION  SS.  SS.  SS.  SS.  SS.  SS.  SS.  S	of the above-of the and the local state of the state of t
Name of Plugging Contractor All P.O. Box  STATE OF Kansas  Jim Thatch well, being first duly sworn on oath, above-described well as filed and the	o' set 25 sac set overnight  (If additional content of the content	onal description is neg  Kansas  OUNTY OFSed knowledge of the and correct. So  (Signature)	STATE CORPO  APR CONSERVA: Wichite  Cessury, use BACK 67665  gwick (employee of one facts, statement help me God	pump 175 285' and f  CEIVED RATION COMMI 3 0 1968 FION DIVISION Kansas  of this sheet)  where or (****  where or (****)	SSION  SSION  SS.  SS.  SS.  SS.  SS.  SS.  SS.  S	of the above-of the and the local state of the state of t