

DX 78-1


Stafford

KANSAS

Section 7 Township 24 Range 13 W

Well No. #1 Henderson

Company Petroleum Inc.



Stafford

KANSAS

SEC.	TWP.	R.
7	24	13W

WELL NO.

#1 Henderson

FARM

COMPANY

Petroleum Inc.

CONTRACTOR


WILDCAT

_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line



NW NW SE

 $(\frac{1}{2}$ mile SDX)

Texas - DHM

	ELEVATION	REPORT
1956	1924'	
2-8	Location	
2-16	Spud 2-9-56	
	8 5/8" @ 229	
	Anhy 816	
	Drlg. 2425	
2-23	Top. 3101,	
	Heeb. 3409	
	Br. lime 3543	
	Lans. 3572	
	DST 3636-55, gas in 3 min, rec. 155'	
	muddy oil, 240' clean oil, 1250/20"	
	DST 3666-3710, op 65 min. gas in 3 min	
	F/muddy oil in 50 min,	
	F/clean oil in 65 min, 1360/20"	
	DST 3727-50, op 1 hr. rec. 40' muddy	
	oil, 710/20"	
	DST 3760-3840, op 1 hr. gas in 3 min.	
	rec 200' o&gcm, 1500/30"	
	Viola 3890	
	Running DST 3920-4021	
3-1	DST 3920-4021, packer failed,	
	DST 3969-4021, op 1 hr. rec. 15' mud,	
	0#	
	Simp. 4093	
	DST 4111-21, op 1 hr. rec. 90' wm,	
	1440/20"	
	Arb. 4150	
	TD 4175	
	5 1/2" @ 3930/100, WOCT	

OVER

1956

3-8 CO to 3868, 40/ 3764-74, 2500 A
F/ 12 boph, 4% wtr.
PB 3750, 24/ 3694-3700,
S/ 6 boph, 3500 A

3-15 F/ 25 boph, POP

3-22 No report

3/28 Comm 2-9-56

Anh	816	
Tr	3101	
H	3409	3409
Tr		3431
Dg		3448
Bl	3543	3544
L	3572	3572
BKC	3832	
C		3883
V	3890	3956
S	4093	4095
S		4109
A	4150	4147
TD	4175	

8 5/8" @ 229/200 DST 3636-55 gas in
3 min rec 155' muddy oil 240' clean
oil 1250/20" DST 3666-3710
open 65 min. gas in 3 min. F/muddy
oil in 50 min, F/clean oil in 65 min
1360/20"

DST 3727-50 open 1 hr rec 40' muddy
oil 710/20" DST 3760-3840
open 1 hr gas in 3 min. Rec 200' o &
gcm 1500/30" DST 3920-4021 failed
DST 3969-4021 open 1 hr rec 15' mud
off DST 4111-21 open 1 hr rec 90'
wm 1440/20" TD 4175 5" @ 3930
CO to 3868 40/3764-74 2500 A
F/12 boph 4% wtr PN 3750 24.
3694-3700 S/6 boph 3500 A
F/25 boph Comp BHB 1393 bopd

COMPLETED

County Stafford Elev. 1924
 Sec. 7 Twp. 24 Rge. 13W
 Company Petroleum Inc.
 FarmName Henderson No. 1

TOPS	DEPTH	LOG	DATUM
Anb.	816		
Tp.	3701		
H.	3409	3409	1485
Tr.		3431	1507
Dg.		3448	1524
Bl.	3543	3544	1620
L.	3572	3572	1648
K.C.			
B.K.C.	3832		1908
Ce.			
C.		3883	1959
M.			
M.			
K.			
Mz.			
Me.			
V.	3890	3956	2032
S.	4093	4095	2171
S.		4109	2185
A	4150	4147	2223
R.			
Pe.			
G.			
Tp.	4125		

Loc. in Sec. NW NW SE

Geol. _____

Contr. _____

Pool _____

COMPLETE

MAR 28 '56

Date Comm. 2-9-56

8 5/8" @ 229/200 DST 3636-55 gas in 3 min

rec. 155' muddy oil 240' clean oil

1250/20" DST 3666-3710 open 65 min.

gas in 3 min. F/. muddy oil in 50 min.

F/ clean oil in 65 min. 1360/20"

DST 3727-50 open 1 hr. rec. 40' muddy

oil 710/20" DST 3760-3840 open 1 hr.

gas in 3-min. rec. 200' o & gcm

OVER

1500/30" DST 3920-4021 failed

DST 3969-4021 open 1 hr. rec. 15' mud

Off DST 4111-21 open 1 hr. rec. 90'

wm 1440/20" TD 4185. 5" @ .3930

CO to 3868 40/ 3764-74 2500 A

F/ 12 boph 4% wtr. FN 3750 24. 3694-3700

S/ 6 boph 3500 A F/ 25 boph

Comp. BHB 1393 bopd

M. MC.

APR 6 1956