

KANSAS DRILLERS LOG

WICHITA, *Wichita, Kansas*

S. 21 T. 25 R. 14 E W

API No. 15 — 185 — 20,659
County Number

Loc. C NW SW

Operator

County Stafford

Donald T. Ingling

Address

1018 First National Building Wichita, Kansas 67202

Well No.

Lease Name

#1

English

Footage Location

660 feet from (N) line

660 feet from (W) line of SW/4

Principal Contractor

H-30, INC.

Geologist

Charles B. Spradlin

Spud Date

6-4-76

Total Depth


4255'

P.P.T.D.

Date Completed

6-13-76

Oil Purchaser



Locate well correctly

Elev.: Gr. 1986

DF 1989 KB 1991

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	NEW 20#	284'	Bulk	250	30% C.C. 20% Gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used

Depth interval treated

(Samples turned in by geologist)

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
I. H.					
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio	
	bbis.	MCF	bbis.	CFPB	
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

Well No.

Lease Name

S _ _ T _ _ R _ _ E
W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.

TOP

BOTTOM

NAME

DEPTH

Copy Geol.

Charles B. Spradlin

report with

Time Log

also

Copy H. 30, Inc.

Driller's log

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Donald T. Ingling

Signature

Operator

Title

6-15-76

Date

KANSAS GEOLOGICAL SOCIETY API # - 15-185-20,659
KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
KANSAS GEOLOGICAL SOCIETY BUILDING
508 EAST MURDOCK - WICHITA, KANSAS

COMPANY Donald T. Ingling et al

SEC. 21 T. 25S R. 14W
LOC. NW SW

FARM English


NO. 1

TOTAL DEPTH 4,255'
COMM. June 3, 1976
SHOT OR TREATED
CONTRACTOR H-30, Inc.
ISSUED June 17, 1976

COMP. June 14, 1976

COUNTY Stafford

KANSAS



CASING

20	10
15	8 - 5/8" 284' cemented w/250 sxs cement
12	6
13	5

ELEVATION 1,991' K.B.

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

Sand, Clay and Shale	284'
Red Bed and Shale	890'
Anhydrite	900'
Shale	1,965'
Shale and Lime	2,140'
Lime and Shale	2,478'
Shale and Lime	2,600'
Lime and Shale	2,870'
Shale and Lime	2,990'
Lime and Shale	3,208'
Shale and Lime	3,258'
Lime and Shale	3,472'
Shale and Lime	3,563'
Lime	4,255'
Rotary Total Depth	4,255'

I hereby certify the above and foregoing
to be a true and correct log of the above
described well as shown by the drilling
reports.

H-30, INC.

Dean Britting
Dean Britting

State of Kansas

County of Sedgwick

} ss:

Subscribed and Sworn to before me a Notary

Public in and for said county and state

this 17th. day of June, 1976.

