

5129183  
7-18-86  
KCC

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION OR RECOMPLETION FORM  
ACO-1 WELL HISTORY

DESCRIPTION OF WELL AND LEASE

Operator: license # 5146  
name Rains & Williamson Oil Co., Inc.  
address 435 Page Court, 220 W. Douglas  
Wichita, KS 67202  
City/State/Zip

CONFIDENTIAL

API NO. 15 - 15-047-21,242  
County Edwards  
NW SE SW Sec 13 Twp 25S Rge 19 West

Ft North from Southeast Corner of Section  
Ft West from Southeast Corner of Section  
(Note: locate well in section plat below)

Operator Contact Person Juanita Green  
Phone 265-9686

Lease Name Lobo Cattle Co. Well# 2

Contractor: license #  
name Rains & Williamson Oil Co., Inc.

Field Name

Wellsite Geologist  
Phone

Producing Formation

PURCHASER


Elevation: Ground 2199 KB 2208

Date Type of Completion  
 New Well  Re-Entry  Workover

- Oil  SWD  Temp Abd
- Gas  Inj  Delayed Comp.
- Dry  Other (Core, Water Supply etc.)

If OWWO: old well info as follows:  
Operator  
Well Name  
Comp. Date Old Total Depth

Section Plat



MAY 2 1985  
State Geologist  
WICHITA BRANCH

WELL HISTORY

Drilling Method:  Mud Rotary  Air Rotary  Cable

4-8-85 4-18-85 4-18-85  
Spud Date Date Reached TD Completion Date

4705'  
Total Depth PBTD

Amount of Surface Pipe Set and Cemented at 373' feet

Multiple Stage Cementing Collar Used?  Yes  No

If Yes, Show Depth Set feet

If alternate 2 completion, cement circulated from feet depth to w/ SX cmt

WATER SUPPLY INFORMATION

Source of Water:  
Division of Water Resources Permit #

Groundwater Ft North From Southeast Corner and  
Ft West From Southeast Corner of  
Sec Twp Rge East West

Surface Water Ft North From Southeast Corner and  
(Stream, Pond etc.) Ft West From Southeast Corner  
Sec Twp Rge East West

Other (explain)  
(purchased from city, R.W.D.#)

Disposition of Produced Water:  Disposal  Repressuring

Docket # MAY 29 1985

INSTRUCTIONS: This form shall be completed in duplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 90 days after completion or recompletion of any well. Rules 82-3-130 and 82-3-107 apply.

Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months.

SIDE TWO

Co. #2

Operator Name Rains & Williamson Oil Co. Lease Name Loba Cattle Well# .... SEC.13... TWP.25S...RGE.19...  East  West

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No
Samples Sent to Geological Survey  Yes  No
Cores Taken  Yes  No

Formation Description
[X] Log  Sample

Table with 3 columns: Name, Top, Bottom. Rows include Anhydrite, B/Anhydrite, Heebner, Toronto, Brown Lime, Lansing, BKC, Marmaton, Cherokee Shale, Cherokee Sand, Miss., LTD.

DST #1 - 4576-4601, 30 (30) 30 (30).
Rec. 5' mud. FP's 50-50, 50-50.
IBHP 50, FBHP 50.

DST #2 - 4625-4634, 30 (30) 60 (60).
Rec. 70' MW. FP's 40-40, 50-50.
IBHP 727, FBHP 1055.

CONFIDENTIAL

Table with 8 columns: Purpose of string, size hole drilled, size casing set, weight lbs/ft., setting depth, type of cement, # sacks used, type and percent additives. Includes sections for CASING RECORD, PERFORATION RECORD, and Acid, Fracture, Shot, Cement Squeeze Record.

Released

DRILLER'S LOG

COMPANY: Rains & Williamson Oil Co., Inc.

SEC. 13 T. 25S R. 19W

LOC. NW SE SW

WELL NAME: Lobo Cattle Co. #2

COUNTY: Edwards

RIG NO. #3

**CONFIDENTIAL**

TOTAL DEPTH 4705'

ELEVATION 2199 GL 2208 KB

COMMENCED: 4-9-85

COMPLETED: 4-18-85

CONTRACTOR: Rains & Williamson Oil Co., Inc.

**CASING RECORD:**

SURFACE: 8 5/8" @ 373' w/260 sx. common, 2% gel, 3% cc.

PRODUCTION: D&A

LOG

(Figures Indicate Bottom of Formations)

Sand & Shale	1740
Lime & Shale	2626
Lime	2950
Lime & Shale	3140
Lime	3435
Lime & Shale	3615
Lime	3950
Lime & Shale	4095
Lime	4226
Lime & Shale	4705
<b>ROTARY TOTAL DEPTH</b>	<b>4705</b>

MAY 29 1985  
State Geological Survey  
WICHITA BRANCH

AUG 14 1988

KANSAS GEOLOGICAL SURVEY  
WICHITA BRANCH

RECORDED  
STATE CORPORATION COMMISSION

MAY 29 1985

CONFIDENTIAL  
Wichita, Kansas

STATE OF Kansas )  
COUNTY OF Sedgwick )

SS: