


State K.S. EXCELSIOR 872 Field W.C.  
Company Kans. Agric. County Kearney  
Farm Masonic Home No. B-5  
Sec. 34 Twp. 25 Range 36

Spot SW NW

Contractor H. D.

Remarks MISS,



Comm. 5-22-57 Comp. 7-31-57

Elev. DF 3054 GL 30.47 KB TD 5150 PB

Pay 4784-5031

I.P. Pump 185 BOPD Press. GRAV. 27.3°

Casing Record: 13 $\frac{3}{8}$  528/0 7"

20" 10 $\frac{3}{4}$  5 $\frac{1}{2}$ " 5149/500

16" 8 $\frac{5}{8}$  2260/250

|                                            | Sample      | Log          |
|--------------------------------------------|-------------|--------------|
| <del>62202</del>                           | NAL 2332    | C.G. 2677    |
| JUN 5 <del>876</del>                       | NAM 2364    | ADM 2824     |
| DST 2692-2740                              | UKRI 2393   | WAB 3084     |
| OP 45", nec 15' in <u>CS</u>               | L " 2414    | SHAWNEE 3323 |
| FP 10 BHP 45/20 <u>2458</u>                | WIN 2456    | TOR 3710     |
| <del>62710</del>                           | U.F.R. 2510 | LANKS 3799   |
| JUN 12 <del>04950</del>                    | L " 2558    | Marm 4357    |
| JUN 18 DST 4977-5050                       | HONORE 2614 | Chm 4426     |
| op 1 hr. rec 1090 HOCM                     | WIN 2652    | MOR 4737     |
| FP 86-472 BHP 1163/                        | C.G. 2690   | " SD 4839    |
| RTD 5150 run log <sup>30</sup>             | ADM 2848    | ST. GEN 4872 |
| <del>56 WOST</del>                         | WOB 3069    | ST. LO 4906  |
| JUN 28 <del>1 (TOR)</del>                  | LAM 3813    | SPUR. 5076   |
| JUL 2 <del>CO</del>                        | MOR 4737    |              |
| JUL 10 <del>CO</del> 5120                  | MISS 4875   |              |
| FF 24/5103-09 TESTED                       | ST GEN 4975 |              |
| WTR 39/100 P412/5028-31 52/4984-97         |             |              |
| swab 2 $\frac{1}{2}$ BOPH FR/10000 SD/5000 |             |              |
| swab 40 BOPH run. C.G.                     |             |              |
| JUL 12 run T <del>WOP</del>                |             |              |
| JUL 24 POT pump 40 BOPH GRAV 28°           |             |              |
| <del>WOT.</del>                            |             |              |
| JUL 31 ST POT 185 BOPD GRAV. 27.3°         |             |              |

+

AMARILLO TOPS

3057 KB

Winfield 2462 (4595)

Topeka 3396 (-339)

Heebner 3715 (-658)

Morrow 4737 (-1680)

"S-2" Sd 4840 (-1783) T 16', 0' por, shally

Miss 4872 (-1815) Tst'd 40 BOPH

TD 5149 (-2092)

CSO L-6  
70°  
3757  
2458