


Section 21 Township 26 Range 15 W

Well No. #1 Curtis

Company Lion Oil Co.



Pratt

KANSAS

SEC.	TWP.	R.
21	26	15W

WELL NO.

#1 Curtis

FARM

COMPANY

Lion Oil Co.

CONTRACTOR

Garvey


Tatlock

\_\_\_\_\_ Ft. from N. Line

\_\_\_\_\_ Ft. from S. Line

\_\_\_\_\_ Ft. from E. Line

\_\_\_\_\_ Ft. from W. Line



NW SW SE

 $\frac{1}{2}$  mile SDX

	ELEVATION	REPORT
1955	2050'	
9/21	MIRT	
9-29	Anhy. 1007;	8 5/8" @ 1014 w/700 sx; D 2840
10-6		DST 3923-30, op 1 hr., rec. 500' GIP, 30' so&gcm, 300# DST 3934-67, op 1 hr., rec. 360' frothy oil & gcm, 240' o&sw, 600' sw, 1320/30" DST 4139-55, op 1 hr., rec 240' GIP, 30' so & gcm, 570#, DST 4177-4204, op 1 hr., rec. 30' mud, 700/20"
10-13	5 1/2" @ 4255 w/200	CQ, 15/ 4191-96, 2000 A S/ 4 bfph, 94% SW, PB 4170, 18/ 4146-52 1000 A, S/ 1 bfph, PB 4141, 12/ 4132-36, 1000 A S/ dry, PB 4084, 24/ 4066-74, tstg.
10/19	Comm 9-20-55	8 5/8" @ 1014/700 Anh 1007 H 3739 Dg 3782 L 2918 TD 4260

OVER

1955

10/19 cong.

DST 3923-30 open 1 hr rec 500'  
gip 30' so & gcm 300# DST 3934-67  
open 1 hr rec 360' frothy oil & gcm  
240' o & sw 600' sw 1320/30"  
DST 4139-55 open 1 hr rec 240' gip  
30' so & gcm 570# DST 4177-4202  
open 1 hr Rec 30' mud 700/20"  
5 1/2" @ 4255/200 CO 15/4191-96  
2000 A S/4 bfph 94% sw PB 4170  
18/4146-52 1000A S/1 bfph PB 4141  
12/4132-36 1000A S/dry PB 4084  
24/4066-74 1000A S/1 1/2 bwph  
PB 3957 24/3939-47 1000 A  
S/24 bwph PB 3932 12/3924-28  
FU 400' wtr  
D & A

**ABANDONED**

County Pratt Elev. \_\_\_\_\_  
 Sec. 21 Twp. 26 Rge. 15W  
 Company Lion Oil Co.  
 Farm Name Curtis No. 1

TOPS	DEPTH	LOG	DATUM
Anh.			
Tp.			
H.			
Tr.			
Dg.			
Bl.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Me.			
V.			
S.			
S.			
A			
R.			
PE			
G.			
T.D.			

Loc. in Sec. \_\_\_\_\_  
 NW SW SE  
~~DS - SE/4~~  
 Geol. \_\_\_\_\_  
 Contr. Rig #9  
Garvey  
 Pool \_\_\_\_\_  
Tatlock  


 FIRST REPORT  
 0

Date Comm. MINT SEP 21 1955

*[Red scribbles]*

Co.  
Lse.  
No.  
Sec.  
T.  
R.



CO 15/ 4191-96 2000 A S/ 4 bfph  
9 1/2 SW PB 4170 18/ 4146-52 1000 A  
S/ 1 bfph PB 4141 12/ 4132-36  
1000 A S/ dry · PB 4084 24/ 4066-74  
1000 A S/ 1 1/2 bwph PB 3957 24/ 3939-47  
1000 A S/ 24 bwph PB 3932 12/ 3924-28  
FU 400' wtr.

D & A



OCT 31 1955