



## DRILL STEM TEST REPORT

Prepared For: **Oil Producers of Kan**

P.O. Box 8647  
Wichita KS 67201

ATTN: Siroky / Shepard

**2-26s-18w Edwards KS**

**King OWWO #1**

Start Date: 2001.02.12 @ 19:51:00

End Date: 2001.02.13 @ 03:52:00

Job Ticket #: 13642                      DST #: 1

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Oil Producers of Kan

**King OWWO #1**

P.O. Box 8647  
Wichita KS 67201

**2-26s-18w Edwards KS**

Job Ticket: 13642

**DST#: 1**

ATTN: Siroky / Shepard

Test Start: 2001.02.12 @ 19:51:00

## GENERAL INFORMATION:

Formation: **Altamont**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 22:16:58

Time Test Ended: 03:52:00

Test Type: Conventional Straddle

Tester: Gary Pevoteaux

Unit No: 13

Interval: **4330.00 ft (KB) To 4410.00 ft (KB) (TVD)**

Reference Elevations: 2154.00 ft (KB)

Total Depth: 4610.00 ft (KB)

2149.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: **2342** Inside

Press@RunDepth: 73.89 psig @ 4333.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2001.02.12

End Date: 2001.02.13

Last Calib.: 2001.02.13


Start Time: 19:51:59

End Time: 03:52:58

Time On Btm: 2001.02.12 @ 22:15:58

Time Off Btm: 2001.02.13 @ 01:18:28

TEST COMMENT: IF:Weak blow . 1 - 2".  
IS:No blow .  
FF:Weak blow . 2 1/2 - 3".  
FS:No blow .



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
144	2027.40	105.64	Initial Hydro-static
145	42.75	105.74	Open To Flow (1)
176	63.65	108.08	Shut-In(1)
223	321.06	111.60	End Shut-In(1)
224	70.03	111.63	Open To Flow (2)
253	73.89	113.38	Shut-In(2)
326	213.46	117.22	End Shut-In(2)
327	1922.99	117.32	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
120.00	Drig. mud	0.59

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Oil Producers of Kan

**King OWWO #1**

P.O. Box 8647  
Wichita KS 67201

**2-26s-18w Edwards KS**

Job Ticket: 13642

**DST#: 1**

ATTN: Siroky / Shepard

Test Start: 2001.02.12 @ 19:51:00

**Tool Information**

Drill Pipe:	Length: 4082.00 ft	Diameter: 3.80 inches	Volume: 57.26 bbl	Tool Weight: 2100.00 lb
Drill Collar:	Length: 240.00 ft	Diameter: 2.25 inches	Volume: 1.18 bbl	Weight set on Packer: 20000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
Drill Pipe Above KB:	19.00 ft			Tool Chased 0.00 ft
Depth to Top Packer:	4325.00 ft			String Weight: Initial 58000.00 lb
Depth to Bottom Packer:	4410.00 ft			Final 58000.00 lb
Interval between Packers:	85.00 ft			
Tool Length:	307.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		

**Tool Comments**

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4304.00	
S.I. Tool	5.00			4309.00	
HMV	5.00			4314.00	
Jars	5.00			4319.00	
Safety Joint	2.00			4321.00	
Packer	4.00			4325.00	22.00 Bottom Of Top Packer
Packer	5.00			4330.00	
Stubb	1.00			4331.00	
Perforations	1.00			4332.00	
C.O. Sub	1.00			4333.00	
Recorder	0.00	2342	Inside	4333.00	
Blank Spacing	62.00			4395.00	
C.O. Sub	1.00			4396.00	
Perforations	10.00			4406.00	
Recorder	0.00	10290	Outside	4406.00	
Blank Off Sub	1.00			4407.00	
T.C.	3.00			4410.00	85.00 Tool Interval
Packer	0.00			4410.00	
Stubb	1.00			4411.00	
Perforations	4.00			4415.00	
C.O. Sub	1.00			4416.00	
Blank Spacing	188.00			4604.00	
C.O. Sub	1.00			4605.00	
Recorder	0.00	10248	Below	4605.00	
Bullnose	5.00			4610.00	200.00 Bottom Packers & Anchor

**Total Tool Length: 307.00**

Serial #: 2342

Inside

Oil Producers of Kan

2-26s-18w Edwards KS

### Pressure vs. Time

