

25-26-6W

15-155-20564



Home Office: Wichita, Kansas 67201
P. O. Box 1599 (316) 838-0601

Company Plains Resources, Inc. Lease & Well No. Schwartz #1
Elevation -- Formation Mississippi Effective Pay -- Ft. Ticket No. 2148
Date 12/18/78 Sec. 25 Twp. 26S Range 6W County Reno State Kansas
Test Approved by Bob Lan--- Western Representative Ron Emmons
Formation Test No. 1 Interval Tested from 3690' ft. to 3695' ft. Total Depth 3695' ft.
Packer Depth 3680' ft. Size 7 5/8 in. Packer Depth - ft. Size - in.
Packer Depth 3690' ft. Size 7 5/8 in. Packer Depth - ft. Size - in.
Depth of Selective Zone Set --
Top Recorder Depth (Inside) 3681 ft. Recorder Number 3660 Cap. 4000
Bottom Recorder Depth (Outside) 3692 ft. Recorder Number 1560 Cap. 6000
Below Straddle Recorder Depth - ft. Recorder Number - Cap. -
Drilling Contractor Red Tiger Drilling Rig #3 Drill Collar Length - I. D. - in.
Mud Type starch Viscosity 44 Weight Pipe Length 1066 I. D. 2.7 in.
Weight 9.7 Water Loss ? cc. Drill Pipe Length 2590 I. D. 3.8 in.
Chlorides 44,000 P.P.M. Test Tool Length 40' in. Tool Size 5 1/2 OD in.
Jars: Make WTC Serial Number 408 Anchor Length 5 ft. Size 5 1/2 OD in.
Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Main Hole Size 8 3/4 in. Tool Joint Size 4 1/2 FH in.

Blow: Weak to increasing; then started to decrease after being open 20 minutes to a very weak blow. No blow. Flushed once; made a weak blow.

Recovered 20 ft. of mud
(Misrun - Plugged tool)

Recovered - ft. of -

Recovered - ft. of -

Recovered - ft. of -

Recovered - ft. of -

Remarks: Slid tool four feet; flushed one time, got a blow very weak; (flushed it after being open 23 minutes.)

Time Set Packer(s) 5:47 ~~A.M.~~ P.M. Time Started Off Bottom 8:32 ~~A.M.~~ P.M. Maximum Temperature Broken
Initial Hydrostatic Pressure (A) 2030 P.S.I.
Initial Flow Period Minutes 30 (B) 126 P.S.I. to (C) 289 P.S.I.
Initial Closed In Period Minutes 45 (D) 1323 P.S.I.
Final Flow Period Minutes 30 (E) 215 P.S.I. to (F) 121 P.S.I.
Final Closed In Period Minutes 60 (G) 1251 P.S.I.
Final Hydrostatic Pressure (H) 1917 P.S.I.

WESTERN TESTING CO., INC.
Pressure Data


25-26-6W

Date 12/18/78 Test Ticket No. 2148
Recorder No. 3660 Capacity 4000 Location 3681 Ft.
Clock No. - Elevation - Well Temperature - °F

Point	Pressure		Open Tool	Time Given	Time Computed
A Initial Hydrostatic Mud	2030	P.S.I.		5:47P	M
B First Initial Flow Pressure	126	P.S.I.	First Flow Pressure	30	Mins. 30 Mins.
C First Final Flow Pressure	289	P.S.I.	Initial Closed-in Pressure	45	Mins. 39 Mins.
D Initial Closed-in Pressure	1323	P.S.I.	Second Flow Pressure	30	Mins. 30 Mins.
E Second Initial Flow Pressure	215	P.S.I.	Final Closed-in Pressure	60	Mins. 48 Mins.
F Second Final Flow Pressure	121	P.S.I.			
G Final Closed-in Pressure	1251	P.S.I.			
H Final Hydrostatic Mud	1917	P.S.I.			

PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>6</u> Inc.		Breakdown: <u>13</u> Inc.		Breakdown: <u>6</u> Inc.		Breakdown: <u>16</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 <u>0</u>	<u>126</u>	<u>0</u>	<u>289</u>	<u>0</u>	<u>215</u>	<u>0</u>	<u>121</u>
P 2 <u>5</u>	<u>Plugging action</u>	<u>3</u>	<u>933</u>	<u>5</u>	<u>Plugging action</u>	<u>3</u>	<u>221</u>
P 3 <u>10</u>	<u>Plugging action</u>	<u>6</u>	<u>1084</u>	<u>10</u>	<u>Plugging action</u>	<u>6</u>	<u>277</u>
P 4 <u>15</u>	<u>Plugging action</u>	<u>9</u>	<u>1169</u>	<u>15</u>	<u>Plugging action</u>	<u>9</u>	<u>362</u>
P 5 <u>20</u>	<u>Plugging action</u>	<u>12</u>	<u>1221</u>	<u>20</u>	<u>Plugging action</u>	<u>12</u>	<u>447</u>
P 6 <u>25</u>	<u>Plugging action</u>	<u>15</u>	<u>1249</u>	<u>25</u>	<u>Plugging action</u>	<u>15</u>	<u>623</u>
P 7 <u>30</u>	<u>289</u>	<u>18</u>	<u>1273</u>	<u>30</u>	<u>121</u>	<u>18</u>	<u>746</u>
P 8		<u>21</u>	<u>1287</u>			<u>21</u>	<u>855</u>
P 9		<u>24</u>	<u>1297</u>			<u>24</u>	<u>964</u>
P10		<u>27</u>	<u>1307</u>			<u>27</u>	<u>1042</u>
P11		<u>30</u>	<u>1311</u>			<u>30</u>	<u>1102</u>
P12		<u>33</u>	<u>1317</u>			<u>33</u>	<u>1147</u>
P13		<u>36</u>	<u>1321</u>			<u>36</u>	<u>1183</u>
P14		<u>39</u>	<u>1323</u>			<u>39</u>	<u>1209</u>
P15						<u>42</u>	<u>1233</u>
P16						<u>45</u>	<u>1247</u>
P17						<u>48</u>	<u>1251</u>
P18							
P19							
P20							



This is an actual photograph of recorder chart.

POINT	PRESSURE		
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	2008	2030	PSI
(B) First Initial Flow Pressure	121	126	PSI
(C) First Final Flow Pressure	121	289	PSI
(D) Initial Closed-in Pressure	1323	1323	PSI
(E) Second Initial Flow Pressure	212	215	PSI
(F) Second Final Flow Pressure	121	121	PSI
(G) Final Closed-in Pressure	1253	1251	PSI
(H) Final Hydrostatic Mud	1957	1917	PSI