



**MILLER**  
**TESTING COMPANY**  
P. O. BOX 547 SWIFT 3-3370  
GREAT BEND, KANSAS

DATE 3-1-67 SEC. 8 TWN. 27S RG. 6W LEGAL DESCRIPTION C/NE/NE

COMPANY Thunderbird Drilling Inc. ELEV. \_\_\_\_\_

ADDRESS Suite 7 400 N. Woodlawn Wichita Kansas

EASE Wilkinson WELL NO. 1 COUNTY Kingman

INVOICES SENT TO: Same

CHARTS SENT TO: 11

TOOL JT. 4 1/2 FH SIZE HOLE 7 7/8 SIZE PACKER 6 3/4 TEST NO. 1

TOOL OPEN 1ST FLOW \_\_\_\_\_ HR. 30 MIN: INITIAL CIP \_\_\_\_\_ HR. 30 MIN: 2ND FLOW \_\_\_\_\_ HR. 30 MIN: FINAL CIP \_\_\_\_\_ HR. 30 MIN:

DEPTH 3375 TESTED FROM 3351 TO 3375 ANCHOR LENGTH 24

INITIAL HYD. 1705 (1717) FINAL HYD. 11683 (1694) SUCCESSFUL NO. 1

INITIAL 1ST FLOW PRESS. 11 (18) FINAL 1ST FLOW PRESS. 22 (25) INITIAL SHUT-IN PRESS. 1358 (1354)

INITIAL 2ND FLOW PRESS. 22 (31) FINAL 2ND FLOW PRESS. 34 (38) FINAL SHUT-IN PRESS. 1325 (1318)

MUD WEIGHT 9.6 VISCOSITY 41 WATER LOSS 12 C.C. Rec FIELD ORDER NO. 1134

SP. GRAVITY OIL - BOTTOM HOLE TEMP. 105° I. D. DRILL COLLARS - AMT. OF FLEXWEIGHT 480' Heavy Pipe

BLOW: Very weak blow Through out Test

RECOVERY: 30' of Thinn mud

EXTRA EQUIPMENT None OPERATOR TIME 14 PRICE OF JOB \$210.00

FORMATION TESTED Kansas City

APPROVED BY: B. Jenkins

OUR REPRESENTATIVE: Eugene Saloga

**MILLER TESTING COMPANY**  
SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

TICKET N<sup>o</sup> 8183

# MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company THUNDERBIRD DRILLING INC.

Lease and Well No. WILKINSON #1

County KINGMAN State KANSAS Date MARCH 1, 1967

Formation Test No. 1 Total Depth 3375 Elev. \_\_\_\_\_  
Interval Tested 3351 To 3375 Anchor Length 24'  
Size Hole 7 7/8 Size Drill Pipe 4 1/2 FH Size Packer 6 3/4  
Mud Weight 9.6 Viscosity 41 Water Loss 12 c.c. Bottom Hole Temp. 105 °F  
Chokes: Top 1/2 Bottom 1/2 Ticket No. 8183

## RECOVERY


VERY WEAK BLOW THROUGHOUT TEST.

30 FEET THIN MUD.

Lease and Well No. WILKINSON #1 8 27S 6W C NE NE

Formation Test No. 1





Tool Open: 1st Flow 30 hrs: 30 mins: Shut-in Initial 30 min: 2nd Flow 30 min: Shut-in Final 30 min.

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>1705</u>	<u>1717</u>
(B) Initial 1st Flow Pressure	<u>11</u>	<u>18</u>
(C) Final 1st Flow Pressure	<u>22</u>	<u>25</u>
(D) Initial Shut-in Pressure	<u>1358</u>	<u>1354</u>
(E) Initial 2nd Flow Pressure	<u>22</u>	<u>31</u>
(F) Final 2nd Flow Pressure	<u>34</u>	<u>38</u>
(G) Final Shut-in Pressure	<u>1325</u>	<u>1318</u>
(H) Final Hydrostatic Pressure	<u>1683</u>	<u>1694</u>



P. O. BOX 547 SWIFT 3-3370  
GREAT BEND, KANSAS

DATE 3-1-67 SEC. 8 TWN. 27S RG. 6W LEGAL DESCRIPTION C/D E/2E

COMPANY Thunderbird Drilling Co. ELEV. \_\_\_\_\_

ADDRESS Suite 7 400 N. Woodlawn Wichita Kansas

LEASE Wilkinson WELL NO. 1 COUNTY Kingman

VOICES SENT TO: Same  
"

PARTS SENT TO: \_\_\_\_\_

TOOL JT. 4 1/2 FH SIZE HOLE 7 7/8 SIZE PACKER 6 3/4 TEST NO. 2

TOOL OPEN 1ST FLOW \_\_\_\_\_ HR. 30 MIN: INITIAL CIP \_\_\_\_\_ HR. 30 MIN: 2ND FLOW \_\_\_\_\_ HR. 30 MIN: FINAL CIP \_\_\_\_\_ HR. 45 MIN:

DEPTH 3422 TESTED FROM 3406 TO 3422 ANCHOR LENGTH 16

INITIAL HYD. 1694 (1739) FINAL HYD. 1672 (1723) SUCCESSFUL NO. 2

INITIAL 1ST FLOW PRESS. 34 (39) FINAL 1ST FLOW PRESS. 45 (53) INITIAL SHUT-IN PRESS. 1436 (OK)

INITIAL 2ND FLOW PRESS. 67 (OK) FINAL 2ND FLOW PRESS. 90 (94) FINAL SHUT-IN PRESS. 1425 (1432)

MUD WEIGHT 9.6 VISCOSITY 44 WATER LOSS 12 C.C. Rec. FIELD ORDER NO. 1134

SP. GRAVITY OIL \_\_\_\_\_ BOTTOM HOLE TEMP. 112° I. D. DRILL COLLARS \_\_\_\_\_ AMT. OF FLEXWEIGHT 480' Hg pipe

FLOW: Weak building

RECOVERY: 170' muddy water

(slight Plugging action first 10 mins.)

EXTRA EQUIPMENT None OPERATOR TIME 12 PRICE OF JOB \$210.00

FORMATION TESTED Kansas City

APPROVED BY: RBJ Jenkins

YOUR REPRESENTATIVE: Eugene Saloza

**MILLER TESTING COMPANY**  
SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

# MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company THUNDERBIRD DRILLING CO.

Lease and Well No. WILKINSON #1

County KINGMAN State KANSAS Date MARCH 1, 1967

Formation Test No. 2 Total Depth 3422 Elev. \_\_\_\_\_  
Interval Tested 3406 To 3422 Anchor Length 16'  
Size Hole 7 7/8 Size Drill Pipe 4 1/2 FH Size Packer 6 3/4  
Mud Weight 9.6 Viscosity 41 Water Loss 12 c.c. Bottom Hole Temp. 112 °F  
Chokes: Top 1/2 Bottom 1/2 Ticket No. 8184

## RECOVERY

WEAK BUILDING.


170 FEET MUDDY WATER.

(SLIGHT PLUGGING ACTION FIRST 10 MINUTES.)

Lease and Well No. WILKINSON #1 8 27S 6W C NE NE

Formation Test No. 2





Tool Open: 1st Flow 30 mins: Shut-in Initial 30 min: 2nd Flow 30 min: Shut-in Final 45 min.

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>1694</u>	<u>1734</u>
(B) Initial 1st Flow Pressure	<u>34</u>	<u>29</u>
(C) Final 1st Flow Pressure	<u>45</u>	<u>52</u>
(D) Initial Shut-in Pressure	<u>1436</u>	<u>1436</u>
(E) Initial 2nd Flow Pressure	<u>67</u>	<u>67</u>
(F) Final 2nd Flow Pressure	<u>90</u>	<u>94</u>
(G) Final Shut-in Pressure	<u>1425</u>	<u>1432</u>
(H) Final Hydrostatic Pressure	<u>1672</u>	<u>1723</u>



P. O. BOX 547 SWIFT 3-3370  
GREAT BEND, KANSAS

6

DATE 3-2-67 SEC. 8 TWN. 27S RG. 6W LEGAL DESCRIPTION C/NE/NE

COMPANY Thunderbird Drilling Co. ELEV. \_\_\_\_\_

ADDRESS Suite 7 400 N. Woodlawn Wichita Kansas

LEASE Wilkinson WELL NO. 1 COUNTY Hingman

INVOICES SENT TO: Same

CHARTS SENT TO: "

TOOL JT. 4 1/2 FH SIZE HOLE 7 7/8 SIZE PACKER 6 3/4 TEST NO. 3

TOOL OPEN 1ST FLOW HR. 7 MIN: INITIAL CIP HR. 45 MIN: 2ND FLOW HR. 40 MIN: FINAL CIP HR. 45 MIN:

DEPTH 3740 TESTED FROM 3719 TO 3740 ANCHOR LENGTH 21'

INITIAL HYD. 1987 (1953) FINAL HYD. 1930 (1919) SUCESSFUL NO. 3

INITIAL 1ST FLOW PRESS. Plugging (112) FINAL 1ST FLOW PRESS. 56 (OK) INITIAL SHUT-IN PRESS. 1347 (OK)

INITIAL 2ND FLOW PRESS. Plugging (112) FINAL 2ND FLOW PRESS. 67 (OK) FINAL SHUT-IN PRESS. 1292 (1298)

MUD WEIGHT 9.6 VISCOSITY 41 WATER LOSS 12 C.C. Rec. FIELD ORDER NO. 1134

SP. GRAVITY OIL \_\_\_\_\_ BOTTOM HOLE TEMP. 118° I. D. DRILL COLLARS \_\_\_\_\_ AMT. OF FLEXWEIGHT 480' 1 1/2" pipe

BLOW: Gas Surfaced in 5 min. gaged through 1" choke (on second opening)

RECOVERY:	<u>11"</u>	<u>161,000</u>	<u>"</u>	<u>" 10"</u>
	<u>"</u>	<u>151,000</u>	<u>"</u>	<u>" 15"</u>
	<u>"</u>	<u>148,000</u>	<u>"</u>	<u>" 20"</u>

60' Gas Cut Mud stabilized at 140,000 CFPP in 25 min.

70' Muddy Water until F-S-I in 40 min.

130' Total

(Partial Plugging at the first of both openings)

EXTRA EQUIPMENT None OPERATOR TIME 12 PRICE OF JOB \$210.00

FORMATION TESTED Miss.

APPROVED BY: RB Jenkins

OUR REPRESENTATIVE: Eugene Salvo

**MILLER TESTING COMPANY**  
SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

TICKET No 8185

# MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company THUNDERBIRD DRILLING CO.

Lease and Well No. WILKINSON #1

County KINGMAN State KANSAS Date MARCH 2, 1967

Formation Test No. 3 Total Depth 3740 Elev. \_\_\_\_\_

Interval Tested 3719 To 3740 Anchor Length 21'

Size Hole 7 7/8 Size Drill Pipe 4 1/2 FH Size Packer 6 3/4

Mud Weight 9.6 Viscosity 41 Water Loss 12 c.c. Bottom Hole Temp. 118 °F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 8185

## RECOVERY

GAS SURFACED IN 5 MINUTES.

GUAGED THROUGH 1" CHOKE.

ON SECOND OPENING:	GAUGED	202,000	CFPD	IN	5	MINS.
	"	161,000	"	"	10	"
	"	151,000	"	"	15	"
	"	148,000	"	"	20	"

STABILIZED

AT 140,000 " " 25 "

UNTIL F-S-1 in 40 MINS.

60 FEET OF GAS CUT MUD.

70 FEET OF MUDDY WATER.

130 FEET TOTAL

PARTIAL PLUGGING AT THE FIRST OF BOTH OPENING.

Lease and Well No. WILKINSON #1 8 27S 6W G NE NE

Formation Test No. 3

COMPANY THUNDERBIRD DRILLING, INC.

DATE MARCH 2, 1967

LEASE WILKINSON

WELL NO. 1

TEST NO. 3

TICKET NO. 8185

	TIME	PSI
INITIAL HYDRO MUD PRESSURE		1953
INITIAL CLOSED IN PRESSURE	45 mins.	1347
INITIAL FLOW	7 mins.	112 to 56
FINAL FLOW	40 mins.	112 to 67
FINAL CLOSED IN PRESSURE	45 mins.	1298
FINAL HYDRO MUD PRESSURE		1919

TOTAL DEPTH 3740


PACKER DEPTH 3719

BT. NO. 1134 DEPTH 3735

1ST FLOW PRESSURE		INITIAL CIP		2ND FLOW PRESSURE		FINAL CIP	
	112		56		112		67
	56		1091		81		946
			1202		74		1080
			1280		65		1158
			1307		67		1202
			1323		67		1236
			1334		67		1258
			1339		67		1276
			1343		67		1287
			1345				1298
			1347				
	7 MINUTE INTERVAL		5 MINUTE INTERVAL		5 MINUTE INTERVAL		5 MINUTE INTERVAL

REMARKS PARTIAL PLUGGING ON FIRST OPENING.  
PARTIAL PLUGGING FIRST 10 MINUTES OF SECOND OPENING.

**SPECIAL PRESSURE DATA**



Tool Open: 1st Flow 7 hrs: 7 mins: Shut-in Initial 45 min: 2nd Flow 40 min: Shut-in Final 45 min.

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>1987</u>	<u>1953</u>
(B) Initial 1st Flow Pressure	<u>Plugging</u>	<u>112</u>
(C) Final 1st Flow Pressure	<u>56</u>	<u>56</u>
(D) Initial Shut-in Pressure	<u>1347</u>	<u>1347</u>
(E) Initial 2nd Flow Pressure	<u>Plugging</u>	<u>112</u>
(F) Final 2nd Flow Pressure	<u>67</u>	<u>67</u>
(G) Final Shut-in Pressure	<u>1292</u>	<u>1298</u>
(H) Final Hydrostatic Pressure	<u>1930</u>	<u>1919</u>



P. O. BOX 547 SWIFT 3-3370  
GREAT BEND, KANSAS

6

DATE 3-5-67 SEC. 8 TWN. 27S RG. 6W LEGAL DESCRIPTION C/2E/2E

COMPANY Thunderbird Drilling Co. ELEV. \_\_\_\_\_

ADDRESS Suite 7 400 N. Woodlawn Wichita Kansas

LEASE Wilkinson WELL NO. 1 COUNTY Kingman

VOICES SENT TO: Same

PARTS SENT TO: "

TOOL JT. 4 1/2 FH SIZE HOLE 7 7/8 SIZE PACKER 6 3/4 TEST NO. 4

TOOL OPEN 1ST FLOW \_\_\_\_\_ HR. 30 MIN: INITIAL CIP \_\_\_\_\_ HR. 30 MIN: 2ND FLOW \_\_\_\_\_ HR. 30 MIN: FINAL CIP \_\_\_\_\_ HR. 30 MIN:

DEPTH 4080 TESTED FROM 4065 TO 4080 ANCHOR LENGTH 15

INITIAL HYD. 2178 (OK) FINAL HYD. 2122 (5155) SUCCESSFUL NO. 4

INITIAL 1ST FLOW PRESS. 22 (18) FINAL 1ST FLOW PRESS. 22 (20) INITIAL SHUT-IN PRESS. 1370 (1376)

INITIAL 2ND FLOW PRESS. 34 (29) FINAL 2ND FLOW PRESS. 34 (33) FINAL SHUT-IN PRESS. 1370 (1372)

MUD WEIGHT 9.7 VISCOSITY 38 WATER LOSS 2.2 C.C. Rec. FIELD ORDER NO. 1134

SP. GRAVITY OIL - BOTTOM HOLE TEMP. 112° I. D. DRILL COLLARS - AMT. OF FLEXWEIGHT 480 HPI

FLOW: Weak decreasing to Very Weak

RECOVERY: 40' of mud

EXTRA EQUIPMENT None OPERATOR TIME 14 PRICE OF JOB \$210.00

FORMATION TESTED Viola

APPROVED BY: B Jenkins

CLIENT REPRESENTATIVE: Eugene Saloga

**MILLER TESTING COMPANY**  
SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

TICKET No 8186

# MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company THUNDERBIRD DRILLING CO.

Lease and Well No. WILKINSON #1

County KINGMAN State KANSAS Date MARCH 5, 1967

Formation Test No. 4 Total Depth 4080 Elev. \_\_\_\_\_

Interval Tested 4065 To 4080 Anchor Length 15'

Size Hole 7 7/8 Size Drill Pipe 4 1/2 FH Size Packer 6 3/4

Mud Weight 9.7 Viscosity 38 Water Loss 7.2 c.c. Bottom Hole Temp. 112 °F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 8186

## RECOVERY


WEAK DECREASING TO VERY WEAK.

40 FEET OF MUD.

Lease and Well No. WILKINSON #1 8 27S 6W C NE NE

Formation Test No. 4





Tool Open: 1st Flow 30 hr. 30 mins: Shut-in Initial 30 hr. 30 min: 2nd Flow 30 hr. 30 min: Shut-in Final 30 hr. 30 min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2178</u>	<u>2178</u>
(B) Initial 1st Flow Pressure	<u>22</u>	<u>18</u>
(C) Final 1st Flow Pressure	<u>22</u>	<u>20</u>
(D) Initial Shut-in Pressure	<u>1370</u>	<u>1376</u>
(E) Initial 2nd Flow Pressure	<u>34</u>	<u>29</u>
(F) Final 2nd Flow Pressure	<u>34</u>	<u>33</u>
(G) Final Shut-in Pressure	<u>1370</u>	<u>1372</u>
(H) Final Hydrostatic Pressure	<u>2122</u>	<u>2155</u>



P. O. BOX 547 SWIFT 3-3370  
GREAT BEND, KANSAS

6

DATE 3-6-67 SEC. 8 TWN. 27S RG. 6W LEGAL DESCRIPTION C/NE/NE

COMPANY Thunderbird Drfg. Co. ELEV. \_\_\_\_\_

ADDRESS Suite 7 400 No Woodlawn Wichita Kansas

EASE Wilkinson WELL NO. 1 COUNTY Kingman

VOICES SENT TO: Same

ARTS SENT TO: 11

TOOL JT. 4 1/2 FH SIZE HOLE 7 7/8 SIZE PACKER 6 3/4 TEST NO. 5

TOOL OPEN 1ST FLOW \_\_\_\_\_ HR. 30 MIN: INITIAL CIP \_\_\_\_\_ HR. 30 MIN: 2ND FLOW \_\_\_\_\_ HR. 30 MIN: FINAL CIP \_\_\_\_\_ HR. 30 MIN:

DEPTH 4083 TESTED FROM 4063 TO 4083 ANCHOR LENGTH 20

INITIAL HYD. 2007 (2178) FINAL HYD. 2065 (2153) SUCCESSFUL NO. 5

INITIAL 1ST FLOW PRESS. 78 (76) FINAL 1ST FLOW PRESS. 835 (846) INITIAL SHUT-IN PRESS. 1358 (1370)

INITIAL 2ND FLOW PRESS. 857 (868) FINAL 2ND FLOW PRESS. 1225 (OK) FINAL SHUT-IN PRESS. 1358 (1370)

MUD WEIGHT 9.7 VISCOSITY 40 WATER LOSS 7.2 C.C. Rec. FIELD ORDER NO. 1134

SP. GRAVITY OIL - BOTTOM HOLE TEMP. 132° I. D. DRILL COLLARS - AMT. OF FLEXWEIGHT 480' Heavy

BLOW: Strong blow decreasing

RECOVERY: 2.914' water

EXTRA EQUIPMENT None OPERATOR TIME 12 PRICE OF JOB \$210.00

FORMATION TESTED Viola

APPROVED BY: RB Jenkins

OUR REPRESENTATIVE: Eugene Saloza

**MILLER TESTING COMPANY**  
SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

TICKET N<sup>o</sup> 8187

# MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company THUNDERBIRD DRILLING CO.

Lease and Well No. WILKINSON

County KINGMAN State KANSAS Date MARCH 6, 1967

Formation Test No. 5 Total Depth 4083 Elev. \_\_\_\_\_

Interval Tested 4063 To 4083 Anchor Length 20'

Size Hole 7 7/8 Size Drill Pipe 4 1/2 FH Size Packer 6 3/4

Mud Weight 9.7 Viscosity 40 Water Loss 7.2 c.c. Bottom Hole Temp. 132 °F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 8187

## RECOVERY


STRONG BLOW DECREASING.

2914 FEET OF WATER.

Lease and Well No. WILKINSON #1 8 27S 6W C NE NE

Formation Test No. 5





Tool Open: 1st Flow hr. 30 mins: Shut-in Initial hr. 30 min: 2nd Flow hr. 30 min: Shut-in Final hr. 30 min.

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2007</u>	<u>2178</u>
(B) Initial 1st Flow Pressure	<u>78</u>	<u>76</u>
(C) Final 1st Flow Pressure	<u>835</u>	<u>846</u>
(D) Initial Shut-in Pressure	<u>1358</u>	<u>1370</u>
(E) Initial 2nd Flow Pressure	<u>857</u>	<u>868</u>
(F) Final 2nd Flow Pressure	<u>1225</u>	<u>1225</u>
(G) Final Shut-in Pressure	<u>1358</u>	<u>1370</u>
(H) Final Hydrostatic Pressure	<u>2065</u>	<u>2155</u>

8187