

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

FORM CP-1
Rev. 6/4/84

WELL PLUGGING APPLICATION FORM
(File One Copy)

API NUMBER 15-173-01.025 (of this well)
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR Jay Boy Oil, Inc. OPERATORS LICENSE NO. 4569

ADDRESS 224 E. Douglas #425 Wichita, Ks 67202 PHONE # (316) 264-3700

LEASE (FARM) Hay WELL NO. 1 OWWO WELL LOCATION SW NE NW COUNTY Sedgwick

SEC. 36 TWP. 28 RGE. 1 W (E) or (W) TOTAL DEPTH 3675' PLUG BACK TD

Check One:

OIL WELL GAS WELL D & A X SWD or INJ WELL DOCKET NO.

SURFACE CASING SIZE None SET AT CEMENTED WITH OWWO SACKS

CASING SIZE SET AT CEMENTED WITH SACKS

PERFORATED AT

CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL KCC representative Steve Van Giesun on site
with special plugging requirements. Followed his recommendations.

(If additional space is needed use back of form)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? yes IS ACO-1 FILED? yes
(If not, explain)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN 8pm 01-10-90

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND
REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Gary Sharp PHONE # (316) 264-3700

ADDRESS 224 E. Douglas #425 Wichita, Ks 67202

PLUGGING CONTRACTOR Allen Drilling Co. LICENSE NO. 5418

ADDRESS 1105 Walnut Box 1389 Great Bend KS 67530 PHONE # (316) 793-5681

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: Steve D. Clark
(Operator or Agent)

DATE: 2/5/90 Operations
Secretary

Memorandum

RE: Jay Boy Oil Company

Plugging Procedures
Hay #1 - SW NE NW 36-28-1W
Sedgwick County, Kansas

After logging was completed on the well, the drill pipe was run back into the hole, open ended to 3639'. At 3639' the well bore was reconditioned by circulating drilling mud for approximately two hours.

Halliburton Cementing Company arrived on location at approximately 1100 hours and plugging operations began.

A 50 sack cement plug was spotted at 3639', to isolate both the Simpson and Maquokta formations. The cement plug was displaced with drilling mud for a balanced plug.

The drill pipe was pulled to 375' for the top plug. At 375', cementing operations began by circulating cement back to surface. At 1500 hours, Halliburton had pumped 150 sacks of cement, with no cement returns to surface. An additional 100 sacks of cement was ordered to complete plugging operations.

After a waiting period of two hours, a wire line was run into the well bore to find the top of the cement. The cement was found at 155'. The drill pipe was run back into the well bore to circulate cement back to surface. An additional 80 sacks of cement was needed to bring cement returns to surface. The drill pipe was pulled from the well bore and topped off with five sacks of cement.

The rat hole was plugged by pumping 15 sacks of cement through a joint of drill pipe and circulated back to within 3 feet of surface.

The plugging operation was completed on 1/10/90 at 1915 hours.

Drilling mud weight 9.5#/gal.

Drilling mud viscosity, 48.

Hay #1 OWWO
SW NE NW 36-28-1W
Sedgwick County

WASHDOWN REPORT

0' - 20' - Very hard cement & wood pieces
20' - 170' - Drilling mud
170' - 185' - Very thick, unset cement
185' - 3300' - Drill mud

Rec'd
MAILED

JAN 17 1990

CONSERVATION DIVISION
WICHITA, KANSAS

Steve Van Gieson

Steve Van Gieson
1-11-90

2 040523

1-10

135

To:
 STATE CORPORATION COMMISSION
 CONSERVATION DIVISION - PLUGGING SECTION
 200 COLORADO DERBY BUILDING
 WICHITA, KANSAS 67202

TECHNICIAN'S PLUGGING REPORT

Operator License # 4569Operator: Jay Boy Oil CompanyName & Address 224 East Douglas, #425Wichita, KS 67202API NUMBER 15- 173-01,025 (OWWO) RSW NE NW, SEC. 36, T 28 S, R 1W W/E4290 feet from S section line3630 feet from E section lineLease Name Hay Well # 1County Sedgwick 119.44Well Total Depth 3675 feetConductor Pipe: Size feetSurface Casing: Size 8-5/8 feet 190Abandoned Oil Well Gas Well Input Well SWD Well D&A X

Other well as hereinafter indicated

Plugging Contractor Allen Drilling License Number 5418Address Great Bend, KSCompany to plug at: Hour: Day: Month: Year: 19Plugging proposal received from Gary Sharp(company name) Jay Boy Oil Co. (phone)were: 35 sx @ Simpson - 35 sx @ Maquoketa - 35 sx @ 375' - 35 sx @ 240' -25 sx @ 60' - 10 sx @ R.H.Simpson top 3624' - Mequoketa 3575'Plugging Proposal Received by (TECHNICIAN)Plugging Operations attended by Agent?: All X Part NoneOperations Completed: Hour: 19:15 Day: 10 Month: 1 Year: 1990ACTUAL PLUGGING REPORT SEE ATTACHED SHEETRec'd
MAILEDRemarks: HOWCO #890863 300 sx of common cmt JAN 17 1990(If additional description is necessary, use BACK of this form)
CONSERVATION DIVISION
Wichita, KansasINVOICED
I did ~~XXXXXX~~ observe this plugging. Signed St. Asper
Signed St. Asper (TECHNICIAN)DATE JAN 29 1990INV. NO. 27209

APR 17 1990

FORM CP-2/3
Rev. 01-84

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR Jay Boy Oil, Inc.

ADDRESS 224 E. Douglas #425 Wichita, Ks 67202

PHONE#(316) 264-3700 OPERATORS LICENSE NO. 4569

Character of Well D & A

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on 01-10-90

by Steve Van Giesun (KCC District Agent's Name).

Is ACO-1 filed? yes If not, is well log attached?

Producing Formation D & A Depth to Top Bottom T.D.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
	old hole					

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.
50 sks @ 3639' Steve Van Giesun on location

235 sks 375' to surface 300 sks total - common

15 sks in rathole Haliburton tkt # 890863

Plug down @ 8pm

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Allen Drilling Co. License No. 5418

Address 1105 Walnut Box 1389 Great Bend, Ks 67530

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: Jay Boy Oil, Inc.

STATE OF Kansas COUNTY OF Sedgwick, ss.


Jay Ablah - President

above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) 

(Address) 224 E. Douglas #425 Wichita, Ks

500 1/2 day of February, 1990



Betty B. Herring Notary Public

BETTY B. HERRING

NOTARY PUBLIC SUBSCR

STATE OF KANSAS

My Appt. Exp. 10-07-93

1000

1000 BED AND SWORN TO before me this 5th day of February, 1990

My Commission Expires: 10-07-93