

**Superior Testers Enterprises L.L.C.**  
P.O. Box 138, Great Bend, Kansas 67530  
(800) 792-6902

Company Ritchie Exploration Inc.  
Address P.O. Box 783164 Wichita Kansas 67276-3184  
Lease & # 0 SLASH H-11 TRUST #1 Sec. 2 Twp 28<sup>S</sup> Rng 23<sup>W</sup>  
Date 02-10-2008 County Ford Elevation 2428 G.L. 2428 K.E.  
Drilling Contractor DUKE Drilling Dig #1  
Drill Pipe Length 5007 I.D. of Drill Pipe 3.80 Tool Joint Size 4 1/2" X H  
Drill Collar Length NONE I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2" X H  
Mud Weight 9.41 Viscosity 55 Filtrate 10.41 Chlorides-Pits 9800 DST 4800  
Top Packer Depth 5021 Bottom Packer Depth 5026 Number of Packers 2  
Tested From 5026 to 5066 Total Depth 40 Anchor Length 5066  
Test # 1 Formation Tested Mississippi Hole Size 7 7/8  
Initial Blow Straw Blow - Gas to Surface in 3 minutes - See Gas Flow Report  
Blow back on the 1st Shut-in YES

Final Blow Straw Blow  
Blow back on the 2nd Shut-in YES  
Initial Hydrostatic 2592 P.S.I. Final Hydrostatic 2546 P.S.I. Maximum Temp. 111 F

Initial Opening	<del>357</del> P.S.I. to <del>357</del> P.S.I.	from	<u>8:00 AM</u> to <u>8:15 AM</u>	<u>15</u> minutes
Initial Shut-in	<u>219</u> / <u>1612</u> <u>397</u> P.S.I.	from	<u>8:15 AM</u> to <u>9:15 AM</u>	<u>80</u> minutes
Final Opening	<u>464</u> P.S.I. to <u>521</u> P.S.I.	from	<u>9:15 AM</u> to <u>10:45 AM</u>	<u>90</u> minutes
Final Shut-in	<u>1581</u> P.S.I.	from	<u>10:45 AM</u> to <u>12:45 PM</u>	<u>120</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>120</u>	<u>Gassy mud</u>	<u>5</u>	<u>0</u>	<u>85</u>	<u>10</u>
<u>20</u>	<u>Muddy water with a scum of oil</u>	<u>0</u>	<u>0</u>	<u>20</u>	<u>80</u>

Total Feet Recovered \_\_\_\_\_ Recovery Chlorides \_\_\_\_\_ Rw. \_\_\_\_\_ ohms @ \_\_\_\_\_ Degrees  
Gravity of oil \_\_\_\_\_ Corrected Gas to Surface in 3 minutes into the 1<sup>st</sup> opening  
Max. Gas Gauged 2258 MCF/day See Gas Flow Report Was a gas sample taken YES  
Comments \_\_\_\_\_

Extra Equipment-Jars NONE Safety Joint NONE Circulating Sub NONE Straddle NONE  
Electronic Recorder No. 4023 Depth 5062 Extra Packer (3rd) NONE Hook Wall NONE  
Bottom Recorder No. 4050 Depth 5063 Extra Packer (4th) NONE Sampler NONE  
Tool Operator Gene Budj Approved By \_\_\_\_\_


**Ticket No. 15444**

# SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

## DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



<b>1</b>	Initial Hydrostatic Pressure	2592
<b>2</b>	Initial Flow Pressure	219
<b>3</b>	Final Initial Flow Pressure	397
<b>4</b>	Initial Shut-In Pressure	1612
<b>5</b>	Initial Final Flow Pressure	464
<b>6</b>	Final Flow Pressure	521
<b>7</b>	Final Shut-In Pressure	1581
<b>8</b>	Final Hydrostatic Pressure	2546

Maximum Temperature      111

### GENERAL INFORMATION

COMPANY NAME ..... RITCHIE EXPLORATION INC.	
TEST DATE ..... 2/10/08	LEASE AND WELL NUMBER ..... O SLASH HILL TRUST #
SECTION-TOWN-RANGE ..... 2-28S-23W	FORMATION TESTED ..... MISSISSIPPI
STATE ..... KANSAS	DRILL STEM TEST NUMBER ..... 1
COUNTY ..... FORD	REPORT NUMBER ..... 15444
ELEVATION GROUND LEVEL ..... 2417	ELEVATION KELLY BUSHINGS ..... 2428
COMPANY REPRESENTATIVE ..... MIKE ENGLEBRECHT TESTING ENGINEER	..... GENE BUDIG

### TOOL SETTING INFORMATION

TEST INTERVAL (From) ..... 5026	TOP PACKER DEPTH ..... 5021
TEST INTERVAL (to) ..... 5066	BOTTOM PACKER DEPTH ..... 5026
ANCHOR LENGTH ..... 40	NUMBER OF PACKERS ..... 2
TOTAL DEPTH (ft) ..... 5066	PACKER SIZE ..... 6 3/4
	HOLE SIZE ..... 7 7/8

### FLOW TIMES

<i>INITIAL OPEN</i>		<i>FINAL OPEN</i>	
TOOL OPEN (from) ..... 8:00		TOOL OPEN (from) ..... 9:15	
TOOL OPEN (to) ..... 8:15		TOOL OPEN (to) ..... 10:45	
DURATION (min.) ..... 15		DURATION (min.) ..... 90	
<i>INITIAL SHUT-IN</i>		<i>FINAL SHUT-IN</i>	
TOOL CLOSED (from) ..... 8:15		TOOL CLOSED (from) ..... 10:45	
TOOL CLOSED (to) ..... 9:15		TOOL CLOSED (to) ..... 12:45	
DURATION (min.) ..... 60		DURATION (min.) ..... 120	

**INITIAL FLOW      STRONG BLOW WITH GAS TO SURFACE IN 3 MINUTES-SEE GAS FLOW REPORT**

**FINAL FLOW      STRONG LOW**

Company: RITCHIE EXPLORATION INC.      Lease & Well No. O SLASH HILL TRUST # 1      Test #: 1      Date: 02-10-2008      SEC. 2 TWP. 28S RGE. 23W

**SUPERIOR TESTERS ENTERPRISES L.L.C.**

**DRILL STEM TEST REPORT**

**GREAT BEND ,KANSAS 67530 (800)792-6902**

**GENERAL INFORMATION**

COMPANY NAME ..... **RITCHIE EXPLORATION INC.**  
TEST DATE ..... **2/10/08** LEASE AND WELL NUMBER ..... **O SLASH HILL TRUST #1**  
SECTION-TOWN-RANGE ..... **2-28S-23W** FORMATION TESTED ..... **MISSISSIPPI**  
STATE ..... **KANSAS** DRILL STEM TEST NUMBER ..... **1**  
COUNTY ..... **FORD** REPORT NUMBER ..... **15444**  
ELEVATION GROUND LEVEL ..... **2417** ELEVATION KELLY BUSHINGS ..... **2428**  
COMPANY REPRESENTATIVE ..... **MIKE ENGLEBRECHT** TESTING ENGINEER ..... **GENE BUDIG**

**EXTRA EQUIPMENT**

JARS ..... **NO** EXTRA PACKER (3RD) ..... **NO**  
SAFETY JOINT ..... **NO** EXTRA PACKER (4TH) ..... **NO**  
ELECTRONIC RECORDER ..... **YES** STRADDLE ..... **NO**  
CIRCULATING SUB ..... **NO** HOOK WALL ..... **NO**  
SAMPLER ..... **NO**  
**168 MILES ROUND TRIP FROM GREAT BEND**  
TOP RECORDER DEPTH ..... **5062** BOTTOM RECORDER DEPTH ..... **5063**  
RECORDER NUMBER ..... **4023** RECORDER NUMBER ..... **3088**

**WELL INFORMATION**

DRILLING CONTRACTOR ..... **DUKE DRILLING RIG #1**  
DRILL PIPE LENGTH ..... **5007** DRILL COLLAR LENGTH .....  
DRILL PIPE I.D. .... **3.8** DRILL COLLAR I.D. .... **2.25**  
TOOL JOINT SIZE ..... **4 1/2 X.H.** TOOL JOINT SIZE ..... **4 1/2 X.H.**  
CHLORIDES-PITS ..... **9800** MUD WEIGHT #/GAL ..... **9.4**  
CHLORIDES-DST ..... VISCOSITY ..... **55**  
WATER LOSS ..... **10.4**

**COMMENTS**



**SUPERIOR TESTERS ENTERPRISES L.L.C.**

GREAT BEND, KANSAS

**GAS FLOW RATE**

(800) 792-6902

		#	
<b>STATE</b> .....	KANSAS	<b>Test Date</b> .....	1/0/1900
<b>COUNTY</b> .....	FORD	<b>Sec Town Range</b> .....	2-28S-23W
<b>FIELD</b> .....		<b>Report Number</b> .....	15444

**Initial Flow**

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Office Tester	PSI on Office Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
TOOL OPENED	8:05	5	3			1 1/2	654.000
AT 8:00	8:10	10	8			1 1/2	1123.000
WITH GAS TO SURFACE IN 3 MINUTES AT 8:03	8:15	15	11			1 1/2	1348.000


**Final Flow**

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Office Tester	PSI on Office Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
TOOL OPENED	9:15		<b>GAS SAMPLE WAS TAKEN</b>			1 1/2	1694.000
AT 9:15	9:25	10	16			1 1/2	2220.000
	9:35	20	24			1 1/2	2258.000
	9:45	30	25			1 1/2	2258.000
	9:55	40	25			1 1/2	2258.000
	10:05	50	25			1 1/2	2258.000
	10:15	60	25			1 1/2	2258.000
	10:25	70	25			1 1/2	2258.000
	10:35	80	25			1 1/2	2258.000
	10:45	90	25			1 1/2	2258.000
	10:45		<b>GAS SAMPLE WAS TAKEN</b>				

**Was there a gas sample taken**

**YES**

# Temperature / Pressure Data



Tool serial number: 4005

Test start: 02/10/2008 14:57:49

2-28-23W

# Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company Ritchie Exploration Inc.  
 Address P.O. Box 783164 Wichita Kansas 67276-3134  
 Lease & # 0 SLASH-Hill TRUST #1 Sec. 2 Twp 28<sup>s</sup> Rng 23<sup>w</sup>  
 Date 02-11-2008 County Ford Elevation 2417 G.L. 2428 K.B.  
 Drilling Contractor Duke Drilling Rig #1  
 Drill Pipe Length 5066 I.D. of Drill Pipe 3.30 Tool Joint Size 4 1/2" X H  
 Drill Collar Length NONE I.D. of Drill Collars NONE Tool Joint Size NONE  
 Mud Weight 9.4 Viscosity 875 Filtrate 128/100 Chlorides-Pits 9800/1350 DST  
 Top Packer Depth 5080 Bottom Packer Depth 5085 Number of Packers 2  
 Tested From 5085 to 5111 Total Depth 5111 Anchor Length 26  
 Test # 2 Formation Tested MIDDLE MISSISSIPPI Hole Size 7 7/8  
 Initial Blow Fair blow built to the bottom of a 5 Gallon Bucket  
in 5 minutes Blow back on the 1st Shut-in YES  
 Final Blow Fair blow built to the bottom of a 5 Gallon Bucket in  
5 minutes Blow back on the 2nd Shut-in YES  
 Initial Hydrostatic 2676 P.S.I. Final Hydrostatic 2506 P.S.I. Maximum Temp. 115 F

Initial Opening	<u>50</u> P.S.I. to <u>77</u> P.S.I.	from	<u>4:00 AM</u> to <u>4:30 AM</u>	<u>30</u> minutes
Initial Shut-in	<u>1529</u> P.S.I.	from	<u>4:30 AM</u> to <u>5:35 AM</u>	<u>645</u> minutes
Final Opening	<u>87</u> P.S.I. to <u>130</u> P.S.I.	from	<u>5:35 AM</u> to <u>6:15 AM</u>	<u>60</u> minutes
Final Shut-in	<u>1539</u> P.S.I.	from	<u>6:15 AM</u> to <u>7:45 AM</u>	<u>90</u> minutes

2-28-23W

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>650</u>	<u>Gas in the Pipe</u>		<u>55</u>		
<u>70</u>	<u>Heavy oil &amp; Gas cut mud</u>	<u>0</u>	<u>40</u>	<u>40</u>	<u>5</u>
<u>30</u>	<u>oil &amp; Gas cut muddy water</u>	<u>5</u>	<u>5</u>	<u>50</u>	<u>40</u>
<u>90</u>	<u>WATER-CHLORIDES 34000 with a serum of oil</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>97</u>
<u>10</u>	<u>CLEAR OIL ON TOP</u>				

Total Feet Recovered \_\_\_\_\_ Recovery Chlorides 34000 Rw. .02 ohms @ 84 Degrees  
 Gravity of oil \_\_\_\_\_ Corrected Gas to Surface in 10 minutes into the NONE  
 Max. Gas Gauged NONE MCF/day See Gas Flow Report Was a gas sample taken N  
 Comments \_\_\_\_\_


Extra Equipment-Jars NONE Safety Joint NONE Circulating Sub NONE Straddle NONE  
 Electronic Recorder No. 4023 Depth 5107 Extra Packer (3rd) NONE Hook Wall NONE  
 Bottom Recorder No. 4050 Depth 5108 Extra Packer (4th) NONE Sampler NONE  
 Tool Operator Steve Bully Approved By \_\_\_\_\_

# SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

## DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	2676
2	Initial Flow Pressure	50
3	Final Initial Flow Pressure	77
4	Initial Shut-In Pressure	1529
5	Initial Final Flow Pressure	87
6	Final Flow Pressure	130
7	Final Shut-In Pressure	1539
8	Final Hydrostatic Pressure	2506

Maximum Temperature      115

### GENERAL INFORMATION

COMPANY NAME ..... RITCHIE EXPORATION INC.	
TEST DATE ..... 2/11/08	LEASE AND WELL NUMBER ..... O SLASH-HILL TRUST
SECTION-TOWN-RANGE ..... 2-28S-23W	FORMATION TESTED ..... MIDDLE MISSISSIPPI
STATE ..... KANSAS	DRILL STEM TEST NUMBER ..... 2
COUNTY ..... FORD	REPORT NUMBER ..... 15445
ELEVATION GROUND LEVEL ..... 2417	ELEVATION KELLY BUSHINGS ..... 2428
COMPANY REPRESENTATIVE ..... MIKE ENGLEBRECHI TESTING ENGINEER	..... GENE BUDIG

### TOOL SETTING INFORMATION

TEST INTERVAL (From) ..... 5085	TOP PACKER DEPTH ..... 5080
TEST INTERVAL (to) ..... 5111	BOTTOM PACKER DEPTH ..... 5085
ANCHOR LENGTH ..... 26	NUMBER OF PACKERS ..... 2
TOTAL DEPTH (ft) ..... 5111	PACKER SIZE ..... 6 3/4
	HOLE SIZE ..... 7 7/8

### FLOW TIMES

	INITIAL OPEN		FINAL OPEN
	TOOL OPEN (from) ..... 4:00		TOOL OPEN (from) ..... 5:15
INITIAL OPEN	TOOL OPEN (to) ..... 4:30		TOOL OPEN (to) ..... 6:15
	DURATION (min.) ..... 30		DURATION (min.) ..... 60
	INITIAL SHUT-IN		FINAL SHUT-IN
	TOOL CLOSED (from) ..... 4:30		TOOL CLOSED (from) ..... 6:15
	TOOL CLOSED (to) ..... 5:15		TOOL CLOSED (to) ..... 7:45
	DURATION (min.) ..... 45		DURATION (min.) ..... 90

**INITIAL FLOW      FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 5 MINUTES**

**FINAL FLOW      FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 5 MINUTES**

Company: RITCHIE EXPLORATION INC. Lease & Well No. O SI ASH-HILL Test #: 2 Date: 02-11-2008 SEC.  
 2 TWP. 28S RGE. 23W

**SUPERIOR TESTERS ENTERPRISES L.L.C.**

**DRILL STEM TEST REPORT**

**GREAT BEND ,KANSAS 67530 (800)792-6902**

**GENERAL INFORMATION**

COMPANY NAME .....	<b>RITCHIE EXPORATION INC.</b>	LEASE AND WELL NUMBER .....	<b>O SLASH-HILL TRUST</b>
TEST DATE .....	<b>2/11/08</b>	FORMATION TESTED .....	<b>MIDDLE MISSISSIPPI</b>
SECTION-TOWN-RANGE .....	<b>2-28S-23W</b>	DRILL STEM TEST NUMBER .....	<b>2</b>
STATE .....	<b>KANSAS</b>	REPORT NUMBER .....	<b>15445</b>
COUNTY .....	<b>FORD</b>	ELEVATION KELLY BUSHINGS .....	<b>2428</b>
ELEVATION GROUND LEVEL .....	<b>2417</b>	TESTING ENGINEER .....	<b>GENE BUDIG</b>
COMPANY REPRESENTATIVE .....	<b>MIKE ENGLEBRECHT</b>		

**EXTRA EQUIPMENT**

JARS .....	<b>NO</b>	EXTRA PACKER (3RD) .....	<b>NO</b>
SAFETY JOINT .....	<b>NO</b>	EXTRA PACKER (4TH) .....	<b>NO</b>
ELECTRONIC RECORDER .....	<b>NO</b>	STRADDLE .....	<b>NO</b>
CIRCULATING SUB .....	<b>NO</b>	HOOK WALL .....	<b>NO</b>
		SAMPLER .....	<b>NO</b>
<b>38 MILES ROUND TRIP FROM DODGE</b>			
TOP RECORDER DEPTH .....	<b>5107</b>	BOTTOM RECORDER DEPTH .....	<b>5108</b>
RECORDER NUMBER .....	<b>4023</b>	RECORDER NUMBER .....	<b>3088</b>


**WELL INFORMATION**

DRILLING CONTRACTOR .....	<b>DUKE DRILLING RIG # 1</b>	DRILL COLLAR LENGTH .....	
DRILL PIPE LENGTH .....	<b>5066</b>	DRILL COLLAR I.D. ....	<b>2.25</b>
DRILL PIPE I.D. ....	<b>3.8</b>	TOOL JOINT SIZE .....	<b>4 1/2 X.H.</b>
TOOL JOINT SIZE .....	<b>4 1/2 X.H.</b>		
CHLORIDES-PITS .....	<b>11200</b>	MUD WEIGHT #/GAL .....	<b>9.4</b>
CHLORIDES-DST .....		VISCOSITY .....	<b>87</b>
		WATER LOSS .....	<b>12.8</b>

**COMMENTS**



# Temperature / Pressure Data



Tool serial number: 4005

Test start: 02/11/2008 10:02:35




# SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

## DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



- |   |                              |      |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 2591 |
| 2 | Initial Flow Pressure        | 42   |
| 3 | Final Initial Flow Pressure  | 43   |
| 4 | Initial Shut-In Pressure     | 493  |
| 5 | Initial Final Flow Pressure  | 44   |
| 6 | Final Flow Pressure          | 46   |
| 7 | Final Shut-In Pressure       | 295  |
| 8 | Final Hydrostatic Pressure   | 2560 |

Maximum Temperature 111

### GENERAL INFORMATION

COMPANY NAME .....		RITCHIE EXPLORATION INC.	
TEST DATE .....	2/12/08	LEASE AND WELL NUMBER .....	O SLASH-HILL TRUST
SECTION-TOWN-RANGE .....	2-28SW-23W	FORMATION TESTED .....	LOWER MISSISSIPPI
STATE .....	KANSAS	DRILL STEM TEST NUMBER .....	3
COUNTY .....	FORD	REPORT NUMBER .....	15446
ELEVATION GROUND LEVEL .....	2417	ELEVATION KELLY BUSHINGS .....	2428
COMPANY REPRESENTATIVE .....	MIKE ENGLEBRECHT TESTING ENGINEER	.....	GENE BUDIG

### TOOL SETTING INFORMATION

TEST INTERVAL (From) .....	5118	TOP PACKER DEPTH .....	5113
TEST INTERVAL (to) .....	5149	BOTTOM PACKER DEPTH .....	5118
ANCHOR LENGTH .....	31	NUMBER OF PACKERS .....	2
TOTAL DEPTH (ft) .....	5149	PACKER SIZE .....	6 3/4
		HOLE SIZE .....	7 7/8

### FLOW TIMES

<b>INITIAL OPEN</b>		<b>FINAL OPEN</b>	
TOOL OPEN (from) .....	1:30	TOOL OPEN (from) .....	2:30
TOOL OPEN (to) .....	2:00	TOOL OPEN (to) .....	3:00
DURATION (min.) .....	30	DURATION (min.) .....	30
<b>INITIAL SHUT-IN</b>		<b>FINAL SHUT-IN</b>	
TOOL CLOSED (from) .....	2:00	TOOL CLOSED (from) .....	3:00
TOOL CLOSED (to) .....	2:30	TOOL CLOSED (to) .....	3:30
DURATION (min.) .....	30	DURATION (min.) .....	30

**INITIAL FLOW**      VERY WEAK BLOW FOR 2 MINUTES AND DIED

**FINAL FLOW**      NO BLOW FLUSHED TOOL GOOD SURGE NO HELP

Company: RITCHIE EXPLORATION INC.    Lease & Well No. O SLASH-HILL TRUST # 1    Test #: 3    Date: 02-12-2008    SEC. 2 TWP. 28S RGE. 23W

# SUPERIOR TESTERS ENTERPRISES L.L.C.

## DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

### GENERAL INFORMATION

COMPANY NAME .....	RITCHIE EXPLORATION INC.	LEASE AND WELL NUMBER .....	O SLASH-HILL TRUST #1
TEST DATE .....	2/12/08	FORMATION TESTED .....	LOWER MISSISSIPPI
SECTION-TOWN-RANGE .....	2-28SW-23W	DRILL STEM TEST NUMBER .....	3
STATE .....	KANSAS	REPORT NUMBER .....	15446
COUNTY .....	FORD	ELEVATION KELLY BUSHINGS .....	2428
ELEVATION GROUND LEVEL .....	2417	TESTING ENGINEER .....	GENE BUDIG
COMPANY REPRESENTATIVE .....	MIKE ENGLEBRECHT		

### EXTRA EQUIPMENT

JARS .....	NO	EXTRA PACKER (3RD) .....	NO
SAFETY JOINT .....	NO	EXTRA PACKER (4TH) .....	NO
ELECTRONIC RECORDER .....	NO	STRADDLE .....	NO
CIRCULATING SUB .....	NO	HOOK WALL .....	NO
		SAMPLER .....	NO
<b>38 MILES ROUND TRIP FROM GREAT BEND</b>			
TOP RECORDER DEPTH .....	5145	BOTTOM RECORDER DEPTH .....	5146
RECORDER NUMBER .....	4023	RECORDER NUMBER .....	3088


### WELL INFORMATION

DRILLING CONTRACTOR .....	DUKE DRILLING RIG # 1	DRILL COLLAR LENGTH .....	
DRILL PIPE LENGTH .....	5098	DRILL COLLAR I.D. ....	2.25
DRILL PIPE I.D. ....	3.8	TOOL JOINT SIZE .....	4 1/2 X.H.
TOOL JOINT SIZE .....	4 1/2 X.H.		
CHLORIDES-PITS .....	12300	MUD WEIGHT #/GAL .....	9.3
CHLORIDES-DST .....		VISCOSITY .....	80
		WATER LOSS .....	14.4

### COMMENTS



# Temperature / Pressure Data



Tool serial number: 4005  
 Test start: 02/12/2008 05:50:38