


State Kansas Field Eubank  
 Company United Producing County Haskell  
 Farm H. E. Winstead No. 2  
 Sec. 29 Twp. 28S Range 34W

Spot C SE NW  
 Contractor Rine 5650'  
 Remarks



Comm. 2/6/59 Comp. 2/18/59  
 Elev. 4+5 DF 3030 GL 3021 KB TD 5655 PB  
 Pay

*D&A*

I.P. Press.  
 Casing Record: 13 3/8 7"  
 20" 10 3/4 5 1/2" 5508/500  
 16" 8 5/8 1889/850

| LOCATION                                      | Sample                      | Log                         |
|---|-----------------------------|-----------------------------|
| <del>FEB 1 1</del> sp. csg. $\phi$ 2203       | Her 2552                    | Her 2548                    |
| <del>FEB 1 8</del> DST 4422-52                | Kri 2572                    | Kri 2574                    |
| gp lhr rec 30' m + 100'                       | Win <sup>x270</sup> 2652    | Win <sup>x270</sup> 2634    |
| salty m FP 35-85                              | Hb 3993                     | UJFR 2704                   |
| SIP 1185/30                                   | Tor 4025                    | Ure 2842                    |
| @ TTP 4514 prop to                            | Lom 4092                    | C.G. <sup>+140</sup> 2890   |
| <del>€</del>                                  | "B <sub>3</sub> " 4416      | Hb <sup>-964</sup> 3994     |
| <del>FEB 2 5</del> € <sup>Dzone</sup> 4514-64 | KC/A <sub>3</sub> zone 4513 | Tor 4019                    |
| rec 50' total                                 | Mrm 4674                    | Lom <sup>7060</sup> 4090    |
| 26' ls in-mod xtn                             | cher 4870                   | "D <sub>3</sub> " 4410      |
| frag, frac, fr                                | Mor 5162                    | KC'A <sub>3</sub> " 4512    |
| por.  |                             | "B <sub>3</sub> " 4514      |
| 2' ls dns shly.                               |                             | Mrm 4656                    |
| 22' sh, calc.                                 |                             | Choro 4842                  |
| DST 4514-64 gp 45"                            |                             | Mor <sup>-2132</sup> 5162   |
| wk pbo rec 210' fresh                         |                             | Choro <sup>-2389</sup> 5419 |
| wtr. FP 120-130                               |                             | Miss <sup>-2423</sup> 3403  |
| SIP 1140/25                                   |                             | st.l. <sup>-2548</sup> 5378 |
| € 4564-4612 rec 48' total                     |                             |                             |
| 5' ls shaley                                  |                             |                             |
| 3' sh lmy                                     |                             |                             |
| 3' ls shly                                    |                             |                             |
| 3' ls bld oil                                 |                             |                             |

*Handwritten notes:*  
 46550  
 5570  
 2250

5' 1/2 gloder fr fluor  
5' 1/2 shly  
4' 1/2 w thin sh partings  
7' 1/2 tr por  
2 1/2' sh  
6 1/2' 1/2 poor por  
3' 1/2 shly w cht.  
1' chert

E DST 4572-4612 op 1' rec 20'm  
FP 75 BHP 550/30

DST 4696-4722 op 1' rec 1630'

Mr m → GIP + 10' oily mud + 190' wdy cil  
+ 10' oil FP 75-80  
BHP 470/30

~~45100~~

MAR 4 DST 5360-81 op 30" rec 5'm  
FP 0 SIP 100/30

E 5415-65 rec 50' total

3' ss shly N.S.

34' ss fr por bld cil

1' ss shly N.S.

7' 1/2 ch's med xtlh

2' 1/2 " " " oil

3' 1/2 " " " sli glauc  
bld oil

~~FTD 5465 DST (SP) 5419-52~~

op 1' rec 420' soc + xtl mud.

FP 10-165 SIP 1335/30"

E 5465-95 rec 30' 1/2 for N.S.

RTD 5655 log. rug csg.

MAR 11 ~~log~~ MKT CO.

MAR 18 CO 5473 P 64/5436-52

ba 20 GWPW w/ tr oil A/250m

A/250 (152) sub 36 BXW + 1430/43'

MAR 25 ~~59/100 sx woc~~ CO 5430 P 32/5420-28

sub 50 GXW + 26 oil PH pl 4767

PB 4758 P 16/4699-4703

32/4711-19 A/500m + 500 reg

subg.

APR 1 ba 8 gal oil + 39 gal XW 59/500 SX

CO 4704 P 16/4699-4703

A/1000 subg.

APR 8 sub 46 oil + 61.6 XW PH pl 4608

Mr Maton



AMARILLO TOPS

3032 KB

Winfield 2633 (-399)

Topeka 3591 (-559)

Heebner 3996 (-964)

Toronto 4018 (-986)

Lansing 4088 (-1056) tst'd G&XW

Marmaton 4654 (-1622) tst'd oil &XW

Atoka 4953 (-1921)

Morrow 5163 (-2131) T/150'; Tss 17'

"S-3" Sd 5363 (-2331) 0/17, tst'd mud - 720/20

Chester 5380 (-2348)

"C-2" 5418 (-2386) 34/35, tst'd O&XW

St. Gen 5505 (-2473)

St. Louis "A" 5577 (-2545) no por