

Well Name:	BINFORD TRUST #1-B			
Company :	PICKRELL DRILLING CO INC			
Location - Sec:	5	Twp:	28S	Rge: 16W
County:	KIOWA	State:	KS	
Date:	12/11/95			

TRILOBITE TESTING L.L.C.

OPERATOR : Pickrell Drilling Co Inc
WELL NAME: Binford Trust #1-B
LOCATION : 5-28S-16W, Kiowa Cty KS
INTERVAL : 4650.00 To 4683.00 ft

DATE 12/10/95

KB 2151.00 ft TICKET NO: 8268 DST #1
GR 2146.00 ft FORMATION: Kinderhook Sand
TD 4683.00 ft TEST TYPE: CONVENTIONAL

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	2836	2836	10333			PF Fr. 2137 to 2207 hr
SI 60 Range(Psi)	3500.0	3500.0	4075.0	0.0	0.0	IS Fr. 2207 to 2307 hr
SF 90 Clock(hrs)	AK-1	AK-1	AK-1			SF Fr. 2307 to 0037 hr
FS 90 Depth(ft)	4680.0	4680.0	4655.0	0.0	0.0	FS Fr. 0037 to 0207 hr

	Field	1	2	3	4	
A. Init Hydro	2396.0	2384.0	0.0	0.0	0.0	T STARTED hr
B. First Flow	51.0	68.0	0.0	0.0	0.0	T ON BOTM hr
Bl. Final Flow	34.0	60.0	0.0	0.0	0.0	T OPEN 2137 hr
C. In Shut-in	781.0	803.0	0.0	0.0	0.0	T PULLED 0207 hr
D. Init Flow	51.0	62.0	0.0	0.0	0.0	T OUT hr
E. Final Flow	25.0	46.0	0.0	0.0	0.0	
F. Fl Shut-in	1325.0	1348.0	0.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	2172.0	2186.0	0.0	0.0	0.0	Tool Wt. 0.00 lbs
Inside/Outside	0	0	I			Wt Set On Packer 0.00 lbs
						Wt Pulled Loose 0.00 lbs
						Initial Str Wt 0.00 lbs
						Unseated Str Wt 0.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.25 in
						D. Pipe ID 3.80 in
						D.C. Length 242.00 ft
						D.P. Length 0.00 ft

RECOVERY

Tot Fluid 10.00 ft of 10.00 ft in DC and 0.00 ft in DP
350.00 ft of Gas in pipe
10.00 ft of Drilling mud

SALINITY 0.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow -
Fair blow built to bottom of bucket
in 12 min

Initial Shutin -
Bled off 2", no blow back

Final Flow -
Strong blow, bottom of bucket as soon
as tool open

Final Shutin -
Bled off 2", no blow back

SAMPLES:
SENT TO:

MUD DATA-----

Mud Type	Chemical
Weight	9.30 lb/
Vis.	48.00 S/1
W.L.	11.20 in3
F.C.	0.00 in
Mud Drop	


Amt. of fill	0.00 ft
Btm. H. Temp.	118.00 F

Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00

Cushion Type	
Reversed Out	
Tool Chased	
Tester	Mike Colantonio
Co. Rep.	Bill Klaver
Contr.	Pickrell
Rig #	1
Unit #	
Pump T.	

Test Successful: Y

CHART PAGE



This is an actual photograph of recorder chart

TRILOBITE TESTING L.L.C.

OPERATOR : Pickrell Drilling Co Inc
WELL NAME: Binford Trust #1-B
LOCATION : 5-28S-16W, Kiowa Cty KS
INTERVAL : 4685.00 To 4716.00 ft

DATE 12/11/95

KB 0.00 ft TICKET NO: 8269 DST #2
GR 2151.00 ft FORMATION: Viola
TD 4716.00 ft TEST TYPE: CONVENTIONAL

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	2836	2836	10333			PF Fr. 1830 to 1900 hr
SI 60 Range(Psi)	3500.0	3500.0	4050.0	0.0	0.0	IS Fr. 1900 to 2000 hr
SF 120 Clock(hrs)	AK-1	AK-1	AK-1			SF Fr. 2000 to 2200 hr
FS 120 Depth(ft)	4713.0	4713.0	4688.0	0.0	0.0	FS Fr. 2200 to 2400 hr

	Field	1	2	3	4	
A. Init Hydro	2369.0	2351.0	0.0	0.0	0.0	T STARTED hr
B. First Flow	51.0	108.0	0.0	0.0	0.0	T ON BOTM hr
Bl. Final Flow	59.0	80.0	0.0	0.0	0.0	T OPEN 1830 hr
C. In Shut-in	1360.0	1386.0	0.0	0.0	0.0	T PULLED 2400 hr
D. Init Flow	102.0	125.0	0.0	0.0	0.0	T OUT hr
E. Final Flow	136.0	154.0	0.0	0.0	0.0	
F. Fl Shut-in	1221.0	1225.0	0.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	2189.0	2177.0	0.0	0.0	0.0	Tool Wt. 0.00 lbs
Inside/Outside	0	0	I			Wt Set On Packer 0.00 lbs
						Wt Pulled Loose 0.00 lbs
						Initial Str Wt 0.00 lbs
						Unseated Str Wt 0.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.25 in
						D. Pipe ID 3.80 in
						D.C. Length 242.00 ft
						D.P. Length 0.00 ft

RECOVERY

Tot Fluid 310.00 ft of 242.00 ft in DC and 68.00 ft in DP
70.00 ft of Muddy water - 60% water, 40% mud
240.00 ft of Slightly muddy water - 90% water, 10% mud

5.00 ft of Pay (est)

RW .143 @ 73 F

SALINITY 46000.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow -

Fair surface blow, built to 5.5"

Initial Shutin -

No blow back

Final Flow -

Slowly building surface blow, took 8 min, then built to 5" blow

Final Shutin -

No blow back

SAMPLES:


SENT TO:

MUD DATA-----

Mud Type	Chemical
Weight	9.30 lb/
Vis.	52.00 S/I
W.L.	11.20 in
F.C.	0.00 in
Mud Drop	
Amt. of fill	0.00 ft
Btm. H. Temp.	118.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out	
Tool Chased	
Tester	Mike Colantonio
Co. Rep.	Billy Klaver
Contr.	Pickrell
Rig #	1
Unit #	
Pump T.	

Test Successful: Y

CHART PAGE



This is an actual photograph of recorder chart