

KANSAS


FORM 51 5M 11-44 PETROL

Haskell County

Section 21
20 Township 29 Range 33W

Well No. #1 Elsaer-Light

Company Stanolind & Helmerick & Payne




Sec. 20 2/ Twp. 29 R. 33WWell No. #1 Elsaer-Light FarmStanolind & Helmerick & Payne Company

Hugoton

50 Ft. from N. Line Ft. from S. Line50 Ft. from E. Line Ft. from W. Line

NE SW



1946

Elev. 2953

REPORT

2/6 RUR
2/14 8" - 697' Drlg. 770'
2/21 Hol. 2558' Her 2610' Win 2708'
Ft. Riley 2760' Drlg. 2770'
2/28 T.D. 2775' 5" - 2775'
RUST.
3/7 T.D. 2788' 1000 acid.
S.W.
3/14 P. B. to 2712'
48 shots 2612-20
66 " 2643-54'
156 " 2670-96'
108 " 2724-52' 1000 acid.
3/21 11,500 acid.
3/28 " "
4/4 " "
4/10 " "
4/16 " "

4/24 5" @ 2775
Perf. 10,500 acid.
TD 2788'
5,990,000 Gas.

COMPLETED

KANSAS Kansas Pool Name Hugoton
 Map No. 10-1-20 Sec. 20 Twp. 29 R. 33W
 Well No. 1 Elsaer-Light

Stanolind & Helmerick & Payne
 Company

FIRST REPORT

Contractor

NE SW

SECTION PLAT

50 Ft. from N. Line

 Ft. from S. Line

50 Ft. from E. Line

 Ft. from W. Line

	6		

Haskell County

Location

Rig up

Drilling and Remarks:
RUR

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

FEB 6 1946 19

S. J. LEWIS Scout

KANSAS

Kansas

Pool Name HugotonMap No. Homar Sec. 21 Twp. 29 R. 33WWell No. 1 Elsaer-LightStanolind Helmerick-Payne

Company

CORRECTION

Contractor

NE SW

SECTION PLAT

50


Ft. from N. Line

Ft. from S. Line

50

Ft. from E. Line

Ft. from W. Line



Haskell County

Location

Rig up

Drilling and Remarks:
reported20-29-33W

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

FEB 13 1946 19S. J. LEWIS

Scout

KANSAS


Kansas

Pool Name HugotonMap No. 21 Sec. 29 Twp. 33WWell No. 1 Elsaer-LightStanolind and Helmerich & Payne
Company

(COMPLETED)

Contractor

NE SW

E12958
SECTION PLAT50 Ft. from N. Line Ft. from S. Line50 Ft. from E. Line Ft. from W. Line

Haskell County

Location Rig up

Drilling and Remarks:

*5-102775**Perforated.**10,500 acid**5,990,000 Gas*

RECORD

Cased in., ft.Sand Gas Oil Total Depth 2288

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

APR 24 1946

19

S. J. LEWIS

Scout