


Kingman

KANSAS

SECTION 26 TOWNSHIP 29 RANGE 7W

WELL NO. #1 Graber

COMPANY Coppinger Drlg. , Inc.



Kingman

KANSAS

SEC. 26	TWP. 29	R. 7W
------------	------------	----------

WELL NO.

#1 Graber

FARM

COMPANY

Coppinger Drlg., Inc.

CONTRACTOR

Patton

WILDCAT


_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line

NW NW NW



CSO-FO

1956

ELEVATION

1562'

REPORT

4-4

Location

4-25

Comm. 4-7-56

8 5/8" @ 258 w/175

DST 3117-3214 op 90 min. rec. 2300' SW

FP 200-1180 BHP 1320/30"

DST 3806-15 op 30 min. rec. 280' SW

BHP 1590/30"

DST 4156-65 op 1 hr. gas in 6 min.

rec. 60' mud, BHP 1420/20"

DST 4166-78 op 1 hr. rec. 40' mud,

BHP 210/30"

DST 4171-91 op 1 hr. rec. 240' oil,

spud mud, BHP 320/30"

D & A

H. 3090

Tr. 3103

Dg. sh. 3118

Dg. Sd 3206

BL 3317

Lsg. 3343

BKC 3852

Marm 3887

M. 4155

TD 4216'

ABANDONED

County Kingman Elev. _____
 Sec. 26 Twp. 29 Rge. 7W
 Company Comstock Drilling, Inc.
 Farm Name Greber No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh				NW NW NW
Tp.				
H.				
Tr.				
Dg.				
Bl.				
L.				
K.C.				Geol. _____
B.K.C.				Contr. _____
Ce.				<u>Patton</u>
C.				
M.				
M.				Pool _____
K.				<u>Wildcat</u>
Mz.				
Mo.				
V.				
S.				
S.				
A.				
R.				
PC.				
G.				
ED.				


FIRST REPORT
 APR 4 '56

Date Comm. CSO - FO
 Location _____

APR 11 1956
 12

[Handwritten signature]

Co.
 Loc.
 No.
 Sec.
 T.
 R.



County Newton Elev. 1562
 Sec. 26 Temp. 29 Rge. 7W
 Company Conditioner Drilling Co., Inc.
 Farm Name Arbor No. 1

TOPS	DEPTH	LOG	DATUM
Anb.			
Tr.			
H.	3090		
Tr.	3103		
Dg. <u>sb</u>	3118		
BE <u>D93d</u>	3206		
tr. <u>BL</u>	3317		
Me <u>LS9</u>	3343	1781	
BKC.	3852	2290	
Ce. <u>Marm</u>	3887	2325	
C.			
M.	4155	2593	
M.			
K.			
Mz.			
Me			
V.			
S.			
S.			
A.			
R.			
PE.			
G.			
TD.	4216		

Loc. in Sec. NW NW NW
 Geol. _____
 Contr. _____
 Pool _____
 Wildcat _____
ABANDONED
 APR 25 1956

Date Comm. 4-7-56
 Location APR 11 56 4-7-56 85/8
258/175 ϕ 1120 APR 18 56 DST
3117-3214 90" rec. 2300' SW
FP 200-1180 BHP 1320/30" ϕ 3370
APR 25 56 DST 3886-15 30" rec 280'
SW BHP 1590/30 DST 4156-65 (or)
1 hr 9 in 6" TSTM rec 60' Md BHP
1420/20" DST 4166-78 (or) 1 hr
rec 45' Md BHP 210/30" DST

4171-91 1 hr rec 240' oil

SPKd Md BHP 320/30

R & A