



**TRILOBITE  
TESTING, INC.**

**RELEASED  
FROM  
CONFIDENTIAL**

**DRILL STEM TEST REPORT**

Prepared For: **Strata Exploration Inc**

P.O. Box 401  
Fairfield, IL 62837

ATTN: Strata Explor. Inc

**21-29-32 Haskell, Ks**

**Leonard #1**

Start Date: 2003.04.01 @ 17:12:26

End Date: 2003.04.02 @ 02:20:39

Job Ticket #: 16216                      DST #: 1

**CONFIDENTIAL**

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE TESTING, INC.**

**DRILL STEM TEST REPORT**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, IL 62837

**21-29-32 Haskell, Ks**

ATTN: Strata Explor. Inc

Job Ticket: 16216      DST#: 1

Test Start: 2003.04.01 @ 17:12:26

**GENERAL INFORMATION:**

Formation: **Atoka**  
Deviated: **No Whipstock:**      ft (KB)  
Time Tool Opened: 19:59:54  
Time Test Ended: 02:20:39

Test Type: **Conventional Bottom Hole**  
Tester: **Shane McBride**  
Unit No: **25**

Interval: **5075.00 ft (KB) To 5133.00 ft (KB) (TVD)**  
Total Depth: **5133.00 ft (KB) (TVD)**  
Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2918.00 ft (KB)**  
**2913.00 ft (CF)**  
KB to GR/CF: **5.00 ft**


**Serial #: 2341**

**Inside**

Press@RunDepth: **116.96 psig @ 5076.00 ft (KB)**  
Start Date: **2003.04.01**      End Date: **2003.04.02**  
Start Time: **17:12:26**      End Time: **02:20:39**

Capacity: **7000.00 psig**  
Last Calib.: **1899.12.30**  
Time On Btrm: **2003.04.01 @ 19:56:39**  
Time Off Btrm: **2003.04.01 @ 23:16:39**

**TEST COMMENT:** B.O.B. in 1/2min. Gas to surface in 12 min.  
Bleed off for 6 min. Return to B.O.B. in 23 min.  
Gauging gas @ open  
Bleed off for 15 min. Return to B.O.B. in 5 min.



**PRESSURE SUMMARY**

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2574.30	121.22	Initial Hydro-static
4	85.58	122.00	Open To Flow (1)
16	90.34	124.53	Shut-in(1)
63	1510.17	126.21	End Shut-in(1)
65	83.21	126.04	Open To Flow (2)
106	116.96	126.91	Shut-in(2)
199	1514.18	128.95	End Shut-in(2)
200	2466.13	129.00	Final Hydro-static

**Recovery**

Length (ft)	Description	Volume (bbl)
390.00	g m w/trace of oil 35%g 63%m 2%o	1.92

**Gas Rates**

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	0.25	14.00	45.05
Last Gas Rate	0.25	16.00	44.98
Max. Gas Rate	0.25	16.00	44.98



**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, IL 62837

**21-29-32 Haskell, Ks**

Job Ticket: 16216

**DST#: 1**

ATTN: Strata Explor. Inc

Test Start: 2003.04.01 @ 17:12:26

### Tool Information

Drill Pipe:	Length: 4683.00 ft	Diameter: 3.80 inches	Volume: 65.69 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 390.00 ft	Diameter: 2.25 inches	Volume: 1.92 bbl	Weight to Pull Loose: 90000.00 lb
			<u>Total Volume: 67.61 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 76000.00 lb
Depth to Top Packer:	5075.00 ft			Final 78000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	58.00 ft			
Tool Length:	80.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			5054.00	
S.I. Tool	5.00			5059.00	
HMV	5.00			5064.00	
Safety Joint	2.00			5066.00	
Packer	5.00			5071.00	22.00 Bottom Of Top Packer
Packer	4.00			5075.00	
Stubb	1.00			5076.00	
Recorder	0.00	2341	Inside	5076.00	
Perforations	19.00			5095.00	
C.O. Sub	1.00			5096.00	
drillpipe	31.00			5127.00	
C.O. Sub	1.00			5128.00	
Recorder	0.00	11058	Outside	5128.00	
Bullnose	5.00			5133.00	58.00 Bottom Packers & Anchor

**Total Tool Length: 80.00**

 <b>TRILOBITE TESTING, INC.</b>		DRILL STEM TEST REPORT		FLUID SUMMARY							
		Strata Exploration Inc		Leonard #1							
P.O. Box 401 Fairfield, IL 62837		21-29-32 Haskell, Ks		Job Ticket: 16216      DST#: 1							
ATTN: Strata Explor. Inc		Test Start: 2003.04.01 @ 17:12:26									
<b>Mud and Cushion Information</b>											
Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API						
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm						
Viscosity:	45.00 sec/qt	Cushion Volume:	bbbl								
Water Loss:	7.96 in <sup>3</sup>	Gas Cushion Type:									
Resistivity:	0.00 ohm.m	Gas Cushion Pressure:	psig								
Salinity:	1300.00 ppm										
Filter Cake:	1.00 inches										
<b>Recovery Information</b>											
Recovery Table											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Length ft</th> <th style="width: 60%;">Description</th> <th style="width: 25%;">Volume bbl</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">390.00</td> <td>g m w/trace of oil 35%g 63%m 2%o</td> <td style="text-align: center;">1.918</td> </tr> </tbody> </table>						Length ft	Description	Volume bbl	390.00	g m w/trace of oil 35%g 63%m 2%o	1.918
Length ft	Description	Volume bbl									
390.00	g m w/trace of oil 35%g 63%m 2%o	1.918									
Total Length:	390.00 ft	Total Volume:	1.918 bbl								
Num Fluid Samples:	0	Num Gas Bombs:	0	Serial #:							
Laboratory Name:		Laboratory Location:									
Recovery Comments:											



**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

**GAS RATES**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, IL 62837

**21-29-32 Haskell, Ks**

Job Ticket: 16216

**DST#: 1**

ATTN: Strata Explor. Inc

Test Start: 2003.04.01 @ 17:12:26

### Gas Rates Information

Temperature: 64 deg C  
Relative Density: 0.74  
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m <sup>3</sup> /d)
2	5	0.25	14.00	45.05
2	10	0.25	14.00	42.02
2	15	0.25	13.00	40.54
2	20	0.25	13.00	40.54
2	25	0.25	14.00	42.02
2	30	0.25	14.00	42.02
2	35	0.25	15.00	43.50
2	40	0.25	15.00	43.50
2	45	0.25	16.00	44.98





## DRILL STEM TEST REPORT

Prepared For: **Strata Exploration Inc**

P.O. Box 401  
Fairfield, IL 62837

ATTN: Strata Explor. Inc

**21-29-32 Haskell, Ks**

**Leonard #1**

Start Date: 2003.04.03 @ 09:02:28

End Date: 2003.04.03 @ 18:10:11

Job Ticket #: 16217                      DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Strata Exploration Inc

Leonard #1

21-29-32 Haskell, Ks

DST # 2

morrow sand

2003.04.03





**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, L. 62837

**21-29-32 Haskell, Ks**

Job Ticket: 16217

**DST#: 2**

ATTN: Strata Explor. Inc

Test Start: 2003.04.03 @ 09:02:28

### Tool Information

Drill Pipe:	Length: 4839.00 ft	Diameter: 3.80 inches	Volume: 67.88 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 390.00 ft	Diameter: 2.25 inches	Volume: 1.92 bbl	Weight to Pull Loose: 95000.00 lb
			<u>Total Volume: 69.80 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 80000.00 lb
Depth to Top Packer:	5236.00 ft			Final 81000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	155.00 ft			
Tool Length:	182.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

C.O. Sub	1.00			5210.00	
S.I. Tool	5.00			5215.00	
HMV	5.00			5220.00	
Jars	5.00			5225.00	
Safety Joint	2.00			5227.00	
Packer	5.00			5232.00	27.00 Bottom Of Top Packer
Packer	4.00			5236.00	
Stubb	1.00			5237.00	
Recorder	0.00	2341	Inside	5237.00	
Perforations	23.00			5260.00	
C.O. Sub	1.00			5261.00	
drillpipe	124.00			5385.00	
C.O. Sub	1.00			5386.00	
Recorder	0.00	11058	Outside	5386.00	
Bullnose	5.00			5391.00	155.00 Bottom Packers & Anchor

**Total Tool Length: 182.00**

 <b>TRILOBITE TESTING, INC</b>	<b>DRILL STEM TEST REPORT</b>		<b>FLUID SUMMARY</b>
	Strata Exploration Inc P.O. Box 401 Fairfield, IL 62837 ATTN: Strata Explor. Inc	<b>Leonard #1</b> <b>21-29-32 Haskell, Ks</b> Job Ticket: 16217      DST#:2 Test Start: 2003.04.03 @ 09:02:28	

**Mud and Cushion Information**

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 53.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.97 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 1700.00 ppm			
Filter Cake: 1.00 inches			

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
335.00	g m 30%g 70%m	1.647

Total Length: 335.00 ft      Total Volume: 1.647 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments:



**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

**GAS RATES**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, IL 62837

**21-29-32 Haskell, Ks**

Job Ticket: 16217

**DST#: 2**

ATTN: Strata Explor. Inc

Test Start: 2003.04.03 @ 09:02:28

### Gas Rates Information

Temperature: 58 deg C  
Relative Density: 0.74  
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m <sup>3</sup> /d)
1	5	0.75	4.00	269.62
1	10	0.75	6.00	298.93
1	15	0.75	8.00	328.24
2	5	0.75	14.00	416.15
2	10	0.75	12.00	386.85
2	15	0.75	10.00	357.54
2	25	0.75	10.00	357.54
2	30	0.75	10.00	357.54
2	35	0.75	10.00	357.54
2	40	0.75	10.00	357.54
2	45	0.75	10.00	357.54

82742

DST Test Number: 2


21-29-32 Haskell, Ks


Strata Exploration Inc

Inside

Serial #: 2341

### Pressure vs. Time





## DRILL STEM TEST REPORT

Prepared For: **Strata Exploration Inc**

P.O. Box 401  
Fairfield, IL 62837

ATTN: Strata Explor. Inc

**21-29-32 Haskell, Ks**

**Leonard #1**

Start Date: 2003.04.04 @ 14:49:52

End Date: 2003.04.04 @ 21:14:20

Job Ticket #: 16218                      DST #: 3

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620





**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

TOOL DIAGRAM

Strata Exploration Inc

Leonard #1

P.O. Box 401  
Fairfield, IL 62837

21-29-32 Haskell, Ks

Job Ticket: 16218

DST#: 3

ATTN: Strata Explor. Inc

Test Start: 2003.04.04 @ 14:49:52

### Tool Information

Drill Pipe:	Length: 5088.00 ft	Diameter: 3.80 inches	Volume: 71.37 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 390.00 ft	Diameter: 2.25 inches	Volume: 1.92 bbl	Weight to Pull Loose: 95000.00 lb
			<u>Total Volume: 73.29 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	14.00 ft			String Weight: Initial 81000.00 lb
Depth to Top Packer:	5491.00 ft			Final 81000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	25.00 ft			
Tool Length:	52.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			5465.00	
S.I. Tool	5.00			5470.00	
HMV	5.00			5475.00	
Jars	5.00			5480.00	
Safety Joint	2.00			5482.00	
Packer	5.00			5487.00	27.00 Bottom Of Top Packer
Packer	4.00			5491.00	
Stubb	1.00			5492.00	
Recorder	0.00	2341	Inside	5492.00	
Perforations	19.00			5511.00	
Recorder	0.00	11058	Outside	5511.00	
Bullnose	5.00			5516.00	25.00 Bottom Packers & Anchor

**Total Tool Length: 52.00**

 <p style="font-size: 2em; font-weight: bold; margin: 0;">TRILOBITE TESTING, INC.</p>	DRILL STEM TEST REPORT		FLUID SUMMARY
	Strata Exploration Inc P.O. Box 401 Fairfield, L 62837 ATTN: Strata Explor. Inc	<b>Leonard #1</b> <b>21-29-32 Haskell, Ks</b> Job Ticket: 16218      DST#: 3 Test Start: 2003.04.04 @ 14:49:52	

**Mud and Cushion Information**

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 61.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.19 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 2000.00 ppm			
Filter Cake: 1.00 inches			

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
3.00	drilling mud 100%m	0.015

Total Length: 3.00 ft      Total Volume: 0.015 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments:


Serial #: 2341

Inside

Strata Exploration Inc

21-29-32 Haskell, Ks

DST Test Number: 3





## DRILL STEM TEST REPORT

Prepared For: **Strata Exploration Inc**

P.O. Box 401  
Fairfield, IL 62837

ATTN: Strata Explor. Inc

**21-29-32 Haskell, Ks**

**Leonard #1**

Start Date: 2003.04.06 @ 03:44:58

End Date: 2003.04.06 @ 11:47:41

Job Ticket #: 16219                      DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

Strata Exploration Inc  
P.O. Box 401  
Fairfield, IL 62837  
ATTN: Strata Explor. Inc


**Leonard #1**  
**21-29-32 Haskell, Ks**  
Job Ticket: 16219      **DST#: 4**  
Test Start: 2003.04.06 @ 03:44:58

## GENERAL INFORMATION:

Formation: **St. Louis "B"**  
Deviated: **No Whipstock:**                      ft (KB)  
Time Tool Opened: 06:22:11  
Time Test Ended: 11:47:41  
Interval: **5520.00 ft (KB) To 5545.00 ft (KB) (TVD)**  
Total Depth: **5632.00 ft (KB) (TVD)**  
Hole Diameter: **7.88 inches** Hole Condition: **Fair**  
Test Type: **Conventional Straddle**  
Tester: **Shane McBride**  
Unit No: **25**  
Reference Elevations: **2918.00 ft (KB)**  
**2913.00 ft (CF)**  
KB to GR/CF: **5.00 ft**

**Serial #: 2341**      **Inside**  
Press@RunDepth: **56.86 psig @ 5521.00 ft (KB)**      Capacity: **7000.00 psig**  
Start Date: **2003.04.06**      End Date: **2003.04.06**      Last Calib.: **1899.12.30**  
Start Time: **03:44:58**      End Time: **11:47:41**      Time On Btmr: **2003.04.06 @ 06:20:41**  
Time Off Btmr: **2003.04.06 @ 08:56:26**

**TEST COMMENT:** B.O.B. in 1 min.  
Bleed off for 2 1/2 min , No return  
B.O.B. @ open  
Bleed off for 2 1/2 min, No return



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2847.33	130.66	Initial Hydro-static
2	28.26	131.32	Open To Flow (1)
17	36.29	133.21	Shut-In(1)
62	870.54	135.74	End Shut-In(1)
63	30.08	135.74	Open To Flow (2)
91	56.86	136.58	Shut-In(2)
154	788.59	138.27	End Shut-In(2)
156	2702.03	138.48	Final Hydro-static

Recovery		
Length (ft)	Description	Volume (bbl)
90.00	s g c m 5%g 95%m	0.44

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Strata Exploration Inc

**Leonard #1**

P.O. Box 401  
Fairfield, IL 62837

**21-29-32 Haskell, Ks**

Job Ticket: 16219

**DST#: 4**

ATTN: Strata Explor. Inc

Test Start: 2003.04.06 @ 03:44:58

### Tool Information

Drill Pipe:	Length: 5113.00 ft	Diameter: 3.80 inches	Volume: 71.72 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 35000.00 lb
Drill Collar:	Length: 390.00 ft	Diameter: 2.25 inches	Volume: 1.92 bbl	Weight to Pull Loose: 95000.00 lb
			<u>Total Volume: 73.64 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	10.00 ft			String Weight: Initial 82000.00 lb
Depth to Top Packer:	5520.00 ft			Final 85000.00 lb
Depth to Bottom Packer:	5542.00 ft			
Interval between Packers:	22.00 ft			
Tool Length:	140.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			5494.00	
S.I. Tool	5.00			5499.00	
HMV	5.00			5504.00	
Jars	5.00			5509.00	
Safety Joint	2.00			5511.00	
Packer	5.00			5516.00	27.00 Bottom Of Top Packer
Packer	4.00			5520.00	
Stubb	1.00			5521.00	
Recorder	0.00	2341	Inside	5521.00	
Perforations	20.00			5541.00	
Blank Off Sub	1.00			5542.00	22.00 Tool Interval
Packer	4.00			5546.00	
Stubb	1.00			5547.00	
Anchor	17.00			5564.00	
C.O. Sub	1.00			5565.00	
drillpipe	62.00			5627.00	
C.O. Sub	1.00			5628.00	
Recorder	0.00	11058	Outside	5628.00	
Bullnose	5.00			5633.00	91.00 Bottom Packers & Anchor

**Total Tool Length: 140.00**

 <b>TRIOLOBITE TESTING, INC.</b>		DRILL STEM TEST REPORT		FLUID SUMMARY							
		Strata Exploration Inc		Leonard #1							
P.O. Box 401 Fairfield, L 62837		21-29-32 Haskell, Ks		Job Ticket: 16219      DST#: 4							
ATTN: Strata Explor. Inc		Test Start: 2003.04.06 @ 03:44:58									
<b>Mud and Cushion Information</b>											
Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API						
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm						
Viscosity:	59.00 sec/qt	Cushion Volume:	bbl								
Water Loss:	7.98 in <sup>3</sup>	Gas Cushion Type:									
Resistivity:	0.00 ohm.m	Gas Cushion Pressure:	psig								
Salinity:	2500.00 ppm										
Filter Cake:	1.00 inches										
<b>Recovery Information</b>											
Recovery Table											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Length ft</th> <th style="width: 60%;">Description</th> <th style="width: 25%;">Volume bbl</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">90.00</td> <td style="text-align: center;">s g c m 5%g 95%m</td> <td style="text-align: center;">0.443</td> </tr> </tbody> </table>						Length ft	Description	Volume bbl	90.00	s g c m 5%g 95%m	0.443
Length ft	Description	Volume bbl									
90.00	s g c m 5%g 95%m	0.443									
Total Length:	90.00 ft	Total Volume:	0.443 bbl								
Num Fluid Samples:	0	Num Gas Bombs:	0	Serial #:							
Laboratory Name:		Laboratory Location:									
Recovery Comments:											

82742

DST Test Number: 4

21-29-32 Haskell, Ks

Strata Exploration Inc

Inside

Serial #: 2341

### Pressure vs. Time

