

15-081-20468

13-29s-33w

COMPANY

BEREXCO, INC.

LEASE & WELL NO.

WRIGHT TRUST #4

SEC. 13 TWP. 29S RGE. 33W TEST NO. 1

DATE 10/9/87

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-9-87	TICKET	:	11880
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST
WELL	:	#4	TEST:	:	1
ELEVATION	:	2927 GL	GEOLOGIST	:	C. SPRADLIN
SECTION	:	13	FORMATION	:	LANSING D
RANGE	:	33W	TOWNSHIP	:	29S
Gauge SN#	:	13549	STATE	:	KANSAS
		COUNTY :	CLOCK	:	12
		RANGE :			
		4100			

INTERVAL FROM	:	4328	TO	:	4350	TOTAL DEPTH	:	4350
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	4323	SIZE	:	6.63			
PACKER DEPTH	:	4328	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO	RIG #2		
MUD TYPE	:	CHEMICAL	VISCOSITY	:	36
WEIGHT	:	9.3	WATER LOSS (CC)	:	11.6
CHLORIDES (PPM)	:	2000			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:		REVERSED OUT ?	:	

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	3687	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	22	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1	:	INITIAL FLOW-WEAK BLOW-BUILDING IN 1".
BLOW COMMENT #2	:	FINAL FLOW-NO BLOW.
BLOW COMMENT #3	:	
BLOW COMMENT #4	:	

RECOVERED : 120 FT OF: WATER CUT MUD
30% WATER-70% MUD
CHLORIDES: 45000 PPM

Total Barrels Fluid = 0.59
Total Fluid Prod Rate = 11.33 BFPD
Indicated Wtr Rate = 4.15 BWPD

REMARK 1 :
REMARK 2 : RESISTIVITY: .1
REMARK 3 :
REMARK 4 :

SET PACKER(S) :	5:15 AM	TIME STARTED OFF BOTTOM :	8:15 AM
WELL TEMPERATURE :	121		
INITIAL HYDROSTATIC PRESSURE		(A)	2133
INITIAL FLOW PERIOD MIN:	30	(B)	15 PSI TO (C) : 43
INITIAL CLOSED IN PERIOD MIN:	60	(D)	1210
FINAL FLOW PERIOD MIN:	45	(E)	76 PSI TO (F) : 91
FINAL CLOSED IN PERIOD MIN:	60	(G)	1176
FINAL HYDROSTATIC PRESSURE		(H)	2129

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : #4
DATE : 10-9-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 9/10/87

FIELD : WRIGHT TRUST
JOB # : 11880
DEPTH : 4350
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(i-1)
1	5:15: 0	0.000	15.000	121.00	0.000
2	5:19:59	0.083	23.000	121.00	8.000
3	5:25: 0	0.167	28.000	121.00	5.000
4	5:30: 0	0.250	32.000	121.00	4.000
5	5:34:59	0.333	37.000	121.00	5.000
6	5:40: 0	0.417	40.000	121.00	3.000
7	5:45: 0	0.500	43.000	121.00	3.000
8	5:48: 0	0.550	248.000	121.00	205.000
9	5:51: 0	0.600	923.000	121.00	675.000
10	5:54: 0	0.650	1026.000	121.00	103.000
11	5:57: 0	0.700	1067.000	121.00	41.000
12	6: 0: 0	0.750	1093.000	121.00	26.000
13	6: 3: 0	0.800	1112.000	121.00	19.000
14	6: 6: 0	0.850	1128.000	121.00	16.000
15	6: 9: 0	0.900	1138.000	121.00	10.000
16	6:12: 0	0.950	1151.000	121.00	13.000
17	6:15: 0	1.000	1159.000	121.00	8.000
18	6:18: 0	1.050	1169.000	121.00	10.000
19	6:21: 0	1.100	1175.000	121.00	6.000
20	6:24: 0	1.150	1182.000	121.00	7.000
21	6:27: 0	1.200	1190.000	121.00	8.000
22	6:30: 0	1.250	1193.000	121.00	3.000
23	6:33: 0	1.300	1196.000	121.00	3.000
24	6:36: 0	1.350	1201.000	121.00	5.000
25	6:39: 0	1.400	1204.000	121.00	3.000
26	6:42: 0	1.450	1206.000	121.00	2.000
27	6:45: 0	1.500	1210.000	121.00	4.000
28	6:46: 0	1.517	76.000	121.00	-1134.000
29	6:49:59	1.583	76.000	121.00	0.000
30	6:55: 0	1.667	76.000	121.00	0.000
31	7: 0: 0	1.750	76.000	121.00	0.000
32	7: 4:59	1.833	78.000	121.00	2.000
33	7:10: 0	1.917	80.000	121.00	2.000
34	7:15: 0	2.000	84.000	121.00	4.000
35	7:19:59	2.083	87.000	121.00	3.000
36	7:25: 0	2.167	89.000	121.00	2.000
37	7:30: 0	2.250	91.000	121.00	2.000
38	7:33: 0	2.300	287.000	121.00	196.000
39	7:36: 0	2.350	837.000	121.00	550.000
40	7:39: 0	2.400	971.000	121.00	134.000
41	7:42: 0	2.450	1020.000	121.00	49.000
42	7:45: 0	2.500	1052.000	121.00	32.000
43	7:48: 0	2.550	1072.000	121.00	20.000
44	7:51: 0	2.600	1089.000	121.00	17.000
45	7:54: 0	2.650	1100.000	121.00	11.000
46	7:57: 0	2.700	1114.000	121.00	14.000
47	8: 0: 0	2.750	1122.000	121.00	8.000
48	8: 3: 0	2.800	1130.000	121.00	8.000
49	8: 6: 0	2.850	1138.000	121.00	8.000
50	8: 9: 0	2.900	1144.000	121.00	6.000
51	8:12: 0	2.950	1151.000	121.00	7.000
52	8:15: 0	3.000	1158.000	121.00	7.000

COMPANY : BEREXCO INC.

WELL : #4

GAUGE # : 13549

DATE : 9/10/87

FIELD : WRIGHT TRUST


JOB # : 11880

DEPTH : 4350


TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P Pi-P(i-1)
53	8:18: 0	3.050	1163.000	121.00	5.000
54	8:21: 0	3.100	1167.000	121.00	4.000
55	8:24: 0	3.150	1170.000	121.00	3.000
56	8:27: 0	3.200	1173.000	121.00	3.000
57	8:30: 0	3.250	1176.000	121.00	3.000

WESTERN TESTING CO. INC.




Inside Recorder



Outside Recorder

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

COMPANY BEREXCO, INC. LEASE & WELL NO. WRIGHT TRUST #4 SEC. 13 TWP. 29S RGE. 33W TEST NO. 2 DATE 10/10/87

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-10-87	TICKET	:	11881	
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST	
WELL	:	# 4	TEST:	:	2	
ELEVATION	:	2927 GL	GEOLOGIST	:	E. GRIEVES	
SECTION	:	13	FORMATION	:	KANSAS CITY 8	
RANGE	:	33W	TOWNSHIP	:	29S	
GAUGE SN#	:	13549	STATE	:	KANSAS	
		COUNTY :	HASKELL		CLOCK :	12
		RANGE :	4100			

INTERVAL FROM	:	4662	TO	:	4690	TOTAL DEPTH	:	4690
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	4657	SIZE	:	6.63			
PACKER DEPTH	:	4662	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO	RIG #2		
MUD TYPE	:	CHEMICAL	VISCOSITY	:	47
WEIGHT	:	9.4	WATER LOSS (CC)	:	8.0
CHLORIDES (PPM)	:	2100			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:		REVERSED OUT ?	:	

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	4021	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	28	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1 : INITIAL FLOW-STRONG BLOW-OFF BOTTOM OF BUCKET IN 2 MINUTES.

BLOW COMMENT #2 : FINAL FLOW-STRONG BLOW-OFF BOTTOM IN 2 MINUTES.

BLOW COMMENT #3 :

BLOW COMMENT #4 :

RECOVERED : 180 FT OF: SLIGHTLY OIL & GAS CUT MUD
5% OIL-15% GAS-80% MUD

Total Barrels Fluid = 0.89
Total Fluid Prod Rate = 23.17 BFPD
Indicated Oil Rate = 1.16 BOPD
Indicated Wtr Rate = 1.85 BWPD

REMARK 1 :
REMARK 2 : RECOVERED 1620 FEET OF GAS ABOVE FLUID.
REMARK 3 :
REMARK 4 :

SET PACKER(S) :	2:05 PM	TIME STARTED OFF BOTTOM :	5:05 PM
WELL TEMPERATURE :	126		
INITIAL HYDROSTATIC PRESSURE		(A)	2233
INITIAL FLOW PERIOD MIN:	30	(B)	74 PSI TO (C) : 96
INITIAL CLOSED IN PERIOD MIN:	60	(D)	1325
FINAL FLOW PERIOD MIN:	25	(E)	132 PSI TO (F) : 147
FINAL CLOSED IN PERIOD MIN:	60	(G)	1310
FINAL HYDROSTATIC PRESSURE		(H)	2183

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : # 4
DATE : 10-10-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

RECOVERED 1620 FEET OF GAS ABOVE FLUID.

COMPANY : BEREXCO INC.
WELL : # 4
GAUGE # : 13549
DATE : 10/10/87

FIELD : WRIGHT TRUST
JOB # : 11881
DEPTH : 4690
TEST :


DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P Pi-P(i-1)
1	2: 5: 0	0.000	74.000	126.00	0.000
2	2: 9:59	0.083	74.000	126.00	0.000
3	2:15: 0	0.167	77.000	126.00	3.000
4	2:20: 0	0.250	81.000	126.00	4.000
5	2:24:59	0.333	88.000	126.00	7.000
6	2:30: 0	0.417	93.000	126.00	5.000
7	2:35: 0	0.500	96.000	126.00	3.000
8	2:38: 0	0.550	167.000	126.00	71.000
9	2:41: 0	0.600	308.000	126.00	141.000
10	2:44: 0	0.650	529.000	126.00	221.000
11	2:47: 0	0.700	787.000	126.00	258.000
12	2:50: 0	0.750	1011.000	126.00	224.000
13	2:53: 0	0.800	1127.000	126.00	116.000
14	2:56: 0	0.850	1183.000	126.00	56.000
15	2:59: 0	0.900	1214.000	126.00	31.000
16	3: 2: 0	0.950	1235.000	126.00	21.000
17	3: 5: 0	1.000	1253.000	126.00	18.000
18	3: 8: 0	1.050	1267.000	126.00	14.000
19	3:11: 0	1.100	1280.000	126.00	13.000
20	3:14: 0	1.150	1288.000	126.00	8.000
21	3:17: 0	1.200	1296.000	126.00	8.000
22	3:20: 0	1.250	1302.000	126.00	6.000
23	3:23: 0	1.300	1307.000	126.00	5.000
24	3:26: 0	1.350	1313.000	126.00	6.000
25	3:29: 0	1.400	1317.000	126.00	4.000
26	3:32: 0	1.450	1322.000	126.00	5.000
27	3:35: 0	1.500	1325.000	126.00	3.000
28	3:36: 0	1.517	132.000	126.00	-1193.000
29	3:39:59	1.583	132.000	126.00	0.000
30	3:45: 0	1.667	132.000	126.00	0.000
31	3:50: 0	1.750	138.000	126.00	6.000
32	3:54:59	1.833	143.000	126.00	5.000
33	4: 0: 0	1.917	147.000	126.00	4.000
34	4: 3: 0	1.967	242.000	126.00	95.000
35	4: 6: 0	2.017	425.000	126.00	183.000
36	4: 9: 0	2.067	689.000	126.00	264.000
37	4:12: 0	2.117	959.000	126.00	270.000
38	4:15: 0	2.167	1105.000	126.00	146.000
39	4:18: 0	2.217	1166.000	126.00	61.000
40	4:21: 0	2.267	1195.000	126.00	29.000
41	4:24: 0	2.317	1217.000	126.00	22.000
42	4:27: 0	2.367	1234.000	126.00	17.000
43	4:30: 0	2.417	1248.000	126.00	14.000
44	4:33: 0	2.467	1259.000	126.00	11.000
45	4:36: 0	2.517	1268.000	126.00	9.000
46	4:39: 0	2.567	1278.000	126.00	10.000
47	4:42: 0	2.617	1283.000	126.00	5.000
48	4:45: 0	2.667	1289.000	126.00	6.000
49	4:48: 0	2.717	1295.000	126.00	6.000
50	4:51: 0	2.767	1300.000	126.00	5.000
51	4:54: 0	2.817	1302.000	126.00	2.000
52	4:57: 0	2.867	1306.000	126.00	4.000

COMPANY : BEREXCO INC.
WELL : # 4
GAUGE # : 13549
DATE : 10/10/87


FIELD : WRIGHT TRUST
JOB # : 11881
DEPTH : 4690
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P Pi-P(i-1)
53	5: 0: 0	2.917	1310.000	126.00	4.000

WESTERN TESTING CO. INC.



Inside Recorder



Outside Recorder

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

COMPANY BEREXCO, INC. LEASE & WELL NO. WRIGHT TRUST #4 SEC. 13 TWP. 29S RGE. 33W TEST NO. 3 DATE 10/11/87

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-11-87	TICKET	:	11882
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST
WELL	:	#4	TEST:	:	3
ELEVATION	:	2927 GL	GEOLOGIST	:	E. GRIEVES
SECTION	:	13	FORMATION	:	PAWNEE
RANGE	:	33W	TOWNSHIP	:	29S
GAUGE SN#	:	13549	COUNTY	:	HASKELL
			STATE	:	KANSAS
			RANGE	:	4100
			CLOCK	:	12

INTERVAL FROM	:	4900	TO	:	4920	TOTAL DEPTH	:	4920
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	4895	SIZE	:	6.63			
PACKER DEPTH	:	4900	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO	RIG #2		
MUD TYPE	:	CHEMICAL	VISCOSITY	:	45
WEIGHT	:	9.1	WATER LOSS (CC)	:	7.0
CHLORIDES (PPM)	:	1900			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:	-	REVERSED OUT ?	:	-

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	4259	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	20	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1 : INITIAL FLOW-STRONG BLOW-OFF BOTTOM IN 2 MINUTES.
BLOW COMMENT #2 : FINAL FLOW-WEAK BLOW-BUILDING IN 6".
BLOW COMMENT #3 :
BLOW COMMENT #4 :

RECOVERED : 90 FT OF: SLIGHTLY OIL & GAS CUT MUD
10% OIL-10% GAS-80% MUD
RECOVERED : 90 FT OF: SLIGHTLY OIL & GAS CUT WATERY MUD
10% OIL-10% GAS-30% WATER-50% MUD

CHLORIDES: 120000 PPM
RESISTIVITY: .03 @ 88 DEG.F

RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0
RECOVERED : 0 FT OF: 0

Total Barrels Fluid = 0.89
Total Fluid Prod Rate = 6.85 BFPD
Indicated Wtr Rate = 0.69 BWPD

REMARK 1 : 60
REMARK 2 :
REMARK 3 : RECOVERED 450 FEET OF GAS ABOVE FLUID.
REMARK 4 :

SET PACKER(S) :
WELL TEMPERATURE : 9
INITIAL HYDROSTATIC PRESSURE (A) 0
INITIAL FLOW PERIOD MIN: 126 (B) 2331 PSI TO (C) : 30
INITIAL CLOSED IN PERIOD MIN: 66 (D) 85
FINAL FLOW PERIOD MIN: 60 (E) 1094 PSI TO (F) : 30
FINAL CLOSED IN PERIOD MIN: 115 (G) 121
FINAL HYDROSTATIC PRESSURE (H) 60

TIME STARTED OFF BOTTOM : 6:30 PM

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : #4
DATE : 10-11-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

RECOVERED 450 FEET OF GAS ABOVE FLUID.

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 11/10/87

FIELD : WRIGHT TRUST
JOB # : 11882
DEPTH : 4920
TEST :


DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(i-1)
1	6:30: 0	0.000	66.000	126.00	0.000
2	6:34:59	0.083	66.000	126.00	0.000
3	6:40: 0	0.167	67.000	126.00	1.000
4	6:45: 0	0.250	70.000	126.00	3.000
5	6:49:59	0.333	73.000	126.00	3.000
6	6:55: 0	0.417	77.000	126.00	4.000
7	7: 0: 0	0.500	85.000	126.00	8.000
8	7: 3: 0	0.550	94.000	126.00	9.000
9	7: 6: 0	0.600	123.000	126.00	29.000
10	7: 9: 0	0.650	170.000	126.00	47.000
11	7:12: 0	0.700	247.000	126.00	77.000
12	7:15: 0	0.750	365.000	126.00	118.000
13	7:18: 0	0.800	480.000	126.00	115.000
14	7:21: 0	0.850	610.000	126.00	130.000
15	7:24: 0	0.900	698.000	126.00	88.000
16	7:27: 0	0.950	774.000	126.00	76.000
17	7:30: 0	1.000	835.000	126.00	61.000
18	7:33: 0	1.050	878.000	126.00	43.000
19	7:36: 0	1.100	924.000	126.00	46.000
20	7:39: 0	1.150	953.000	126.00	29.000
21	7:42: 0	1.200	981.000	126.00	28.000
22	7:45: 0	1.250	1008.000	126.00	27.000
23	7:48: 0	1.300	1030.000	126.00	22.000
24	7:51: 0	1.350	1049.000	126.00	19.000
25	7:54: 0	1.400	1066.000	126.00	17.000
26	7:57: 0	1.450	1082.000	126.00	16.000
27	8: 0: 0	1.500	1094.000	126.00	12.000
28	8: 1: 0	1.517	115.000	126.00	-979.000
29	8: 4:59	1.583	115.000	126.00	0.000
30	8:10: 0	1.667	115.000	126.00	0.000
31	8:15: 0	1.750	115.000	126.00	0.000
32	8:19:59	1.833	115.000	126.00	0.000
33	8:25: 0	1.917	117.000	126.00	2.000
34	8:30: 0	2.000	121.000	126.00	4.000
35	8:33: 0	2.050	137.000	126.00	16.000
36	8:36: 0	2.100	169.000	126.00	32.000
37	8:39: 0	2.150	229.000	126.00	60.000
38	8:42: 0	2.200	309.000	126.00	80.000
39	8:45: 0	2.250	405.000	126.00	96.000
40	8:48: 0	2.300	499.000	126.00	94.000
41	8:51: 0	2.350	581.000	126.00	82.000
42	8:54: 0	2.400	647.000	126.00	66.000
43	8:57: 0	2.450	712.000	126.00	65.000
44	9: 0: 0	2.500	761.000	126.00	49.000
45	9: 3: 0	2.550	801.000	126.00	40.000
46	9: 6: 0	2.600	835.000	126.00	34.000
47	9: 9: 0	2.650	865.000	126.00	30.000
48	9:12: 0	2.700	893.000	126.00	28.000
49	9:15: 0	2.750	917.000	126.00	24.000
50	9:18: 0	2.800	935.000	126.00	18.000
51	9:21: 0	2.850	854.000	126.00	-81.000
52	9:24: 0	2.900	969.000	126.00	115.000

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 11/10/87


FIELD : WRIGHT TRUST
JOB # : 11882
DEPTH : 4920
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
53	9:27: 0	2.950	987.000	126.00	18.000
54	9:30: 0	3.000	999.000	126.00	12.000

WESTERN TESTING CO. INC.



Inside Recorder



Outside Recorder

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

COMPANY BEREXCO, INC. LEASE & WELL NO. WRIGHT TRUST #4 SEC. 13 TWP. 29S RGE. 33W TEST NO. 4 DATE 10/13/87

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-13-87	TICKET	:	11883
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST
WELL	:	#4	TEST:	:	4
ELEVATION	:	2927 GL	GEOLOGIST	:	C. SPRADLIN
SECTION	:	13	FORMATION	:	MORROW
RANGE	:	33W	COUNTY	:	HASKELL
GAUGE SN#	:	13549	STATE	:	KANSAS
			RANGE	:	4100
			CLOCK	:	12

INTERVAL FROM	:	5290	TO	:	5320	TOTAL DEPTH	:	5320
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	5285	SIZE	:	6.63			
PACKER DEPTH	:	5290	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO	RIG #2		
MUD TYPE	:	CHEMICAL	VISCOSITY	:	47
WEIGHT	:	9.0	WATER LOSS (CC)	:	6.8
CHLORIDES (PPM)	:	1200			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:	GAS	REVERSED OUT ?	:	

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	4649	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	30	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1 : INITIAL FLOW-STRONG BLOW-OFF BOTTOM IN 1 MINUTE.
BLOW COMMENT #2 : GAS TO SURFACE IN 15 MINUTES. SEE ATTACHED FLOW CHART.
BLOW COMMENT #3 : FINAL FLOW-STRONG BLOW.
BLOW COMMENT #4 :

✓

RECOVERED : 1550 FT OF: FREE OIL GRAVITY 39
RECOVERED : 580 FT OF: SLIGHTLY OIL & GAS CUT MUD
10% GAS-20% OIL-70% MUD

Total Barrels Fluid = 24.29
Total Fluid Prod Rate = 411.54 BFPD
Indicated Oil Rate = 321.89 BOPD
Indicated Wtr Rate = 7.73 BWPD
Corrected Oil Rate = 132.80 BOPD
Corrected Wtr Rate = 3.19 BWPD

REMARK 1 :
REMARK 2 :
REMARK 3 :
REMARK 4 :

SET PACKER(S) : 1:40 PM TIME STARTED OFF BOTTOM : 6:10 PM
WELL TEMPERATURE : 135
INITIAL HYDROSTATIC PRESSURE (A) 2510
INITIAL FLOW PERIOD MIN: 25 (B) 184 PSI TO (C) : 214
INITIAL CLOSED IN PERIOD MIN: 63 (D) 1549
FINAL FLOW PERIOD MIN: 60 (E) 271 PSI TO (F) : 431
FINAL CLOSED IN PERIOD MIN: 120 (G) 1544
FINAL HYDROSTATIC PRESSURE (H) 2467

GAS FLOW REPORT

Date : 10-13-87
Customer : BEREXCO INC.

Ticket # : 11883
Lease : WRIGHT TRUST

Well : #4 Test : 4

Geologist : C. SPRADLIN

Elevation (KB) : 2932 Formation : MORROW

Section : 13 Township : 29S

Range : 33W County : HASKELL State : KANSAS

Gauge SN # : 13549 Range : 4100 Clock : 12

TIME GAUGE (MIN)	TESTER TYPE	ORFICE SIZE	PRESSURE (PSI)	FLOW DESCRIPTION
---------------------	-------------	----------------	-------------------	------------------

PRE FLOW

20	MERLA	1/2"	2.5	53400 CFPD
30			2.	47700 CFPD

SECOND FLOW

10	MERLA	1/4"	8.0	27000 CFPD
20			9.5	29900 CFPD
30			10.	30800 CFPD
40			7.5	26100 CFPD
50			4.5	19500 CFPD
60			2.0	12700 CFPD

Gas Bottle SN # : 32
Date Bottle Filled : 10-13-87
Date to be Invoiced :

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : #4
DATE : 10-13-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 13/10/87

FIELD : WRIGHT TRUST
JOB # : 11883
DEPTH : 5320
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
1	1:40: 0	0.000	184.000	135.00	0.000
2	1:44:59	0.083	184.000	135.00	0.000
3	1:50: 0	0.167	188.000	135.00	4.000
4	1:55: 0	0.250	193.000	135.00	5.000
5	1:59:59	0.333	201.000	135.00	8.000
6	2: 5: 0	0.417	214.000	135.00	13.000
7	2: 8: 0	0.467	357.000	135.00	143.000
8	2:11: 0	0.517	575.000	135.00	218.000
9	2:14: 0	0.567	841.000	135.00	266.000
10	2:17: 0	0.617	1132.000	135.00	291.000
11	2:20: 0	0.667	1417.000	135.00	285.000
12	2:23: 0	0.717	1489.000	135.00	72.000
13	2:26: 0	0.767	1506.000	135.00	17.000
14	2:29: 0	0.817	1514.000	135.00	8.000
15	2:32: 0	0.867	1520.000	135.00	6.000
16	2:35: 0	0.917	1526.000	135.00	6.000
17	2:38: 0	0.967	1529.000	135.00	3.000
18	2:41: 0	1.017	1534.000	135.00	5.000
19	2:44: 0	1.067	1536.000	135.00	2.000
20	2:47: 0	1.117	1539.000	135.00	3.000
21	2:50: 0	1.167	1542.000	135.00	3.000
22	2:53: 0	1.217	1544.000	135.00	2.000
23	2:56: 0	1.267	1545.000	135.00	1.000
24	2:59: 0	1.317	1546.000	135.00	1.000
25	3: 2: 0	1.367	1547.000	135.00	1.000
26	3: 5: 0	1.417	1548.000	135.00	1.000
27	3: 8: 0	1.467	1549.000	135.00	1.000
28	3: 9: 0	1.483	271.000	135.00	-1278.000
29	3:13: 0	1.550	271.000	135.00	0.000
30	3:18: 0	1.633	282.000	135.00	11.000
31	3:23: 0	1.717	297.000	135.00	15.000
32	3:28: 0	1.800	316.000	135.00	19.000
33	3:33: 0	1.883	330.000	135.00	14.000
34	3:38: 0	1.967	346.000	135.00	16.000
35	3:43: 0	2.050	363.000	135.00	17.000
36	3:48: 0	2.133	378.000	135.00	15.000
37	3:53: 0	2.217	393.000	135.00	15.000
38	3:58: 0	2.300	410.000	135.00	17.000
39	4: 3: 0	2.383	425.000	135.00	15.000
40	4: 8: 0	2.467	431.000	135.00	6.000
41	4:11: 0	2.517	564.000	135.00	133.000
42	4:14: 0	2.567	857.000	135.00	293.000
43	4:17: 0	2.617	1212.000	135.00	355.000
44	4:20: 0	2.667	1392.000	135.00	180.000
45	4:23: 0	2.717	1470.000	135.00	78.000
46	4:26: 0	2.767	1495.000	135.00	25.000
47	4:29: 0	2.817	1506.000	135.00	11.000
48	4:32: 0	2.867	1513.000	135.00	7.000
49	4:35: 0	2.917	1518.000	135.00	5.000
50	4:38: 0	2.967	1522.000	135.00	4.000
51	4:41: 0	3.017	1525.000	135.00	3.000
52	4:44: 0	3.067	1528.000	135.00	3.000

COMPANY : BEREXCO INC.

WELL : #4

GAUGE # : 13549

DATE : 13/10/87

FIELD : WRIGHT TRUST


JOB # : 11883

DEPTH : 5320


TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
53	4:47: 0	3.117	1531.000	135.00	3.000
54	4:50: 0	3.167	1532.000	135.00	1.000
55	4:53: 0	3.217	1533.000	135.00	1.000
56	4:56: 0	3.267	1534.000	135.00	1.000
57	4:59: 0	3.317	1535.000	135.00	1.000
58	5: 2: 0	3.367	1536.000	135.00	1.000
59	5: 5: 0	3.417	1537.000	135.00	1.000
60	5: 8: 0	3.467	1537.000	135.00	0.000
61	5:11: 0	3.517	1538.000	135.00	1.000
62	5:14: 0	3.567	1539.000	135.00	1.000
63	5:17: 0	3.617	1540.000	135.00	1.000
64	5:20: 0	3.667	1541.000	135.00	1.000
65	5:23: 0	3.717	1542.000	135.00	1.000
66	5:26: 0	3.767	1542.000	135.00	0.000
67	5:29: 0	3.817	1542.000	135.00	0.000
68	5:32: 0	3.867	1542.000	135.00	0.000
69	5:35: 0	3.917	1543.000	135.00	1.000
70	5:38: 0	3.967	1544.000	135.00	1.000
71	5:41: 0	4.017	1544.000	135.00	0.000
72	5:44: 0	4.067	1544.000	135.00	0.000
73	5:47: 0	4.117	1544.000	135.00	0.000
74	5:50: 0	4.167	1544.000	135.00	0.000
75	5:53: 0	4.217	1544.000	135.00	0.000
76	5:56: 0	4.267	1544.000	135.00	0.000
77	5:59: 0	4.317	1544.000	135.00	0.000
78	6: 2: 0	4.367	1544.000	135.00	0.000
79	6: 5: 0	4.417	1544.000	135.00	0.000
80	6: 8: 0	4.467	1544.000	135.00	0.000

WESTERN TESTING CO. INC.




Inside Recorder



Outside Recorder

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

COMPANY

BEREXCO, INC.

LEASE & WELL NO.

WRIGHT TRUST #4

SEC. 13

TWP. 29S RGE. 33W

TEST NO.

7

DATE 10/15/87

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-15-87	TICKET	:	11886
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST
WELL	:	#4	TEST:	:	7
ELEVATION	:	2927 GL	GEOLOGIST	:	C. SPRADLIN
SECTION	:	13	FORMATION	:	MORROW-CHESTER
RANGE	:	33W	TOWNSHIP	:	29S
Gauge SN#	:	13549	STATE	:	KANSAS
		COUNTY :	RANGE :		CLOCK :
			4100		12

INTERVAL FROM	:	5348	TO	:	5390	TOTAL DEPTH	:	5390
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	5343	SIZE	:	6.63			
PACKER DEPTH	:	5348	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO	RIG #2		
MUD TYPE	:	CHEMICAL	VISCOSITY	:	62
WEIGHT	:	8.8	WATER LOSS (CC)	:	5.6
CHLORIDES (PPM)	:	1800			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:		REVERSED OUT ?	:	

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	4707	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	42	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1	:	INITIAL FLOW-WEAK BLOW-BUILDING IN 1 1/2".
BLOW COMMENT #2	:	FINAL FLOW-WEAK BLOW-DIED IN 29 MINUTES.
BLOW COMMENT #3	:	
BLOW COMMENT #4	:	

RECOVERED : 30 FT OF: MUD / WITH TRACE OF OIL

Total Barrels Fluid = 0.15
Total Fluid Prod Rate = 2.36 BFPD
Indicated Wtr Rate = 0.24 BWPD

REMARK 1 :
REMARK 2 : RECOVERED 60 FEET OF GAS ABOVE FLUID.
REMARK 3 :
REMARK 4 :

SET PACKER(S) :	8:25 AM	TIME STARTED OFF BOTTOM :	12:55 PM
WELL TEMPERATURE :	136		
INITIAL HYDROSTATIC PRESSURE		(A)	2416
INITIAL FLOW PERIOD MIN:	30	(B)	38 PSI TO (C) : 38
INITIAL CLOSED IN PERIOD MIN:	57	(D)	59
FINAL FLOW PERIOD MIN:	60	(E)	39 PSI TO (F) : 39
FINAL CLOSED IN PERIOD MIN:	120	(G)	59
FINAL HYDROSTATIC PRESSURE		(H)	2363

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : #4
DATE : 10-15-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

RECOVERED 60 FEET OF GAS ABOVE FLUID.

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 15/10/87

FIELD : WRIGHT TRUST
JOB # : 11886
DEPTH : 5390
TEST :


DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
1	8:25: 0	0.000	38.000	136.00	0.000
2	8:29:59	0.083	38.000	136.00	0.000
3	8:35: 0	0.167	38.000	136.00	0.000
4	8:40: 0	0.250	38.000	136.00	0.000
5	8:44:59	0.333	38.000	136.00	0.000
6	8:50: 0	0.417	38.000	136.00	0.000
7	8:55: 0	0.500	38.000	136.00	0.000
8	8:58: 0	0.550	38.000	136.00	0.000
9	9: 1: 0	0.600	38.000	136.00	0.000
10	9: 4: 0	0.650	38.000	136.00	0.000
11	9: 7: 0	0.700	42.000	136.00	4.000
12	9:10: 0	0.750	43.000	136.00	1.000
13	9:13: 0	0.800	44.000	136.00	1.000
14	9:16: 0	0.850	45.000	136.00	1.000
15	9:19: 0	0.900	46.000	136.00	1.000
16	9:22: 0	0.950	47.000	136.00	1.000
17	9:25: 0	1.000	48.000	136.00	1.000
18	9:28: 0	1.050	50.000	136.00	2.000
19	9:31: 0	1.100	52.000	136.00	2.000
20	9:34: 0	1.150	53.000	136.00	1.000
21	9:37: 0	1.200	54.000	136.00	1.000
22	9:40: 0	1.250	55.000	136.00	1.000
23	9:43: 0	1.300	56.000	136.00	1.000
24	9:46: 0	1.350	57.000	136.00	1.000
25	9:49: 0	1.400	58.000	136.00	1.000
26	9:52: 0	1.450	59.000	136.00	1.000
27	9:53: 0	1.467	39.000	136.00	-20.000
28	9:56:59	1.533	39.000	136.00	0.000
29	10: 2: 0	1.617	39.000	136.00	0.000
30	10: 7: 0	1.700	39.000	136.00	0.000
31	10:11:59	1.783	39.000	136.00	0.000
32	10:17: 0	1.867	39.000	136.00	0.000
33	10:22: 0	1.950	39.000	136.00	0.000
34	10:26:59	2.033	39.000	136.00	0.000
35	10:32: 0	2.117	39.000	136.00	0.000
36	10:37: 0	2.200	39.000	136.00	0.000
37	10:41:59	2.283	39.000	136.00	0.000
38	10:47: 0	2.367	39.000	136.00	0.000
39	10:52: 0	2.450	39.000	136.00	0.000
40	10:55: 0	2.500	39.000	136.00	0.000
41	10:58: 0	2.550	39.000	136.00	0.000
42	11: 1: 0	2.600	39.000	136.00	0.000
43	11: 4: 0	2.650	39.000	136.00	0.000
44	11: 7: 0	2.700	40.000	136.00	1.000
45	11:10: 0	2.750	40.000	136.00	0.000
46	11:13: 0	2.800	40.000	136.00	0.000
47	11:16: 0	2.850	41.000	136.00	1.000
48	11:19: 0	2.900	42.000	136.00	1.000
49	11:22: 0	2.950	42.000	136.00	0.000
50	11:25: 0	3.000	43.000	136.00	1.000
51	11:28: 0	3.050	44.000	136.00	1.000
52	11:31: 0	3.100	45.000	136.00	1.000

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 15/10/87


FIELD : WRIGHT TRUST
JOB # : 11886
DEPTH : 5390
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P _i -P _(i-1)
53	11:34: 0	3.150	45.000	136.00	0.000
54	11:37: 0	3.200	46.000	136.00	1.000
55	11:40: 0	3.250	46.000	136.00	0.000
56	11:43: 0	3.300	47.000	136.00	1.000
57	11:46: 0	3.350	47.000	136.00	0.000
58	11:49: 0	3.400	48.000	136.00	1.000
59	11:52: 0	3.450	48.000	136.00	0.000
60	11:55: 0	3.500	49.000	136.00	1.000
61	11:58: 0	3.550	49.000	136.00	0.000
62	12: 1: 0	3.600	50.000	136.00	1.000
63	12: 4: 0	3.650	50.000	136.00	0.000
64	12: 7: 0	3.700	51.000	136.00	1.000
65	12:10: 0	3.750	51.000	136.00	0.000
66	12:13: 0	3.800	52.000	136.00	1.000
67	12:16: 0	3.850	52.000	136.00	0.000
68	12:19: 0	3.900	53.000	136.00	1.000
69	12:22: 0	3.950	53.000	136.00	0.000
70	12:25: 0	4.000	54.000	136.00	1.000
71	12:28: 0	4.050	54.000	136.00	0.000
72	12:31: 0	4.100	55.000	136.00	1.000
73	12:34: 0	4.150	55.000	136.00	0.000
74	12:37: 0	4.200	56.000	136.00	1.000
75	12:40: 0	4.250	56.000	136.00	0.000
76	12:43: 0	4.300	57.000	136.00	1.000
77	12:46: 0	4.350	57.000	136.00	0.000
78	12:49: 0	4.400	58.000	136.00	1.000
79	12:52: 0	4.450	59.000	136.00	1.000

WESTERN TESTING CO. INC.



Inside Recorder



Outside Recorder

FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

COMPANY BEREXCO, INC. LEASE & WELL NO. WRIGHT TRUST #4 SEC. 13 TWP. 29S RGE. 33W TEST NO. 8 DATE 10/16/8

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE	:	10-16-87	TICKET	:	11887
CUSTOMER	:	BEREXCO INC.	LEASE	:	WRIGHT TRUST
WELL	:	#4	TEST:	:	8
ELEVATION	:	2927	GEOLOGIST	:	C. SPRADLIN
SECTION	:	13	FORMATION	:	CHESTER SD
RANGE	:	33W	COUNTY	:	HASKELL
GAUGE SN#	:	13549	RANGE	:	4100
			STATE	:	KANSAS
			CLOCK	:	12

INTERVAL FROM	:	5410	TO	:	5475	TOTAL DEPTH	:	5475
DEPTH OF SELECTIVE ZONE	:							
PACKER DEPTH	:	5405	SIZE	:	6.63			
PACKER DEPTH	:	5410	SIZE	:	6.63			
PACKER DEPTH	:		SIZE	:				
PACKER DEPTH	:		SIZE	:				

DRILLING CON.	:	BEREDCO RIG #2			
MUD TYPE	:	CHEMICAL	VISCOSITY	:	50
WEIGHT	:	8.8	WATER LOSS (CC)	:	5.6
CHLORIDES (PPM)	:	2400			
JARS-MAKE	:	WTC	SERIAL NUMBER	:	411
DID WELL FLOW ?	:		REVERSED OUT ?	:	

DRILL COLLAR LENGTH	:	613	FT	I.D. inch	:	2.25
WEIGHT PIPE LENGTH	:	0	FT	I.D. inch	:	0.00
DRILL PIPE LENGTH	:	4769	FT	I.D. inch	:	3.80
TEST TOOL LENGTH	:	28	FT	TOOL SIZE	:	5.50
ANCHOR LENGTH	:	65	FT	ANCHOR SIZE	:	5.50
SURFACE CHOKE SIZE	:	.75	IN	BOTTOM CHOKE SIZE	:	.75
MAIN HOLE SIZE	:	7.875	IN	TOOL JOINT SIZE	:	4.5 XH

BLOW COMMENT #1 : INITIAL FLOW-STRONG BLOW-OFF BOTTOM IN 3 MINUTES.
BLOW COMMENT #2 : FINAL FLOW-STRONG BLOW-OFF BOTTOM IN 1 MINUTE.
BLOW COMMENT #3 :
BLOW COMMENT #4 :

RECOVERED : 90 FT OF: FREE OIL GRAVITY 37
RECOVERED : 90 FT OF: HEAVY GAS CUT OILY MUD
45% GAS-25% OIL-30% MUD

Total Barrels Fluid = 0.89
Total Fluid Prod Rate = 15.00 BFPD
Indicated Oil Rate = 9.41 BOPD
Indicated Wtr Rate = 0.22 BWPD
Corrected Oil Rate = 11.46 BOPD
Corrected Wtr Rate = 0.27 BWPD

REMARK 1 :
REMARK 2 : RECOVERED 3220 FEET OF GAS ABOVE FLUID.
REMARK 3 :
REMARK 4 :

SET PACKER(S) : 7:15 AM TIME STARTED OFF BOTTOM : 11:45 AM
WELL TEMPERATURE : 136
INITIAL HYDROSTATIC PRESSURE (A) 2559
INITIAL FLOW PERIOD MIN: 25 (B) 57 PSI TO (C) : 65
INITIAL CLOSED IN PERIOD MIN: 60 (D) 1484
FINAL FLOW PERIOD MIN: 60 (E) 83 PSI TO (F) : 107
FINAL CLOSED IN PERIOD MIN: 120 (G) 1503
FINAL HYDROSTATIC PRESSURE (H) 2536

WESTERN TESTING CO. INC.
WICHITA - KANSAS

Pressure Transient Report

COMPANY : BEREXCO INC.
RIG : HASKELL-KANSAS
FIELD : WRIGHT TRUST
WELL : #4
DATE : 10-16-87
GAUGE NO : 13549

OPERATIONAL COMMENTS

RECOVERED 3220 FEET OF GAS ABOVE FLUID.

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 16/10/87

FIELD : WRIGHT TRUST
JOB # : 11887
DEPTH : 5475
TEST :


DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
1	7:15: 0	0.000	57.000	136.00	0.000
2	7:19:59	0.083	57.000	136.00	0.000
3	7:25: 0	0.167	57.000	136.00	0.000
4	7:30: 0	0.250	59.000	136.00	2.000
5	7:34:59	0.333	63.000	136.00	4.000
6	7:40: 0	0.417	65.000	136.00	2.000
7	7:43: 0	0.467	141.000	136.00	76.000
8	7:46: 0	0.517	251.000	136.00	110.000
9	7:49: 0	0.567	360.000	136.00	109.000
10	7:52: 0	0.617	503.000	136.00	143.000
11	7:55: 0	0.667	645.000	136.00	142.000
12	7:58: 0	0.717	809.000	136.00	164.000
13	8: 1: 0	0.767	968.000	136.00	159.000
14	8: 4: 0	0.817	1090.000	136.00	122.000
15	8: 7: 0	0.867	1192.000	136.00	102.000
16	8:10: 0	0.917	1282.000	136.00	90.000
17	8:13: 0	0.967	1331.000	136.00	49.000
18	8:16: 0	1.017	1364.000	136.00	33.000
19	8:19: 0	1.067	1391.000	136.00	27.000
20	8:22: 0	1.117	1411.000	136.00	20.000
21	8:25: 0	1.167	1431.000	136.00	20.000
22	8:28: 0	1.217	1445.000	136.00	14.000
23	8:31: 0	1.267	1456.000	136.00	11.000
24	8:34: 0	1.317	1466.000	136.00	10.000
25	8:37: 0	1.367	1476.000	136.00	10.000
26	8:40: 0	1.417	1484.000	136.00	8.000
27	8:41: 0	1.433	83.000	136.00	-1401.000
28	8:45: 0	1.500	83.000	136.00	0.000
29	8:50: 0	1.583	83.000	136.00	0.000
30	8:55: 0	1.667	85.000	136.00	2.000
31	9: 0: 0	1.750	88.000	136.00	3.000
32	9: 5: 0	1.833	91.000	136.00	3.000
33	9:10: 0	1.917	93.000	136.00	2.000
34	9:15: 0	2.000	94.000	136.00	1.000
35	9:20: 0	2.083	97.000	136.00	3.000
36	9:25: 0	2.167	99.000	136.00	2.000
37	9:30: 0	2.250	102.000	136.00	3.000
38	9:35: 0	2.333	104.000	136.00	2.000
39	9:40: 0	2.417	107.000	136.00	3.000
40	9:43: 0	2.467	171.000	136.00	64.000
41	9:46: 0	2.517	269.000	136.00	98.000
42	9:49: 0	2.567	373.000	136.00	104.000
43	9:52: 0	2.617	492.000	136.00	119.000
44	9:55: 0	2.667	616.000	136.00	124.000
45	9:58: 0	2.717	747.000	136.00	131.000
46	10: 1: 0	2.767	862.000	136.00	115.000
47	10: 4: 0	2.817	966.000	136.00	104.000
48	10: 7: 0	2.867	1092.000	136.00	126.000
49	10:10: 0	2.917	1163.000	136.00	71.000
50	10:13: 0	2.967	1209.000	136.00	46.000
51	10:16: 0	3.017	1252.000	136.00	43.000
52	10:19: 0	3.067	1284.000	136.00	32.000

COMPANY : BEREXCO INC.
WELL : #4
GAUGE # : 13549
DATE : 16/10/87


FIELD : WRIGHT TRUST
JOB # : 11887
DEPTH : 5475
TEST :

DATA No.	REAL TIME HR:MN:SS	ELAPSE TIME DELTA HOURS	PRESSURE PSIG	TEMP DEG F	DELTA P P1-P(1-1)
53	10:22: 0	3.117	1307.000	136.00	23.000
54	10:25: 0	3.167	1326.000	136.00	19.000
55	10:28: 0	3.217	1342.000	136.00	16.000
56	10:31: 0	3.267	1355.000	136.00	13.000
57	10:34: 0	3.317	1365.000	136.00	10.000
58	10:37: 0	3.367	1377.000	136.00	12.000
59	10:40: 0	3.417	1388.000	136.00	11.000
60	10:43: 0	3.467	1395.000	136.00	7.000
61	10:46: 0	3.517	1405.000	136.00	10.000
62	10:49: 0	3.567	1414.000	136.00	9.000
63	10:52: 0	3.617	1421.000	136.00	7.000
64	10:55: 0	3.667	1427.000	136.00	6.000
65	10:58: 0	3.717	1434.000	136.00	7.000
66	11: 1: 0	3.767	1441.000	136.00	7.000
67	11: 4: 0	3.817	1447.000	136.00	6.000
68	11: 7: 0	3.867	1451.000	136.00	4.000
69	11:10: 0	3.917	1456.000	136.00	5.000
70	11:13: 0	3.967	1462.000	136.00	6.000
71	11:16: 0	4.017	1468.000	136.00	6.000
72	11:19: 0	4.067	1473.000	136.00	5.000
73	11:22: 0	4.117	1476.000	136.00	3.000
74	11:25: 0	4.167	1483.000	136.00	7.000
75	11:28: 0	4.217	1487.000	136.00	4.000
76	11:31: 0	4.267	1492.000	136.00	5.000
77	11:34: 0	4.317	1496.000	136.00	4.000
78	11:37: 0	4.367	1500.000	136.00	4.000
79	11:40: 0	4.417	1503.000	136.00	3.000

WESTERN TESTING CO. INC.



Inside Recorder



Outside Recorder