

10-269W 84 ✓  
 MAP NO.

SEC. 11 TWP. 30S RGE. 32W

STATE Kans COUNTY Haskell LOC. C SW/4

OPERATOR George B. McClellan FT. FROM \_\_\_\_\_ LINE \_\_\_\_\_


WELL NO. 1-11 FARM NAME Watson FT. FROM \_\_\_\_\_ LINE \_\_\_\_\_

1 Hugoton ELEV. 2878 GR. 2885 DF. 2888 KB.

FR. 7/16/62 SPUD. 7/30/62 COMP. 10/23/62

CONT. Co. tools /GEOL. \_\_\_\_\_

NAME PRODUCING INTERVAL	COMPLETION RECORD FROM - TO	PERF. W/HOLES	TREATMENT RECORD
a			
b			
c			
d			



a I. P. OIL/DIST. \_\_\_\_\_ WTR. \_\_\_\_\_ GAS \_\_\_\_\_ M.C.F.P.D. \_\_\_\_\_ CHK. \_\_\_\_\_ HRS. \_\_\_\_\_

b " " " " " "

c " " " " " "

d \_\_\_\_\_

Temp. Abd.

D & A ( )

SIP# \_\_\_\_\_ FI TP # \_\_\_\_\_ FI CP# \_\_\_\_\_ SIBHP \_\_\_\_\_

GOR. \_\_\_\_\_ GR. \_\_\_\_\_ PBTD \_\_\_\_\_ TD 2713

SIZE	DEPTH	CASING - CEMENT RECORD W/SAX.	SIZE	DEPTH	W/SAX.
<u>8 5/8"</u>	<u>@ 700</u>	<u>400</u>			
<u>4 1/2"</u>	<u>@ 2712</u>	<u>250</u>			

OPERATOR George B. McClellan WELL NO. 1-11 Watson ELEV. 2888 KB

SAMPLE TOPS	DEPTH	SUB SEA	ELEC. TOPS	DEPTH	SUB SEA
<u>2780' Tst (O/G Input?)</u>			<u>KB Tops &amp; Datums</u>		
			<u>U/Kri</u>	<u>2670</u>	<u>+ 218</u>
<u>RTD (Perm)</u>	<u>2713</u>	<u>+ 175</u>	<u>L/Kri</u>	<u>2700</u>	<u>+ 188</u>
			<u>LTD</u>	<u>N.A.</u>	

RTD 2713. Log. 4 1/2" @ 2712 w/250 sx. MICT. Perf 4/2709, 56/2772-86, (Perm) Frac (30,000 GW x 30,000# sd) Rec 1d, Ga 1,000 MCFGPD + 20 BWPB, Ran tracer survey. Sqz 2709-86. w/200 sx, Arb jet @ 2778 & 2782, 1500 acid, Ga 169 MCFGPD + 2 1/2 BSWPH/NT. Sqz 2778-82 w/cem. Abr - jet @ 2682 & 2678, 500 A (15%) Ga 35 MCFGPD + 3 B 1d per hour/NT, Ga 285 MCFGPD + 28' form wtr per hr/NT, Sq 2682 & 78, CO 2707, Perf 4-way jet 2706 (Perm) no tst, nat, 5000 A, Swb 1d, Ga 297 MCFGPD + 4 1/2 BWPB, SI WOO. Temp. Abd.

COMPLETED