

COMPANY Vincent Oil Inc. FARM Boyd WELL NO. 1-9
 SEC. 1 TWP. 1 RGE. 1 LOC. 1 COUNTY Barber STATE KS
 CONTRACTOR Mapland JV Inc ~~WHITE & ELLIS DRILL~~ 7 1/2" DRILL PIPE 4 1/2" x 4
 DATE: 12-29-03 AM RIG NO. 2 14" LENGTH STROKE 14"

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
01				19 51	15	16	1
02				52	17		1
03				53	18		1-
04				54	19		1
05				55	21		1-
06				56	22		1
07				57	24		2
08				58	25		1-
09				59	27		1-
10				19 60	29		2
11				61	31		2
12				62	33		2
13				63	34		3
14				64	37		1-
15				65	39		2
16				66	41		2
17				67	43		2
18				68	45		2
19				69	47		2
20				19 70	49		1-
21				71	50		1-
22				72	52		1-
23				73	54		2 Conn 1973
24				74	58 59		1
25				75	4:00		1
26				76	01		1-
27				77	03		1-
28				78	04		1-
29				79	05		1
30				19 80	07		1-
31				81	08		1
32				82	09		1
33				83	10		1-
34				84	12		1-
35				85	14		2
36				86	15		1-
37				87	17		1-
38				88	18		1
39				89	19		1
40				19 90	20		1-
41				91	22		2
42				92	24		2
43				93	26		1-
44				94	27		1
45				95	28		1-
46				96	29		1-
47				97	32		2-
48				98	33		1
49				99	35		2
50				20 00	36		1

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS DRLG _____ DRILL PIPE _____

DATE: _____ RIG NO. _____ LENGTH STROKE _____

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
20 01	36 37	1-		20 51	41 49	1-	
02	39-	2		52	50	1	
03	41-	2		53	51	1	
04	43	1-	Conn 2004	54	52-	1-	
05	44 49	2		55	54	1-	
06	50	1		56	55	1	
07	51-	1-		57	56-	1-	
08	53	1-		58	58	1-	
09	54	1		59	6:00	2	
20 10	55	1		20 60	01-	1-	
11	56-	1-		61	03	1-	
12	58	1-		62	05	2	
13	59	1		63	07	2	
14	5:00	1		64	09	2	
15	01	1		65	11	2	
16	02	1		66	12-	1-	
17	03	1		67	14-	2	Conn 2067
18	04	1		68	21 22-	1-	
19	04-	-		69	25	2-	
20 20	05	-		20 70	27	2	
21	06	1		71	29-	2-	
22	06-	-		72	31-	2	
23	07	-		73	33-	2	
24	08	1		74	36	2-	
25	09	1		75	38	2	
26	10	1		76	40	2	
27	11	1		77	41-	1-	
28	12-	1-		78	43	1-	
29	13-	1		79	45	2	
20 30	15	1-		20 80	46	1	
31	16	1		81	47	1	
32	17	1		82	48	1	
33	18	1		83	49	1	
34	19	1		84	51-	2	
35	20	1	Conn 2035	85	52	1	
36	21 27	1		86	53	1	
37	28	1		87	54	1	
38	30	2		88	55	1	
39	31	1		89	55-	1/2	
20 40	33	2		20 90	56	1/2	
41	35	2		91	56-	1/2	
42	36	1		92	57	1/2	
43	37	1		93	58-	1-	
44	38-	1-		94	7:01	2-	
45	40	1-		95	03-	2-	
46	41-	1		96	06	2-	
47	43	1-		97	08-	2-	CONN 2097
48	44-	1-		98	10 25	2	
49	46	1-		99	30	2	
20 50	47-	1-		21 00	32	2	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____

STATE _____

CONTRACTOR WHITE & ELLIS I

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DRILL PIPE _____

DATE: _____ RIG NO. _____

LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
21 01	32 35	1-		21 51	32	1	
02	35	1-		52	33	1	
03	37	2		53	34	1-	
04	38	1		54	36	1-	
05	38-	$\frac{1}{2}$		55	37	1	
06	39	$\frac{1}{2}$		56	38	1-	
07	40-	1-		57	41	1-	
08	42	1-		58	42-	1-	Conn 2158
09	43	1		59	43 57	1	
21 10	44	1		21 60	58	1-	
11	45	1		61	9:00	1-	
12	46-	1-		62	01	1	
13	48	1-		63	02	1	
14	49	1		64	03-	1-	
15	50	1		65	05	1-	
16	51-	1-		66	06	1	
17	53	1-		67	07	1	
18	54	1		68	08	1	
19	54	1		69	09-	1-	
21 20	56	2		21 70	11	1-	
21	57	1		71	12	1	
22	57-	$\frac{1}{2}$		72	13	1	
23	58	$\frac{1}{2}$		73	15	2	
24	58-	$\frac{1}{2}$		74	16-	1-	
25	59	$\frac{1}{2}$		75	18-	2	
26	8:00	1		76	20	1-	
27	01	1		77	21-	1-	
28	02	1	Conn	78	22-	1	
29	06 07	1		79	23-	1	
21 30	08-	1-		21 80	25	1-	
31	10-	2		81	26	1	
32	12	1-		82	26-	$\frac{1}{2}$	
33	13-	1-		83	27	$\frac{1}{2}$	
34	15	1-		84	27-	$\frac{1}{2}$	
35	16-	1-		85	28	$\frac{1}{2}$	
36	18	1		86	29	1	
37	19	1		87	30	1	
38	20-	1-		88	31	1	
39	21-	1		89	32	1	Conn 2189
21 40	22-	1		21 90	33	1	
41	23-	1		91	39	1	
42	24-	1		92	40-	1-	
43	25	$\frac{1}{2}$		93	42	1-	
44	25-	$\frac{1}{2}$		94	43	1	
45	26	$\frac{1}{2}$		95	45	2	
46	27	1		96	46	1	
47	28	1		97	47-	1-	
48	29	1		98	49	1-	
49	30	1		99	50-	1-	
21 50	31	1		22 00	52	1-	

COMPANY_____FARM_____WELL NO._____

SEC._____TWP._____RGE._____LOC._____COUNTY_____STATE_____

CONTRACTORWHITE & E. API 15-007-22,787-0000 DRILL PIPE_____

DATE: Vincent Oil Corp., Boyd 1-9 NERS_____LENGTH STROKE_____

NW SE SE, Sec. 9-T30S-R12W Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
23 01	54 56	1-		23 51	09	1-	
02	58	2		52	10	1	
03	59-	1-		53	11	1	
04	12:01	1-		54	12	1	
05	02- 02	1-		55	13	1	
06	04	1-		56	14-	1-	
07	06	2		57	15-	1	
08	07-	1-		58	17	1-	
09	09	1-		59	18-	1-	
23 10	10-	1-		23 60	20	1-	
11	12	1-		61	21	1	
12	13	1		62	22	1	
13	14	1		63	24	2	
14	15	1	Conn 2314	64	26	2	
15	20 20	1 1/2		65	28	2	
16	21-	1-		66	29-	1-	
17	23	1-		67	31	1-	
18	24	1		68	32-	1-	
19	25	1		69	34	1-	
23 20	26	1		23 70	36	2	
21	27	1		71	37-	1-	
22	28	1		72	39	1-	
23	29	1		73	40-	1-	
24	30	1		74	42	1-	
25	31	1		75	43-	1 1/2	
26	32	1		76	45	1-	
27	33-	1-		77	46-	1-	
28	35	1-		78	48	1-	Conn 2378
29	36	1		79	50 52	1-	
23 30	37	1		23 80	53-	1-	
31	38	1		81	55	1-	
32	39	1		82	57	2	
33	40	1		83	58-	1-	
34	40-	1-		84	2:00	1-	
35	41-	1		85	02	2	
36	42-	1		86	04	2	
37	44	1-		87	05-	1-	
38	46	2		88	07	1-	
39	47-	1-		89	09	2	
23 40	49	1-		23 90	10	1	
41	51	2		91	11	1-	
42	52-	1-		92	13	1-	
43	54-	2		93	14-	1-	
44	56	1-		94	16	1-	
45	57-	1-		95	17-	1 1/2	
46	59	1-	Conn 2346	96	19	1-	
47	03 04	1		97	20	1	
48	05	1		98	21-	1-	
49	06-	1-		99	23	1-	
23 50	07-	1		24 00	25	2	Geo Been Called

COMPANY _____

WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____

STATE _____

CONTRACTOR WHITE & ELLIS DI

DRILL PIPE _____

DATE: _____ RIG NO. _____

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

_____ PUMP LINERS _____ LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
24 01	25 26	1-		24 51	12 1/2 14 1/2	2	
02	28	1-		52	16 1/2	2	
03	30	2		53	19	2 1/2	
04	31-	1-		54	21	2	
05	33	1-		55	23 1/2	2 1/2	
06	35	2		56	25 1/2	2	
07	37	2		57	27 1/2	2	
08	38-	1-		58	30	2 1/2	
09	40	1-		59	32 1/2	2 1/2	
24 10	41	1	Conn 2410	24 60	34 1/2	2	
11	45 46	1-		61	37	2 1/2	
12	48	1-		62	39 1/2	2 1/2	
13	50	2		63	41 1/2	2	
14	52	2		64	43 1/2	2	
15	53-	1-		65	45 1/2	2	
16	55 1/2	2		66	47 1/2	2	
17	57 1/2	2		67	49 1/2	2	
18	59 1/2	2		68	51 1/2	2	
19	3:01 1/2	2		69	54	2 1/2	
24 20	03 1/2	2		24 70	56	2	
21	05 1/2	2		71	58	2	
22	07	1 1/2		72	5:00	2	
23	08	1		73	02	2	Conn 2473
24	09	1		74	10 12	2	
25	12	3		75	13 1/2	1 1/2	
26	14	2		76	15	1 1/2	
27	16	2		77	16 1/2	1 1/2	
28	17	1		78	18	1 1/2	
29	19	2		79	19 1/2	1 1/2	
24 30	21 1/2	2 1/2		24 80	20 1/2	1	
31	23	1 1/2		81	22 1/2	2	
32	25 1/2	2 1/2		82	25	2 1/2	
33	27	1 1/2		83	26 1/2	1 1/2	
34	28 1/2	1 1/2		84	28 1/2	2	
35	30 1/2	2		85	30	1 1/2	
36	32 1/2	2		86	31 1/2	1 1/2	
37	34 1/2	2		87	33	1 1/2	
38	36 1/2	2		88	34 1/2	1 1/2	
39	38	1 1/2		89	36 1/2	2	
24 40	39 1/2	1 1/2		24 90	38 1/2	2	
41	42	2 1/2		91	40 1/2	2	
42	44	2	Conn 2442	92	41 1/2	1	
43	56 57 1/2	1 1/2		93	42	1/2	
44	59 1/2	2		94	43	1	
45	4:01 1/2	2		95	44	1	
46	03 1/2	2		96	1/2	1/2	
47	05 1/2	2		97	45	1/2	
48	07 1/2	2		98	46	1	
49	10	2-		99	47	1	
24 50	12 1/2	2-		25 00	48	1	

COMPANY _____ FARM _____ WELL NO. _____
 SEC. _____ TWP. _____ RGE. _____ LOC. _____ STATE _____
 CONTRACTOR WHITE & EL VINCENT OIL CORP., BOYD 1-9
 DATE: _____ R NW SE SE, Sec. 9-T30S-R12W DRILL PIPE _____
 _____ BARBER COUNTY, KANSAS _____ INCHES _____ LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
25 01	48 49	1		25 51	13 14	2	
02	50	1		52	15 1/2	1 1/2	
03	51 1/2	1 1/2		53	17 1/2	2	
04	53	1 1/2		54	19 1/2	2	
05	55	2	CONN 2505	55	21 1/2	2	
06	6:00 01 1/2	1 1/2		56	23 1/2	2	
07	02 1/2	1		57	25 1/2	2	
08	04 1/2	2		58	27 1/2	2	
09	06	1 1/2		59	29 1/2	2	
25 10	08	2		25 60	31 1/2	2	
11	09 1/2	1 1/2		61	33 1/2	2	
12	11 1/2	2		62	35 1/2	2	
13	13 1/2	2		63	37 1/2	2	
14	15	1 1/2		64	39 1/2	2	
15	17	2		65	41 1/2	2	
16	18	1		66	43 1/2	2	
17	19	1		67	46	2 1/2	CONN 2567
18	20	1		68	50 52	2	
19	21	1		69	54	2	
25 20	22	1		25 70	56	2	
21	22 1/2	1 1/2		71	58	2	
22	23	1 1/2		72	8:00	2	
23	23 1/2	1 1/2		73	01 1/2	1 1/2	
24	24	1 1/2		74	03 1/2	2	
25	25	1		75	05 1/2	2	
26	26	1		76	07 1/2	2	
27	27 1/2	1 1/2		77	09 1/2	2	
28	30	2 1/2		78	11 1/2	2	
29	31 1/2	1 1/2		79	13 1/2	2	
25 30	33 1/2	2		25 80	15 1/2	2	
31	35	1 1/2		81	17	1 1/2	
32	37	2		82	19	2	
33	39	2		83	21	2	
34	41	2		84	23	2	
35	43	2		85	24 1/2	1 1/2	
36	44 1/2	1 1/2	CONN 2536	86	27	2 1/2	
37	50 51	1		87	28 1/2	1 1/2	
38	52 1/2	1 1/2		88	30	1 1/2	
39	54	1 1/2		89	32	2	
25 40	55 1/2	1 1/2		25 90	33 1/2	1 1/2	
41	57	1 1/2		91	35	1 1/2	
42	59	2		92	36	1	
43	7:00 1/2	1 1/2		93	37	1	
44	02	1 1/2		94	38 1/2	1 1/2	
45	03 1/2	1 1/2		95	40	1 1/2	
46	05 1/2	2		96	42	2	
47	07 1/2	2		97	44	2	
48	09	1 1/2		98	46	2	
49	10 1/2	1 1/2		99	48	2	CONN 2599
25 50	12	1		26 00	54 55	1	

COMPANY _____ FARM _____ WELL NO. _____

EC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLI _____ DRILL PIPE _____

DATE: 12-29-03 RIG API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9 RS _____ LENGTH STROKE _____
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
26 01	55 56	1		26 51	22 1/2 23	1/2	
02	57	1		52	24	1	
03	59	2		53	25	1	
04	9:01	2		54	26	1	
05	03	2		55	26 1/2	1/2	
06	05	2		56	27 1/2	1	
07	07	2		57	28	1/2	
08	09	2		58	29	1	
09	10	1		59	30	1	
26 10	11	1		26 60	35 36 1/2	1 1/2	CONN
11	12 1/2	1 1/2		61	38	1 1/2	
12	15	2 1/2		62	40	2	
13	17	2		63	42	2	
14	19 1/2	2 1/2		64	44 1/2	2 1/2	
15	21 1/2	2		65	46 1/2	2	
16	23 1/2	2		66	48 1/2	2	
17	25 1/2	2		67	50	1 1/2	
18	27	1 1/2		68	52 1/2	2 1/2	
19	28 1/2	1 1/2		69	55	2 1/2	
26 20	30	1 1/2		26 70	57	2	
21	31	1		71	59	2	
22	32 1/2	1 1/2		72	11:01	2	
23	34 1/2	2		73	03	2	
24	36 1/2	2		74	05	2	
25	39	2 1/2		75	07	2	
26	41 1/2	2 1/2		76	09	2	
27	44	2 1/2		77	11	2	
28	46 1/2	2 1/2		78	13	2	
29	48 1/2	2	CONN 2629	79	15	2	
26 30	51 56	2		26 80	16	1	
31	58	2		81	17	1	
32	10:00 1/2	2 1/2		82	18-	1-	
33	02	1 1/2		83	20	1-	
34	03 1/2	1 1/2		84	22-	2-	
35	05	1 1/2		85	25	2-	
36	07	2		86	27	2	
37	09 1/2	2 1/2		87	29-	2-	
38	10 1/2	1		88	31-	2	
39	11	1/2		89	33-	2	
26 40	12	1		26 90	36	2-	Conn. Rgd
41	13 1/2	1 1/2		91	50 52	2	
42	14 1/2	1		92	54	2	
43	16	1 1/2		93	56	2	
44	17	1		94	58-	2-	
45	18	1		95	12:00-	2	
46	19	1		96	02-	2	
47	20	1		97	04	1-	
48	20 1/2	1 1/2		98	07	3	
49	21 1/2	1		99	09	2	
26 50	22 1/2	1		27 00	11-	2-	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS DR _____ DRILL PIPE _____

DATE: _____ RIG NO _____ LENGTH STROKE _____

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
27 01	11-14	2-		27 51	02-04	1-	
02	16	2		52	05-	1-	
03	18-	2-		53	06-	1	Conn.
04	21	2-		54	10-11	1	
05	23	2		55	12-	1-	
06	25-	2-		56	15	2-	
07	28	2-		57	18	3	
08	30	2		58	20-	2-	
09	32	2		59	23	2-	
27 10	34	2		27 60	25-	2-	
11	36	2		61	28	2-	
12	38-	2-		62	30	2	
13	41	2-		63	31-	1-	
14	43-	2-		64	33	1-	
15	45	1-		65	35-	2-	
16	47	2		66	37-	2	
17	48-	1-		67	40	2-	
18	50	1-		68	42	2	
19	51-	1-		69	44-	2-	
27 20	52-	1		27 70	46-	2	
21	55	2-		71	49	2-	
22	57	2	Conn	72	51	2	
23	102-03-	1-		73	53	2	
24	06	2-		74	54	1	
25	08	2		75	55-	1-	
26	10	2		76	57	1-	
27	11	1		77	59	2	
28	12-	1-		78	3:00-	1-	
29	14	1-		79	02	1-	
27 30	15	1		27 80	03	1	
31	18	3		81	05	2	
32	21	3		82	06-	1-	
33	23-	2-		83	08	1-	
34	26	2-		84	09-	1-	Conn. Jet #1
35	28-	2-		85	21-22	1	
36	31-	3		86	23	1	
37	34	2-		87	24-	1-	
38	36-	2-		88	26	1-	
39	39	2-		89	27	1	
40	41	2		27 90	28	1	
41	44	3		91	29	1	
42	46	2		92	30	1	
43	48-	2-		93	31	1	
44	51-	3		94	31-	-	
45	54	2-		95	32	-	
46	57	3		96	33	1	
47	59	2		97	34	1	
48	2:00	1		98	35	1	
49	01-	1-		99	36	1	
27 50	02-	1		28 00	37-	1-	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & _____ API 15-007-22,787-0000 DRILL PIPE _____

DATE: _____ VINCENT OIL CORP., BOYD 1-9 LINERS _____ LENGTH STROKE _____

NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
22 01	52 53	1		22 51	47	1	
02	54-	1-		52	51 52	1 1/2	
03	56	1-		53	52-	1 1/2	
04	57	1		54	53	1 1/2	
05	58	1		55	54	1	
06	59			56	54	1 1/2	
07	10:00	1		57	55	1 1/2	
08	01	1		58	55-	1 1/2	
09	02	1		59	56	1 1/2	
22 10	03-	1-		22 60	57	1	
11	05	1-		61	58	1	
12	06-	1-		62	59	1	
13	08	1-		63	11:00	1	
14	09-	1-		64	02	2	
15	11	1-		65	03-	1 1/2	
16	12	1		66	05	1 1/2	
17	13-	1-		67	06-	1 1/2	
18	15	1-		68	08	1 1/2	
19	16	1		69	09-	1 1/2	
22 20	17-	1-	Cont 2220	22 70	11	1 1/2	
21	22 23	1		71	12	1	
22	24	1		72	13-	1 1/2	
23	25	1		73	15	1 1/2	
24	26	1		74	16	1	
25	27	1		75	17	1	
26	28	1		76	18-	1 1/2	
27	29	1		77	20	1 1/2	
28	29-	1 1/2		78	21-	1 1/2	
29	30	1 1/2		79	22-	1	
22 30	30-	1 1/2		22 80	24	1 1/2	
31	31	1 1/2		81	25-	1 1/2	
32	31-	1 1/2		82	27	1 1/2	Cont
33	32	1 1/2		83	32 33	1	
34	33	1		84	34	1	
35	34	1		85	35	1	
36	34-	1 1/2		86	36	1	
37	35	1 1/2		87	37	1	
38	36	1		88	38	1	
39	37	1		89	39	1	
22 40	38	1		22 90	40	1	
41	39	1		91	41	1	
42	40	1		92	42-	1 1/2	
43	41	1		93	44	1 1/2	
44	42	1		94	45-	1 1/2	
45	43	1		95	47	1 1/2	
46	43-	1 1/2		96	48	1 1/2	
47	44	1 1/2		97	50	1 1/2	
48	44-	1 1/2		98	51-	1 1/2	
49	45	1 1/2		99	53	1 1/2	
22 50	46	1		23 00	54-	1 1/2	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS DRLG., Inc. SIZE HOLE _____ DRILL PIPE _____

DATE: _____ RIG NO. _____ SIZE PUMP LINERS _____ LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
28 01	37-39	1-		28 51	21-23	2	
02	40	1		52	25	2	
03	41	1		53	27	2	
04	42-	1-		54	29-	2-	
05	44-	2		55	32	2-	
06	46-	2		56	35	3	
07	48-	2		57	38	3	
08	51	2-		58	40	2	
09	53	2		59	42	2	
28 10	55	2		28 60	44	2	
11	57	2		61	46	2	
12	58-	1-		62	48	2	
13	4:00	1-		63	50	2	
14	02	2		64	52-	2-	
15	04	2	conn. 2876	65	55	2-	
16	08-09-1-			66	57	2	
17	11	1-		67	59-	2-	
18	12	1		68	6:01-	2	
19	13-	1-		69	04	2-	
28 20	15	1-		28 70	06-	2-	
21	16	1		71	08-	2	
22	18-	2-		72	11	2-	
23	20	1-		73	13	2	
24	22	2		74	15-	2-	
25	24	2		75	17	1-	
26	26-	2-		76	19-	2-	
27	28-	2		77	22	2-	
28	30	1-		78	23-	1-	conn. 2878
29	31-	1-		79	29-30	1	
28 30	34	2-		28 80	32	2	
31	35-	1-		81	34	2	
32	37-	2		82	35-	1-	
33	39	1-		83	37	1-	
34	41	2		84	39	2	
35	43-	2-		85	40-	1-	
36	45-	2		86	42-	2	
37	47-	2		87	44 44	1-	
38	50	2-		88	46 46	2	
39	52	2		89	48 48	2	
28 40	54	2		28 90	50	2	
41	56	2		91	52	2	
42	58	2		92	54	2	
43	5:00-	2-		93	56	2	
44	02-	2		94	58	2	
45	04-	2		95	60	2	
46	07	2-		96	2	2	
47	09	2	conn. 2847	97	4	2	
48	11-16	2		98	6	2	
49	18-	2-		99	7	1-	
28 50	21	2-		29 00	10 9	1-	

COMPANY X FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS DRLG., Inc. SIZE HOLE _____ DRILL PIPE _____

DATE: _____ RIG NO. _____ SIZE PUMP LINERS _____ LENGTH STROKE _____

2900 3000



DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
29 01	9:10	1		29 51	57-	1-	
02	12-	1		52	59	1-	
03	12-	1-		53	9:00	1	
04	14	1-		54	01	1	
05	15-	1-		55	02-	1-	
06	18	2-		56	04	1-	
07	20	2		57	06	2	
08	21	1		58	68-	2-	
09	22-	1-		59	11	2-	
29 10	24	1-	conn 2910	29 60	13	2	
11	39 40-	1-		61	15-	2-	
12	42	1-		62	17-	2	
13	44	2		63	19	1-	
14	45-	1-		64	21	2	
15	47-	2		65	22-	1-	
16	49-	2		66	24	1-	
17	51-	2		67	26-	2-	
18	53	1-		68	28-	2	
19	55	2		69	31	1-	
29 20	57	2		29 70	33	2	
21	59	2		71	35	2	Conn 2971
22	8:01	2		72	40 40-	1 1/2	
23	03	2		73	41	1/2	
24	05	2		74	41-	1/2	
25	07	2		75	43-	2	
26	09	2		76	44-	1	
27	11	2		77	46	1-	
28	13	2		78	48	2	
29	15	2		79	50-	2-	
29 30	17	2		29 80	52-	2	
31	19	2		81	54-	2	
32	21	2		82	56	1-	
33	23	2		83	57-	1-	
34	25	2		84	10:00	2-	
35	27	2		85	02	2	
36	29	2		86	04	2-	
37	31	2		87	07	2-	
38	33	2		88	09	2	
39	35	2		89	11-	2-	
29 40	37	2	Conn 2940	29 90	14	2-	
41	41 42	1		91	16	2	
42	43-	1-		92	18	2	
43	45-	1-		93	20-	2-	
44	46	1		94	22-	2	
45	47-	1-		95	25	2-	
46	49	1-		96	27	2	
47	51	2		97	29-	2-	
48	52-	1-		98	31-	2	
49	54	1-		99	34	2-	
29 50	56	2		30 00	37	3	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____

STATE _____

CONTRACTOR _____

WHITE

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

E _____

DRILL PIPE _____

DATE: _____

IP LINERS _____

LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
31 01	16 18	2		31 51	45 47	1-	
02	19-	1-		52	48-	1-	
03	21	1-		53	50-	2	
04	23	2		54	52	1-	
05	25	2		55	54	2	
06	27	2		56	55-	1-	
07	29	2		57	57	1-	
08	31	2		58	58-	1-	
09	32-	1-		59	4:00-	2	
31 10	34	1-		31 60	02	1-	Conn 3160'
11	35	1		61	07 08	1	
12	36-	1-		62	09-	1-	
13	37-	1		63	11	1-	
14	39	1-		64	12	1	
15	41	2		65	13	1	
16	42-	1-		66	14	1	
17	44-	2		67	15	1	
18	46-	2		68	16	1	
19	48-	2		69	16-	-	
31 20	50-	2		31 70	17	-	
21	52-	2		71	18	1	
22	54-	2		72	19	1	
23	56-	2		73	19-	-	
24	58	1-		74	20	-	
25	3:00	2		75	20-	-	
26	02	2		76	21-	1	
27	04	2	Conn. 3127'	77	22-	1	
28	08 09-	1-		78	23-	1	
29	12	2-		79	24-	1	
31 30	13-	1-		31 80	27	2-	CFS at 3180
31	15	1		81	5:17 18-	1-	E/45 catch 20 i
32	16	1		82	19-	1	45 sample
33	17	1		83	20-	1	
34	18-	1-		84	21-	1	
35	20-	2		85	22-	1	
36	22	1-		86	23-	1	
37	23-	1-		87	24-	1	
38	25-	2		88	25-	1	
39	27-	2		89	26-	1	
31 40	29	1-		31 90	28	1-	
41	31	2		91	30	2	Conn. 3191'
42	32-	1-		92	34 35-	1-	
43	34	1-		93	36-	1	
44	36	2		94	38-	2	
45	37-	1-		95	40-	2	
46	39-	2		96	42-	2	
47	41	1-		97	44-	2	
48	43	2		98	47	2-	
49	44	1		99	48-	1-	
31 50	45-	1-		32 00	49-	1-	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ STATE _____

CONTRACTOR _____ WHITE & _____ DRILL PIPE _____

DATE: _____ LINERS _____ LENGTH STROKE _____

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
32 01	49- 50-	1		32 51	28-	1-	
02	51-	1		52	2:00-	2	
03	52-	1		53	02-	2	
04	53-	1		54	04-	2	Conn. 3254 Pig ✓
05	54-	1		55	22- 23-	1	
06	55-	1		56	25-	1-	
07	56	-		57	26	1	
08	57	1		58	27-	1-	
09	58	1		59	29-	2	
32 10	59	1		32 60	31-	2	
11	6:00	1		61	34	2-	
12	01-	1-		62	36-	2-	
13	03	1-		63	38-	2	
14	05	2		64	40	1-	
15	06-	1-		65	41	1	
16	08	1-		66	42	1	
17	09	1		67	43-	1-	
18	10	1		68	46	2-	
19	11	1		69	48	2	
32 20	12-	1-		32 70	50	2	
21	14	1-		71	52	2	
22	15-	1-	Conn. 3222	72	54	2	
23	19 20-	1-		73	56	2	
24	21-	1		74	58	2	
25	22-	1		75	8:00	2	
26	24	1-		76	01-	1 1/2	
27	26	2		77	03-	2	
28	28	2		78	05-	2	
29	29	1		79	07-	2	
32 30	30	1		32 80	09-	2	
31	31-	1-		81	12	2 1/2	
32	33	1-		82	14	2	
33	34	1		83	16	2	
34	35	1		84	18	2	
35	36-	1-		85	20	2	Conn. 3285
36	38	1-		86	26 28	2	
37	39-	1-		87	30	2	
38	41	1-		88	32	2	
39	43	2		89	34	2	
32 40	44-	1-		32 90	36	2	
41	46	1-		91	38	2	
42	47	1		92	40	2	
43	48	1		93	42	2	
44	49	1		94	44	2	
45	51	2		95	46	2	
46	52-	1-		96	48	2	
47	53-	1		97	50	2	
48	54-	1		98	52	2	
49	56	1-		99	25 26	1	PISTON ROD r
32 50	57	1		33 00	27	1	Pony ROD down 1/2

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____

CONTRACTOR WHITE & ELLIS

DATE: _____ RIG _____ STATE _____

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DRILL PIPE _____

LENGTH STROKE _____

3300-3400

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
33 01	28-	1 1/2		33 51	48-	1	
02	30	1 1/2		52	50	1-	
03	31	1		53	51	1	
04	32-	1 1/2		54	52	1	
05	34	1 1/2		55	54	2	
06	36	2		56	56	2	
07	37-	1-		57	58	2	
08	39	1-		58	11:00	2	
09	40-	1-		59	02	2	
33 10	42	1-	Clock Stopped	33 60	04	2	
11	43-	1-		61	06	2	
12	45	1-		62	08	2	
13	46-	1		63	09-	1-	
14	47	1		64	11	1-	
15	48	1		65	13	2	
16	50 51	1		66	15	2	
17	52-	1-		67	16-	1-	
18	54	1-		68	18	1-	
19	55-	1-		69	19-	1-	
33 20	57	1-		33 70	21	1-	
21	58	1		71	22-	1-	
22	59-	1-		72	23-	1	
23	10:00	1		73	24-	1	
24	02	1-		74	25-	1	
25	03	1		75	26-	1	
26	05	2		76	28	1-	Conn 3376
27	06-	1-		77	29 30-	1	
28	08	1-		78	31-	1	
29	09-	1-		79	35-	1	
33 30	11	1-		33 80	36-	1	
31	12-	1-		81	38	1-	
32	14	1-		82	39	1	
33	16	2		83	40	1	
34	17-	1-		84	41	1	
35	19	1-		85	42	1	
36	21	2		86	43	1	
37	23	2		87	44-	1-	
38	25	2		88	46	1-	
39	26-	1-		89	47	1	
33 40	28	1-		33 90	48-	1-	
41	30-	1-		91	50	1-	
42	32-	2		92	51-	1-	
43	34	1-		93	53	1-	
44	35-	1-	Conn 3344	94	54	1	
45	40 41	1		95	55	1	
46	42-	1-		96	56	1	
47	44	1-		97	57	1	
48	45-	1-		98	58	1	
49	46-	1		99	59	1	
33 50	47-	1		34 00	12:00	1	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS : API 15-007-22,787-0000 DRILL PIPE _____

DATE: _____ RIG N Vincent Oil Corp., Boyd 1-9 LENGTH STROKE _____
NW SE SE, Sec. 9-T30S-R12W

Barber County, Kansas

3400-3500

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
34 01	12:00 01	1		34 51	04	1	
02	2	1		52	05	1	
03	3	1		53	06	1	
04	4	1		54	06-	1/2	
05	5	1		55	07	1/2	
06	6	1	conn 3406	56	08	1	
07	11-12-	1		57	09	1	
08	14-	2		58	10	1	
09	16-	2		59	11	1	
34 10	18	1-		34 60	12	1	
11	19-	1-		61	12-	1/2	
12	21	1-		62	13	1/2	
13	22-	1-		63	14	1	
14	24	1-		64	15	1	
15	25	1		65	16	1	
16	26	1		66	17	1	
17	27	1		67	18	1	
18	28-	1-		68	19	1	Conn 3468
19	29-	1		69	20-21	1/2	
34 20	30-	1		34 70	24-	1/2	
21	31	1/2		71	25-	1	
22	32-	1 1/2		72	26-	1	
23	33	1/2		73	28	1-	
24	34	1		74	30-	2-	
25	35	1		75	33-	3	
26	36	1		76	36	2-	
27	37	1		77	38-	2-	
28	38	1		78	41	2-	
29	38-	1/2		79	43-	2-	
34 30	39	1 1/2		34 80	46-	3	
31	40	1		81	49	2-	
32	41	1		82	51-	2-	
33	42	1		83	54	2-	
34	43	1		84	56-	2-	
35	44	1		85	59	2-	
36	45	1		86	2:02	3	
37	46	1	Conn 3437	87	05	3	
38	47-53	1		88	07-	2-	
39	53-	1-		89	10-	3	
34 40	54	1 1/2		34 90	13-	3	
41	54-	1 1/2		91	16	2-	
42	55	1 1/2		92	18-	2-	
43	56	1		93	21	2-	
44	57	1		94	23	2	
45	58	1		95	25-	2-	
46	59	1		96	28	2-	
47	59-	1 1/2		97	31	2	
48	01	1 1/2		98	34	3	
49	02	1		99	36-	2-	Conn 3499
34 50	03	1		35 00	38 2		Displace Mud

COMPANY_____FARM_____WELL NO._____

SEC._____TWP._____RGE._____LOC._____

STATE_____

CONTRACTOR WHITE & ELI

DRILL PIPE_____

DATE:_____

R1

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

ERS_____LENGTH STROKE_____

350 G-3600

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
35 01	19	2		25 51	52-53	1	
02	20	1		52	54-	1	
03	22	2		53	55-	1	
04	24-	2-		54	56-	1	
05	26	1-		55	57	-	
06	28	2		56	58	1	
07	30	2		57	59	1	
08	32	2		58	5:00	1	
09	33	1		59	01-	1-	
35 10	35	2		35 60	02-	1	
11	37	2		61	03-	1	Conn 3561
12	39	2		62	08-09	-	
13	41	2		63	09-	-	
14	43-	2-		64	10	-	
15	45-	2		65	11	1	
16	48	2-		66	12	1	
17	50-	2-		67	13	1	
18	52-	2-		68	14	1	
19	54-	2	Jct #108519 Mud Disp.	69	14-	-	
35 20	03-05	2		35 70	15-	1	
21	07-	2		71	16	-	
22	08-	1		72	17-	1-	
23	10	1-		73	18	-	
24	11	1		74	19	1	
25	12	1		75	20-	1-	
26	14	2		76	21-	1	
27	16	2		77	22-	1	
28	17-	1-		78	23-	1	
29	18-	1		79	24-	1	
35 30	20	1-	Conn 3530	35 80	25-	1-	
31	24-25	1-		81	26-	1	
32	26-	1		82	27	-	
33	28	1-		83	28	1	
34	30	2		84	29	1	
35	32	2		85	30	1	
36	33-	1-		86	31-	1-	
37	35	1-		87	32-	1	
38	36-	1-		88	33-	1	
39	38	1-		89	35	1-	
35 40	39-	1-		35 90	36	1	
41	41	1-		91	37	1	Conn 3591
42	42	1		92	41-42	1	
43	43-	1-		93	43	1	
44	45	1-		94	45	2	
45	46-	1-		95	46	1	
46	48	1-		96	47	1	
47	49	1		97	48	1	
48	50-	1-		98	49	1	
49	51-	1		99	50	1	
35 50	52-	1		36 00	51-	1-	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR WHITE & ELLIS API 15-007-22,787-0000 DRILL PIPE _____

DATE: _____ RIG Vincent Oil Corp., Boyd 1-9 IS _____ LENGTH STROKE _____

NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
36 01	51-53	1-		36 51	13-15	2-	
02	54	1		52	15	2-	
03	55	1		53	20	1-	CONN 3653
04	56	1		54	24-25	1-	
05	57	1		55	27-	2	Vis-43
06	58	1		56	29-	2	wt- 8.9
07	59-	1-		57	31	1-	WL- 7.2
08	6.00-	1		58	33	2	ph- 11.5
09	61-	1		59	34	1	chl- 3000
36 10	02	-		36 60	35	1	
11	03	1		61	36	1	
12	04	1		62	37	1	
13	05	1		63	38	1	
14	06	1-		64	39	1	
15	07-	1-		65	39-	-	
16	09-	2		66	40-	1	
17	11-	1-		67	42	1-	
18	12-	1-		68	43-	1-	
19	14	1-		69	45	1-	
36 20	16	1-		36 70	47	2	
21	17-	1-		71	49	2	
22	19	1-	CONN 3622	72	51-	2-	
23	24-25	1-		73	54	2-	
24	27-	2		74	56	2	
25	30	2-		75	58	2	
26	32	2		76	8:00-	2-	
27	34	2		77	02-	2	
28	36	2		78	05	2-	
29	38	2		79	08	3	
36 30	40-	2		36 80	10-	2-	CFSo+3680 $\pm$ 45"
31	42-	2		81	52-54	2	catch 20 in 40
32	45	2-		82	56	2	sample, WAKE geo 1
33	46	1		83	57	1	bring DEULTIME
34	47	1		84	58-	1-	conn 3684
35	48-	1-		85	03-05	1-	
36	50	1-		86	06	1	
37	52	2		87	07-	1-	
38	54	2		88	08-	1	
39	56	2		89	09-	1	
36 40	58	2		36 90	10-	1	
41	7:00	2		91	11	-	
42	01-	1-		92	12	1	
43	03-	2		93	13	1	
44	05-	2		94	15-	2-	
45	07-	2		95	18	2-	
46	08-	1-		96	21	3	
47	10	1-		97	22	1	
48	11	1		98	23	1	
49	12	1		99	25-	2-	
36 50	13	1		37 00	28-	3	

OK

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR _____ WHITE & ELI _____ DRILL PIPE _____

DATE: _____ RI _____ API 15-007-22,787-0000 _____ ERS _____ LENGTH STROKE _____

Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
37 01	28- 31-	3		37 51	36- 37-	1	
02	34-	3		52	38-	1-	
03	37	2-		53	40	1-	
04	38-	1-		54	41	1	
05	40-	2		55	42	1	
06	41-	1		56	43-	1-	
07	43	1-		57	45	1-	
08	44	1		58	46	1	
09	45	1		59	47	1	
37 10	46	1		37 60	48-	1-	
11	47	1		61	50	1-	
12	48	1		62	51-	1-	
13	50	2		63	53	1-	
14	52	2	Conn 3714	64	54-	1-	
15	57- 10:00	2-		65	56	1-	
16	03	3		66	57-	1-	
17	04-	1-		67	59-	2	
18	06	1-		68	12:01	1-	Happy New Year
19	08	2		69	02-	1-	
37 20	10-	2-		37 70	04	1-	
21	12-	2		71	06	2	
22	15	2-		72	08-	2-	
23	17	2	Change Gland Rubbers	73	10-	2	
24	30- 32-	2-		74	12-	2	
25	34	1-		75	14-	2	Conn. 3775
26	36-	2-		76	19- 21-	2	
27	39	2-		77	23-	2-	
28	42	3		78	26	2-	
29	45	3		79	28	2	
37 30	48	3		37 80	30	2	
31	52	3		81	31-	1-	
32	54	2		82	32-	1	
33	56-	2-		83	33-	1	
34	58	1-		84	35	1-	
35	11:00	2		85	36	1	
36	01-	1-		86	37-	1-	
37	03	1-		87	38-	1	
38	05	2		88	39-	1	
39	06-	1-		89	40-	1	
37 40	08	1-		37 90	41-	1	
41	09-	1-		91	43	1-	
42	11	1-		92	44	1	
43	12-	1-		93	45	1	
44	14	1-	Conn 3744 Rign	94	46-	1-	
45	29- 30-	1		95	48-	2	
46	31	1		96	50	1-	
47	32-	1-		97	51-	1-	
48	33-	1		98	53	1-	
49	34-	1		99	55	2	
37 50	36	1-		38 00	56-	1-	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ STATE _____

CONTRACTOR _____ WHITE & EI _____ DRILL PIPE _____

DATE: _____ R. _____ ERS _____ LENGTH STROKE _____

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
38 01	56-58	2		38 51	36-38	2	
02	1:00-	2		52	40-	2	
03	02-	2		53	42	1-	
04	04-	2	Conn. 3804'	54	43-	1-	
05	08-09	1-		55	45-	2	
06	11	1-		56	47	1-	
07	13	2		57	48-	1-	
08	14-	1-		58	50-	2	
09	16	1-		59	52	1-	
38 10	17-	1-		38 60	53-	1-	
11	19-	2	vis - 40	61	55-	2	
12	21	1-	wt - 80	62	57	1-	
13	23	2	WL 8	63	59-	1-	
14	24-	1-	Ph 10.5	64	3:01	1-	
15	26	1-	CI	65	03	2	
16	27-	1-		66	05	2	
17	29-	2		67	07-	2-	Conn 3867'
18	31	1-		68	11-13	2	
19	32-	1-		69	15-	2-	
38 20	34-	2		38 70	17-	2	
21	36-	2		71	20	2-	
22	38	1-		72	22	2	
23	40	2		73	24	2	
24	41-	1-		74	26	2	
25	43	1-		75	28	2	
26	45	2		76	30	2	
27	46-	1-		77	31-	1-	
28	48	1-		78	33	1-	
29	50	2		79	34-	1-	
38 30	52	2		38 80	36-	2	
31	53-	1-		81	38-	2	
32	55	1-		82	41	2-	
33	56-	1-		83	43-	2-	
34	58-	2		84	46	2-	
35	2:00	1-	Conn 3835'	85	48	2	
36	09-05	1		86	51	3	
37	06-	1-		87	53	2	
38	08	1-		88	55-	2-	
39	10	2		89	57-	2	
38 40	11-	1-		38 90	4:00	2-	
41	13	1-	Boiler pump stopped	91	02	2	
42	21-22	1-		92	04-	2-	
43	24-	2		93	07-	3	
44	26	1-		94	10	2-	
45	27-	1-		95	12-	2-	
46	29-	2		96	15	2-	
47	31	1-		97	18	3	
48	32-	1-		98	20-	2-	
49	35	2-		99	23	2-	Conn 3899'
38 50	36-	1-		39 00	29-31	2	

COMPANY_____FARM_____WELL NO._____

SEC.____FWP____RGE____LOC____COUNTY____STATE____

CONTRACTORWHITE & ELLISAPI 15-007-22,787-0000DRILL PIPE_____

DATE:____RIGVincent Oil Corp., Boyd 1-9S____LENGTH STROKE_____

NW SE SE, Sec. 9-T30S-R12W

Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
39 01	31 33	2		39 51	15 17	2	
02	35	2		52	19	2	
03	37	2		53	21	1	
04	39	2		54	23	2	
05	41	2		55	26	3	
06	43	2		56	29	3	
07	46	2		57	32	2	
08	48	2		58	34	2	
09	50	2		59	36	2	
39 10	52	2		39 60	37	1	
11	54	2		61	39	1	
12	56	2		62	40	1	Conn. 3962'
13	57	1		63	44 45	1	
14	58	1		64	47	1	
15	5:00	2		65	48	1	
16	03	2		66	50	2	
17	5	2		67	52	2	
18	7	2		68	54	2	
19	9	2		69	56	2	
39 20	11	2		39 70	58	2	
21	13	2		71	70 1	2	
22	15	2		72	04	3	
23	17	2		73	07	3	
24	20	2		74	9	2	
25	22	2		75	12	3	
26	24	2		76	15	2	
27	26	2		77	17	2	
28	28	1		78	20	2	
29	29	1		79	22	2	
39 30	31	1		39 80	24	2	
31	32	1		81	27	3	
32	36 37	1	conn 3932	82	30	3	
33	38	1		83	32	2	
34	39	1		84	35	2	
35	40	1		85	38	3	
36	41	1	Vis 42	86	41	3	
37	42	1	WL 8.9	87	43	2	
38	45	2	WL 8	88	45	2	
39	47	2	Ph 11	89	48	2	
39 40	50	2	CL 4000	39 90	50	2	
41	52	2		91	53	2	
42	55	2		92	55	2	
43	57	2		93	57	2	
44	59	2		94	8:00	2	Conn 3994
45	6:02	2		95	26 28	1	
46	05	3		96	30	2	
47	07	2		97	32	2	
48	10	3		98	33	1	
49	13	2		99	35	2	
39 50	15	2		40 00	37	1	

COMPANY_____FARM_____WELL NO._____

SEC._____TWP._____RGE._____LOC._____

API 15-007-22,787-0000

STATE_____

CONTRACTOR

WHITE & E

Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W

DRILL PIPE_____

DATE:

1

Barber County, Kansas

NERS_____

LENGTH STROKE_____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
40 01	39 38	1		40 51	07	1	
02	40	2		52	08	1	
03	41	1		53	09	1	
04	42	1		54	11	2	
05	43	1		55	13-	2-	conn 4055
06	44	1		56	21 23	2	
07	45	1		57	25	2	
08	46	1		58	27	2	
09	47	1		59	29	2	
40 10	48-	1-		40 60	31	2	
11	50	1-		61	32	1	
12	51-	1-		62	33-	1-	
13	52-	1		63	35	1-	
14	54	1-		64	36	1-	
15	55-	1-		65	36-	-	
16	57	1-		66	38	1-	
17	58-	1-		67	39-	1-	
18	9:00	1-		68	41	1-	
19	03	3		69	42	1	
40 20	05-	2-		40 70	44	2	
21	08-	3		71	46-	2-	
22	11	2-		72	49	2-	
23	13	2		73	52	3	
24	15	2	Conn 4024	74	54-	2-	
25	19 21	2		75	57	2-	
26	23-	2-		76	59-	2-	
27	26	2-		77	11:02	2-	
28	27	1		78	04-	2-	
29	28	1-		79	06	1-	
40 30	30-	2		40 80	08	2	
31	33	2-		81	10	2	
32	35	2		82	12	2	
33	37	2		83	13	1	
34	39	2		84	13-	-	
35	41	2		85	14	-	
36	43	2		86	14-	-	CONN 4086
37	44	1		87	19 26	-	
38	45-	1-		88	21	1	
39	47	1-		89	22-	1-	
40 40	48	1		40 90	25	2-	
41	49	1		91	27-	2-	
42	51-	2-		92	30	2-	
43	52-	1		93	32	2	
44	55	2-		94	34-	2-	
45	58	3		95	37	2-	
46	10:00	2		96	39	2	
47	02	2		97	41	2	
48	04	2		98	43-	2-	
49	05	1		99	46	2-	
40 50	06	1		41 00	49	3	

COMPANY _____
SEC. _____ TWP. _____ RGE. _____ LOC _____
CONTRACTOR _____ DATE: B

WELL NO. _____
STATE _____
DRILL PIPE _____
PUMP LINERS _____ LENGTH STROKE _____

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
41 01	49 52	3		41 51	22	3-	
02	55	3		52	25-	3-	
03	58	3		53	28	2-	
04	12:01	3		54	31	3	
05	04	3		55	35	4	
06	07	3		56	38-	3-	
07	10	3		57	42	3-	
08	13	3		58	45-	3-	
09	16	3		59	48-	3	
41 10	18-	2-		41 60	52	3-	
11	21	2-	Work on pump	61	55	3	
12	39 41	2		62	58-	3-	
13	44	3		63	302	3-	
14	47	3		64	305-	3	
15	50	3		65	8	3	
16	53	3	4116 Conn	66	10-	2-	
17	58 1:00	2-		67	13	2-	
18	02-	2-		68	17-	4-	
19	05-	3		69	20 1/2	3 1/2	
41 20	08	2-		41 70	24	3 1/2	
21	11	3		71	27 1/2	3 1/2	
22	13-	2-		72	30	2 1/2	
23	16	2-		73	33	3	
24	18-	2-		74	35-	2-	
25	21	2-		75	39	3-	
26	24	3		76	41-	2-	
27	27	3		77	43	1 1/2	Conn 4177
28	29-	2-		78	55 56	1/2	
29	32	2-		79	56-	1/2	Vis - 45
41 30	34-	2		41 80	57	1/2	WT - 92
31	37	3		81	57-	1/2	WT - 104
32	39	2		82	58-	1/2	Ph - 105
33	41-	2-		83	400	1-	Chlon - 3500
34	44	2-		84	2	2	VIS 45
35	47	3		→ 85	5	3	CFSat 4185 8/45"
36	49-	2-		86 46	48	2-	catch 20; 45"
37	52	2-		87	51	2-	
38	53-	1-		88	53-	2-	
39	55-	2		89	56	2-	
41 40	56-	2		41 90	58-	2-	CFSat 4192
41	57	-	46 vis	91	7:01	2-	
42	58	1	9.2 wt	92	04	3	
43	59	1	11 PH	93	06-	2-	
44	2:00	1	5.4 wt	94	09-	3	
45	01	1	4000 CH	95	12-	3	
46	03	2		96	15-	3	
47	06	3		97	19	3-	
48	08-	2-	Conn	98	21-	2-	
49	13 15	2		99	25	3-	
41 50	18-	3-		42 00	28	3	

COMPANY_____FARM_____WELL NO._____

SEC._____TWP._____RGE._____LOC._____COUNTY_____STATE_____

CONTRACTOR WHITE & ELLIS_____DRILL PIPE_____

DATE:_____RIG_____3_____LENGTH STROKE_____

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
42 01	28 32	4		42 51	27-	2-	
02	35-	3-		52	29	1-	
03	38-	3		53	31	2	
04	42	3-		54	33	2	
05	46	4		55	36	3	
06	48-	2-		56	39-	3-	
07	51-	3		57	43	3-	
08	55	3-		58	46-	3-	
09	58	3	conn 4209	59	50	3-	
42 10	13 15	2-		42 60	53	3	
11	18-	3		61	56-	3-	
12	21	2-		62	11:00	3-	
13	23-	2-		63	03-	3-	
14	25-	2		64	07	3-	
15	27	1-		65	10	3	
16	29	2		66	13	3	
17	30	1		67	16	3	
18	32-	2-		68	19	3	
19	36	3-		69	22	3	
42 20	39-	3-		42 70	25	3	
21	42-	3		71	27-	2-	Conn 4271
22	46	3-		72	37 40-	3	Set #1 Addl Mud
23	49-	3-		73	43-	3	
24	53	3-		74	46-	3	
25	56	3		75	49	2-	
26	59-	3-		76	51-	2-	
27	9:03-	4		77	54	2-	
28	07	3-		78	57	3	
29	10-	3-		79	59-	2-	
42 30	14-	4		42 80	12:02-	3	
31	18-	4		81	05-	3	
32	22-	4		82	08-	3	
33	26-	4		83	11-	3	
34	30-	4		84	14-	3	
35	34-	4		85	17-	3	
36	37-	3		86	20-	3	
37	41	3-		87	23-	3	
38	44-	3-		88	25-	2	
39	47-	3	conn 4239	89	28	2-	
42 40	53 56	3		42 90	30	2	
41	59	3		91	32-	2-	
42	10:02	3		92	35-	3	
43	05	3		93	38	2-	
44	08	3		94	40-	2-	
45	11-	3-		95	43	2-	
46	15	3-		96	46	3	
47	17-	2-		97	48-	2-	
48	20	2-		98	51	2-	
49	22-	2-		99	53-	2-	
42 50	25	2-		43 00	56-	3	

COMPANY_____ FARM_____ WELL NO._____

SEC._____ TWP._____ RGE._____ LOC._____

STATE_____

CONTRACTOR WHITE & ELLI

DRILL PIPE_____

DATE:_____

RIK

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

IRS_____ LENGTH STROKE_____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
43 01	56- 59	3		43 51	15-17 1/2	2 1/2	
02	102	2-		52	20	2 1/2	
03	05	3	4303	53	22 1/2	2 1/2	
04	10- 12	2		54	25	2 1/2	
05	14-	2-	VIS 53	55	27 1/2	2 1/2	
06	17	2-	WT 9.1	56	28 1/2	2	
07	20	3	WL 9.2	57	30 1/2	1	
08	22-	2-	PH 10	58	32	1 1/2	
09	25	2-	CHL 4060	59	33	1	
43 10	27	2		43 60	34-	1-	
11	29-	2-		61	35-	1	
12	32	2-		62	36	1 1/2	
13	35	3		63	37	1	
14	37-	2-		64	38-	1 1/2	Conn 4364 & Rig ✓
15	40	2-		65	51-55	1	HOOD PRELIEF
16	42-	2-		66	56 1/2	1 1/2	
17	45-	3		67	58	1 1/2	
18	48-	3		68	500 ^{PH}	2	
19	51	2-		69	03	3	
43 20	53-	2-		43 70	06	3	
21	56	2-		71	08 1/2	2 1/2	
22	58-	2-		72	12	3 1/2	VIS-52
23	201-	3		73	15	3	WT-92
24	3-	2		74	17 1/2	2 1/2	WT-92
25	6	2-		75	21	3 1/2	PH-105
26	8-	2-		76	24 1/2	3 1/2	Chlor-Hard
27	11	2-		77	27 1/2	3	
28	13-	2-		78	31	3 1/2	
29	16-	3		79	33 1/2	2 1/2	
43 30	18-	2		43 80	36 1/2	3	
31	20-	2		81	40-	4	
32	22	2-		82	43 1/2	3	
33	24	2		83	47	3 1/2	
34	26	2		84	51	4	
35	28	2	conn 4335	85	55	4	CFS at 4385 5/60"
36	32-34	1-		86	5:54-56	2-	catch 30 100 sample
37	36	2		87	6:00	3-	DROP SURVEY TOOL
38	38	2		88	03-	3-	5/DST 3 4328-4385
39	39	1		89	07	3-	
43 40	41	2	CFS at 4340 f/60	43 90	11	4	
41	51-	1-	catch 20, 40, 60	91	15	4	
42	53-	2	sample	92	19	4	
43	57	3 1/2		93	22-	3-	
44	59-	2-		94	25-	3	
45	4:02	2 1/2		95	29-	4	Conn 4395
46	04 1/2	2 1/2		96	35-37	2-	
47	07 1/2	3		97	40	2-	
48	09 1/2	2		98	43-	3-	
49	12	2 1/2		99	47	3-	
43 50	15	3		44 00	50	3	

COMPANY_____FARM_____WELL NO._____

SEC. . TWP. RGE. LOC. COUNTY STATE

CONTRACTOR WHITE & EI DRILL PIPE

DATE: NERS LENGTH STROKE

API 15-007-22,787-0000
 Vincent Oil Corp., Boyd 1-9
 NW SE SE, Sec. 9-T30S-R12W
 Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
44 01	50 53	3		44 51	50-	2-	
02	56-	3-		52	53	2-	
03	7:00	3-		53	55	2	
04	03-	3-		54	57	2	conn 4454
05	07	3-		55	1002 04-	2	
06	10-	3-		56	06-	2	
07	14	3-		57	08-	2	Vis 6.2
08	17-	3-		58	10-	2	wt 9.3
09	21	3-		59	12-	2	wt 9.4
44 10	25	4		44 60	15	2-	PH 10
11	29	4		61	17	2	Chl. 3500
12	32	3		62	19	2	
13	36	4		63	21	2	
14	39-	3-		64	23-	2-	
15	42-	3		65	25-	2	
16	46	3-		66	28	2-	
17	49-	3-		67	30-	2-	
18	52-	3		68	32-	2	
19	56	3-		69	35	2-	
44 20	59	3		44 70	37-	2-	
21	8:01-	2-		71	40	2-	
22	04-	3		72	42	2	
23	07-	3		73	44-	2-	
24	11	3-		74	47	2-	
25	14-	3-	conn 4425	75	50	3	
26	17- 37-	3		76	52-	2-	
27	40-	3		77	55-	2-	
28	43-	3		78	57-	2-	
29	46-	3		79	11:00	2-	
44 30	49-	3		44 80	02-	2-	
31	52-	3		81	05-	3	
32	55-	3		82	08	2-	
33	58-	3		83	11	3	
34	9:01-	3		84	13	2	
35	04-	3		85	15-	2-	conn 4485
36	07-	3		86	20 22	2	
37	10-	3		87	24	2	
38	13	2-		88	26	2	
39	16	3		89	28	2	
44 40	19	3		44 90	30	2	
41	22	3		91	32	2	
42	25	3		92	34	2	
43	28	3		93	36	2	
44	31	3		94	38	2	
45	34	3		95	41	3	
46	37	3		96	43-	2-	
47	40	3		97	46	2-	
48	43	3		98	49	3	
49	45-	2-		99	52-	3-	
44 50	48	2-		45 00	55	2-	

COMPANY 9-10 FARM WELL NO.
SEC. 10 TWP. 10 RGE. 10 LOC. 10 COUNTY 10 STATE 10

CONTRACTOR WHITE & ELLIS DRLG. DRILL PIPE 1500
DATE: 1500 RIG NO. 1500 LENGTH STROKE 1500

API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
45 01	55	58	3	45 51	51 1/2	3	
02	12:00	2-		52	57 1/2	3	
03	03	2-		53	4:01	3 1/2	
04	05-	2-		54	03 1/2	2 1/2	
05	08	2-		55	07	3 1/2	
06	11	3		56	10	3	
07	13-	2-		57	13 1/2	3 1/2	
08	16	2-		58	16	2 1/2	
09	18-	2-		59	18 1/2	2 1/2	
45 10	21	2-		45 60	21 1/2	3	
11	23	2		61	24	2 1/2	Vis-46 WT 9.1
12	26	3		62	27	3	Ph-10 Wt-10
13	29	3		63	30	3	Chlon-4500
14	32	3		64	32 1/2	3 1/2	
15	35-	3-		65	35 1/2	3	700 Premix
16	39	3-	Conn 45 16	66	39 1/2	4	
17	49 51-	2-	Jet #1	67	42 1/2	3	
18	54	2-	Add fluid	68	45	2 1/2	
19	57	3		69	47 1/2	2 1/2	
45 20	1:01	4		45 70	51	3 1/2	
21	05	4		71	54	3	
22	07	2		72	58	4	
23	10	3		73	5:01 1/2	3 1/2	
24	12-	3-		74	04	2 1/2	
25	16	2-		75	08	4	
26	19	3		76	11 1/2	3 1/2	
27	21-	2-		77	15	3 1/2	
28	25	3-		78	18 1/2	3 1/2	
29	28	3		79	22	3 1/2	Conn 45 79
45 30	31-	3-	CF-S + 4530	45 80	27 30 1/2	3 1/2	
31	34 1/2	3	For 60" catch 301	81	33	2 1/2	
32	41	3 1/2	60"	82	36	3	
33	43 1/2	2 1/2		83	39	3	
34	45 1/2	2		84	41 1/2	2 1/2	
35	48 1/2	3		85	45 1/2	4	
36	52	3 1/2		86	49 1/2	4	
37	55	3		87	53 1/2	4	
38	58	3		88	57 1/2	4	
39	3:01 1/2	3 1/2		89	6:01	3 1/2	
45 40	04 1/2	3		45 90	04 1/2	3 1/2	
41	07 1/2	3		91	07 1/2	3	
42	10 1/2	3		92	11	3 1/2	
43	13 1/2	3		93	14 1/2	3 1/2	
44	16 1/2	3		94	17 1/2	3	
45	20	3 1/2		95	21	3 1/2	
46	23 1/2	3 1/2		96	24	3	
47	26 1/2	3	Conn 45 47	97	28	4	
48	41 44 1/2	3 1/2		98	31 1/2	3 1/2	
49	47 1/2	3		99	34 1/2	3	
45 50	51 1/2	4		4/6:00	37 1/2	3	

COMPANY _____ FARM _____ WELL NO. _____

SEC. _____ TWP. _____ RGE. _____ LOC. _____ COUNTY _____ STATE _____

CONTRACTOR _____ WHITE & ELLI _____ DRILL PIPE _____

DATE: 1-03-04 PM
RIC NW SE SE, Sec. 9-T30S-R12W Barber County, Kansas
RS _____ LENGTH STROKE _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
01	37 1/2	3 1/2		51			
02	44 1/2	3 1/2		52			
03	47 1/2	3		53			
04	50 1/2	3		54			
05	53 1/2	3		55			
06	57	3 1/2		56			
pm 07	7:00	3		57			
08	03 1/2	3 1/2		58			
09	07	3 1/2		59			
10	10	3		60			RTD 4660
11	13 1/2	3 1/2	Conn 4611	61			CFS 90 minutes
12	18 22	4		62			catch 30 minute
13	25	3		63			60 samples
14	28	3		64			DRUP 90 min
15	31	3		65			TRIP 1/1005
16	35	3		66			
17	37	2		67			
18	41	3		68			
19	44	3		69			
20	47	2		70			
21	51	4		71			
22	54	3		72			
23	57	3		73			
24	802	5	change chert	74			
25	7	5		75			
26	11	4		76			
27	15	4		77			
28	20	5		78			
29	24	4		79			
30	27	3	Vis-49	80			
31	30	2	WT-9 1/2	81			
32	33	3	WL-10 1/2	82			
33	36 1/2	3	Ph-10	83			
34	39 1/2	3		84			
35	42 1/2	3		85			
36	44	1 1/2		86			
37	46 1/2	2 1/2		87			
38	48 1/2	2		88			
39	51	2		89			
40	53	2	RTD 4650	90			
41	57	3	CFS 13 40	91			
42	900	3	CFS 30 60	92			
43	2	2	conn 4643	93			
44	07 1/2	2 1/2	WT-10 1/2	94			
45	13	3		95			
46	15 1/2	2 1/2		96			
47	18 1/2	3		97			
48	20 1/2	2	Vis-55 WT 9 1/2 WL-9 1/2	98			
49	23 1/2	3	Ph-10 Chl 4500	99			
50	24 1/2	1	RTD 4650	00			

CFS 90 minutes
catch 30 minute &
60 minute samples
from surfaceTOOH 5/LOG
Get mud check prior to tripping
out of hole for LOGS

COMPANY _____
SEC. _____ TWP. _____ RGE. _____ LOC. _____
CONTRACTOR _____
DATE: _____

FADP _____
API 15-007-22,787-0000
Vincent Oil Corp., Boyd 1-9
NW SE SE, Sec. 9-T30S-R12W
Barber County, Kansas

WELL NO. _____
STATE _____
DRILL PIPE _____
LENGTH STROKE _____

WHITE & ELLIS DRI

RIG NO. _____

DEPTH	TIME O'CLOCK	MIN.	REMARKS	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3001	37	2-		2051	22	2	
02	41-	2		52	26-	2-	
03	43-	2	Conn 3003	53	29	2-	
04	55	1-		54	31-	2-	
05	58	1-		55	33-	2	
06	59-	1-		56	35-	2	
07	1:01	1-		57	37-	2	
08	02	1		58	39-	2	
09	03-	1-		59	41-	2	
3010	05	1-		2060	44	2-	
11	06	1		61	46	2	
12	07-	1-		62	48	2	
13	09	1-		63	50	2	
14	10-	1-		64	52	2	
15	12	1-		65	54	2	Conn.
16	14	2		66	58	2	
17	15-	1-		67	02-	2-	
18	17	1-		68	04-	2	
19	19	2		69	06-	2	vis- 32
3020	21	2	CFS at 3000	3070	08-	2	wt- 9 1/2
21	10:58	2	S/45 catch 20'	71	11	2-	
22	02	2	45" sample	72	12-	1-	
23	05	3		73	14	1-	
24	08	3		74	16	2	
25	10	2		75	18	2	
26	12	2		76	20	2	
27	14	2		77	22-	2-	
28	16	2		78	24-	2	
29	18	2		79	26-	2	
3030	20	2		3080	28-	2	
31	22	2		81	30-	2	
32	24	2		82	32-	2	
33	26-	2-		83	34	1-	
34	28-	2		84	36	2	
35	31	2-	Conn 3035 Rigt	85	38	2	
36	43	2		86	39-	1-	
37	47	2		87	41-	2	
38	49-	2-		88	43-	2	
39	52	2-		89	45-	2	
3040	54-	2-		2090	47-	2	
41	57	2-		91	50	2-	
42	12:00	3		92	52	2	
43	02-	2-		93	53-	1-	
44	06	3-		94	55-	2	
45	08-	2-		95	57-	2	
46	11-	3		96	2:00	2-	
47	14	2-		97	01-	1-	Conn. Jet 2 3097
48	17	3		98	12-	1-	
49	19-	2-		99	14	1-	
3050	22	2-		3100	16	2-	