

mi E, 5 Mi N Lake City Ks.

463 LEMON #1 - SW SE of Sec. 17-30S-13W, Barber County, Kansas Page 1  
(National Oil Company's FARMOUT)

Drilling Contractor: Red Tiger, Wichita, Ks. (Rig #1 263-2371 (Reg. Hays Mobil 625-7995))

Geologist: Dick Foley 9/14/72 683-1921 office 683-5265 P. 13 mi South of Lake City, Kan. *Investors*

9/12/72 Virginia wf Red Tiger filing Intent to Drill today to commence approx. 9/20/72 soon as completes our Lonberg #1 in Hodgeman County, Kansas Faye called Lucille wf Laughlin-Simons & ordered elevation (Moser on vacation-think it would be Tues. or Wed next week before in area).

Red Tiger will stake probably before Tues./Wed. and Dig pits

9/14 Do not send report yet to any partners on Nat'l Oil  
9/19 Virginia/Red Tiger advised location is Approx. SW SE--being 200' East and 150' South of SW SE (due to concrete cattle Bovaird - Surface Casing Sun - Cement Baroid - Snifer (Travis Hady) Moving Rotary Tools today.

9/20 Rained out--probably will move in tomorrow 9/21/72 Trucks at Jetmore 3:30 p.m. - Lucille wf Laughlin-Simmons called Ground elevation is

9/21 Red Tiger called -- moving in today. 1798'

9/22 Red Tiger moved in and rigged up yesterday--to be spudding first thing this morning--unable to make contact with Rig Will try to contact them later today and call us. 11:00 a.m. - Spudded at 10:15 a.m. drlg at 72' Cut 260' of 12 1/4" hole -- ran 6 Jts 20# New 8 5/8" Surface Casing Set at 258' cemented with 225 sax Sunset Cement. Plug down at 3:00 p.m. Cement circulated real good. Will call you at home tomorrow morning

9/25 10:00 a.m. Red Tiger called advising lost circulation around 1123' on Sat. (9/23/72) GNR gave 2:30 p.m. Pumped in 400 sacks cement trying to shut circulation off and wouldn't shut off. Skidding rig over 20' and starting new hole -- setting 13" Casing and if we lose circulation will set another string around 1100'.

9/26 11:00 a.m. Plugged first hole yesterday--skidding today and should spud and set Surface today.

9/27 9:00 a.m. Red Tiger - Skid rig - Spud 4:00 p.m. 9/26 cut 12 1/4" hole 184' reamed out 17". Set 13" Surface Casing at 66'. Drlg at 350' at 8:00 a.m. Tool pusher called later today, Gil

9/28 Drlg. at 850' -- around 1000' will change size bit and rathole ahead. 11:00 a.m. Virginia called Tom called going ahead and run 1000' of 8

9/29 Drlg. at 1300' at 8:30 a.m.

\* purchased from A.T. Allison (as needed to locate any 13" anywhere) leased by Red Tiger as per Virginia w/ Red Tiger 9/19/72

mi E, 5 Mi N Lake City Ks.

463 LEMON #1 - SW SE of Sec. 17-30S-13W, Barber County, Kansas  
(National Oil Company's FARMOUT) Page 1

Drilling Contractor: Red Tiger, Wichita, Ks. (Rig #1)  
263-2371 (Reg. Hays Mobil 625-7995)

Geologist: Dick Foley 9/14/72 683-1921 office  
683-5265 R 13 mi south Pratt, Ks.

Investors

9/12/72 Virginia wf Red Tiger filing Intent to Drill today  
to commence approx. 9/20/72 soon as Rig #1 completes our  
Lonnberg #1 in Hodgeman County, Kansas

Mossey  
Deitch, Jr.  
Cassell

Faye called Lucille wf Laughlin-Simons & ordered  
elevation (Moser on vacation-think it would be Tues.  
or Wed next week before in area).

Nat'l Oil  
(267-1391)  
Stanley E. Hutt

Red Tiger will stake probably before Tues./Wed. and  
Dig pits

Robert Light  
% Ralph Light

9/14 Do not send report yet to any parties on Hall SW

9/19 Virginia/Red Tiger advised location is Approx. SW SE--being  
200' East and 150' South of SW SE (due to concrete cattle  
Bovaird - Surface Casing  
Sun - Cement  
Baroid - Snifer (Travis Hady)  
Moving Rotary Tools today.

Real Estate  
219 N. Market

9/20 Rained out--probably will move in tomorrow 9/21/72 Trucks at Jetmore  
3:30 p.m. - Lucille wf Laughlin-Simons called Ground elevation is

1798'

9/21 Red Tiger called -- moving in today.

9/22 Red Tiger moved in and rigged up yesterday--to be  
spudding first thing this morning--unable to make contact with Rig  
Will try to contact them later today and call us.  
11:00 a.m. - Spudded at 10:15 a.m. drlg at 72'  
Cut 260' of 12 1/4" hole -- ran 6 Jts 20# New 8 5/8" Surface Casing  
Set at 258' cemented with 225 sax Sunset Cement. Plug down  
at 3:00 p.m. Cement circulated real good. Will call you at home

1803'

9/25 10:00 a.m. Red Tiger called advising lost circulation tomorrow morning  
around 1123' on Sat. (9/23/72)

GNR gave 2:30 p.m. Pumped in 400 sacks cementary  
off and wouldn't shut off. Skidding rig over  
new hole -- setting 13" Casing and if we lose  
set another string around 1100'.

9/26 11:00 a.m. Plugged first hole yesterday--skidding today and  
set Surface today.

9/27 9:00 a.m. Red Tiger - Skid rig - Spud 4:00 p.m. 9/27  
reamed out 17". Set 13" Surface Casing  
Drlg at 350' at 8:00 a.m. Tool pusher called later today. Gil

9/28 Drlg. at 850' -- around 1000' will change size bit and rathole ahead.  
11:00 a.m. Virginia called Tom called going ahead and run 1000' of 8

9/29 Drlg. at 1300' at 8:30 a.m.

9/29/72  
Skidding only 10'  
--not filing new  
Intent wf State  
Virginia wf  
Red Tiger  
even though plugging  
report on 1st hole.

\* purchased from A.J. Allison (as moose & locate  
any 13" anywhere) funded by Red Tiger  
as per Virginia wf Red Tiger 9/29/72

LEMON #1

	1	2	3	4
1	9/29/72	Lost circulation at 950'. Came out of the hole and filled pits		
2		and went back to bottom and drilled to 1015'.		
3		Ran 24 jts. of new <u>8 5/8" 20# Casing=1014' cemented at 1007'</u>		
4		with 200 sacks of Sunset Cement on bottom. Plug down at 4:45 p.m.		
5		yesterday afternoon (9/28/72).		
6		Ran a "basket" at 750'-- set with approx. 220 sacks Cement.		
7		Filled with cement from 750' to top of Cellar. Completed at 6:00 p.m.		
8		Yesterday (9/28/72).		
9		Drilled plug at 2:00 a.m. today and at 7:00 a.m. drilling at 1157'		
10		and at 8:30 a.m. drlg 1300' - everything going fine.		
11		(Tom Buffington was going to call Rupe this morning--but went on		
12		out into the field, since Virginia was relaying info)		
13		4:45 p.m. - Tom Buffington called from home (HOISINGTON 653-2076)		
14		"collect" for anyone--		
15		3:00 p.m. drlg at 1780'--have Gas Detector on Well--		
16		Needing "sample" instructions --he understood		
17		Foley would be the Geologist.		
18		Buffington will call Foley right away.		
19		Frank Brooks unable to sit on Well as already		
20		committed himself for next week. Sorry		
21	10/2	Drlg at 2030' on 9/30/72		
22		" 2425' 10/ 1/72		
23		" 2730' 10/ 2/72 (Gas Detector hooked up at 2000') GNR		
24	10/3	<i>They called Red Tiger &amp; they will relay to West &amp; save samples for them. For survey - per request 9/16/72</i>		
25				
26		Drlg. at 3168'. They started saving samples at 2800' as per Virginia		
27	10/3	Drlg. at 3585'. 1:30 p.m. Dick Foley by Office on way to Red Tiger		
28	10/4	Drlg. at 3920' at 8:00 a.m. <u>Brown Lime 3886'-2083'</u>		
29		<u>Lansing 3900'-2097'</u>		
30		Running 1' high to old Lion Well in Sec. 20 which has good gas show		
31		Expect Massey formation around 4400'--should get it around Sat. (10/7/72)		
32	10/6/72	Drlg. at 4140'		
33	10/7/72	Drlg. at <del>4296'</del>		
34	10/8/72	Drlg. at 4300' DST #1 4300 - 4340' 30-30-30-30 Weak blow, recovered 10' Mud IF & FF 28# ISIP & FSIP 147#		
35	10/8/72	Drlg. at 4385'		
36	10/9/72	Drlg. at 4490' DST #2 4405 - 4455' 30-30-30-30 Fair blow through out Had 60' Gas in pipe; 20' Gas Cut Mud. IF & FF 38#; ISIP 238# FSIP 228#		
37				
38		VIOLA 4486 or -2683' 4 2678'		
39				
40		Well running 34' low to Lion Oil Company's Well to the Southeast at Viola level.		
		Expect call when reach MASSEY formation around 4510'		

LEMON #1

10/9/72 Noon Dick Foley called in from Sun Testers Motel--ready to go back out on Well.

VIOLA corrected to 4481' *-2678'*

*K.B 1803*

Drilling broke back down at 4506. Circulating at 4520'

Will take DST #3 from 4483' - 4520'.

Will start out hole to pick up tool at 1:00 p.m.

Will call again around 4:30 to 5:00 p.m.

Viola section thinning up--might have lost the Pay Zone. 80' of Viola.

3:30 p.m. Dick Foley called in from Ranch House:

Base of Kansas City 4304' -2501'

Mississippi 4399' -2596'

Kinderhook 4428' -2625'

Testing from 4483' to 4520'--open tool--got very weak blow.

Foley calling Rupe at home now.

*8:20 a.m.*

10/10/72 GNR called from home advising Foley just called at 4570'

DST #3 from 4483' - 4520' 30-30-30-30 (VIOLA LIME)

Had 20' Gas Cut Mud wf few Oil Specks

(Zone thinned up and missed the primary pay Zone)

IF 28# FF 47# ISIP 699# FSIP 352#

Process of taking DST #4 from 4545 - 4570' in SIMPSON SAND

SIMPSON SAND 4566' or -2763'

(Well running 13' higher than the old Lion Company Well ~~was~~ <sup>which</sup> was -2776')

Good show of oil out of the samples wf free oil in Samples.

1 1/2 hrs. - Weak to strong <sup>Open 90 min.; shut in 30 Min.</sup> blow

780' Gas Cut Muddy water ~~in~~ trace of Oil throughout

Initial Flow Pressure 47 and 142

Final Flow Pressure 181 and 281  
1346 and 1347#

Initial Shut In Pressure

Final Shut In Pressure

10/11/72 ARBUCKLE 4640'

TD 4650'

In process of plugging today as per Foley 1:30 p.m.

No shows of oil encountered in the

Top of the ARBUCKLE therefore recommend the "test" be plugged and abandoned. The Well did run 10' higher in the Tope of the Arbuckle in the Lion Company - Lemon #1.

*(No Log run)*

*D & A plugged 10/11/72*

**RUPE OIL COMPANY**

LEMON #1 - Approx. SW SE of Section 17-30S-13W, Barber County, Kansas

Drilling Contractor: Red Tiger Drilling Company  
Wichita, Kansas

Geologist: Mr. Dick Foley  
Wichita, Kansas

- September 15, 1972 - Filed Intent to Drill with State Corporation Commission and ordered elevation by Laughlin-Simmons
- September 19, 1972 - Location staked by Red Tiger Drilling.
- September 20, 1972 - Elevation by Laughlin-Simmons - Ground elevation 1798'  
Kelly Bushing 1803'
- September 21, 1972 - Moved in Rotary Tools and rigging up.
- September 22, 1972 - Spudding and set 8 5/8" Surface Casing at 258' cemented with 225 sacks Sunset Cement. Plug down at 3:00 p.m. Cement circulated real good.
- September 23, 1972 - Drilling at 1123' and lost circulation.
- September 24, 1972 - Pumped in 400 sacks Cement trying to shut circulation off--wouldn't shut off.
- September 25, 1972 - Skidding rig over 20' and starting new hole. Will set 13" Surface Casing and if we lose circulation again will set another string around 1100'.
- September 27, 1972 - Skidded the Rig 10' and spudded at 4:00 p.m. yesterday Set 13" Surface Casing at 66'.  
Drilling at 350' at 8:00 a.m.
- September 28, 1972 - Drilling at 850' at 8:00 a.m.
- September 29, 1972 - Lost circulation at 950'. Came out of the hole and filled pits and went back to bottom and drilled to 1015'. Set 8 5/8" Surface Casing at 1007' cemented with 200 sacks of Sunset Cement on bottom. Plug down at 4:45 p.m. yesterday (9/28/72) Ran a "basket" at 750' to top of Cellar. Completed at 6:00 p.m. (9/28/72) Drilled plug at 2:00 a.m. today and at 8:30 a.m. was drilling at 1300' -- everything going fine.
- September 30, 1972 - Drilling at 2030' at 8:00 a.m.
- October 1, 1972 - Drilling at 2425' at 8:00 a.m.
- October 2, 1972 - Drilling at 2730' at 8:00 a.m.  
The "gas" Detector was hooked up at 2000'.
- October 3, 1972 - Drilling at 3168' at 8:00 a.m.
- October 4, 1972 - Drilling at 3585' at 8:00 a.m. Geologist is out on the Well today.



## RUPE OIL COMPANY

LEMON #1 - Approx. SW SE of Section 17-30S-13W, Barber County, Kansas

October 5, 1972 - Drilling at 3920' at 8:00 a.m.  
BROWN LIME 3886' or -2083'  
LANSING 3900' or -2097'  
Well running 1' high to the old Lyon Well in Sec. 20 --which had good gas show. Expect to reach the MASSEY Formation around 4400' about Saturday (Oct. 7th).

October 6, 1972 - Drilling at 4140' at 8:00 a.m.

October 7, 1972 - Drilling at 4296' at 8:00 a.m.

October 8, 1972 - Drilling at 4385' at 8:00 a.m.  
Took Drill Stem Test #1 from 4300' to 4340'.  
Tool open 30 min.; shut in 30 min.; open 30 min.; shut in 30 min. Weak blow. Recovered 10' Mud  
Initial Flow Pressure 28#  
Final Flow Pressure 28#  
Initial Shut In Pressure 147#  
Final Shut In Pressure 147#

October 9, 1972 - Drilling at 4490' at 8:00 a.m.  
Took Drill Stem Test #2 from 4405' to 4455'  
Tool open 30 min.; shut in 30 min.; open 30 min.; shut in 30 min. Fair blow throughout. Had 60' gas in pipe; 20' Gas Cut Mud.  
Initial Flow Pressure 38#  
Final Flow Pressure 38#  
Initial Shut In Pressure 238#  
Final Shut In Pressure 228#  
Top of VIOLA 4481' or -2678'  
Well running 29' low to Lion Oil Company's Well to the Southeast in Section 20 at the Viola level.  
Base of KANSAS CITY 4304' or -2501'  
Top of MISSISSIPPI 4399' or -2596'  
KINDERHOOK 4428' or -2625'  
Preparing to take Drill Stem Test #3 from 4483' to 4520' in the VIOLA LIME.

October 10, 1972 - Took Drill Stem Test #3 from 4483' to 4520'.  
Tool open 30 min.; shut in 30 min.; open 30 min.; shut in 30 min.  
Recovered 20' Gas Cut Mud with few specks of Oil.  
Initial Flow Pressure 28#  
Final Flow Pressure 47#  
Initial Shut In Pressure 699#  
Final Shut In Pressure 352#  
Taking Drill Stem Test #4 from 4545' to 4570' in SIMPSON SAND.  
Top of SIMPSON SAND 4566' or -2763'  
Good show of free oil in samples.  
(Well running 13' higher than the old Lion Company Well at this level, which was -2776')  
Had weak to strong blow throughout test  
Recovered 780' Gas Cut Muddy Water wf trace of Oil throughout.  
Initial Flow Pressure 47# and 142#  
Final Flow Pressure 181# and 381#  
Initial Shut In Pressure 1346#  
Final Shut In Pressure 1347#  
(Tool open 90 minutes; shut in 30 minutes)

October 11, 1972 - Top of ARBUCKLE 4640'  
Rotary Total Depth 4650'

No shows of oil encountered in the Top of the Arbuckle; therefore recommended the test be plugged and abandoned. The Well did run 10' high in the Top of the Arbuckle to the Lion Company - Lemon #1 Well.

No Log run.

1st LEMON #1 Well (lost circulation) plugged 9/25/72, drilled to 1123'

2nd LEMON #1 Well plugged 10/11/72, which was drilled to 4650'.

10/3/72 - borrowed from National Oil Company

their LEMON #1 - C NE NW 17-30S-13W  
Barber County, Kansas

Welex - Radiation guard log  
Welex - Density Log

Geological Report

11/2/72  
Do not need to  
return  
G. N. Rufe  
& Faye

~~Didn't find them in our file  
essentially Ditto Faley still  
for same~~

Rufe gave to me  
12/1/72  
to file +  
hold in  
our file

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Jd. Latham WELL NO.  COMPANY Rupe Oil Co. PUSHER Buffington DATE 9-21-72

FOR 8 HOURS ENDING AT 7:00 A.M.      FOR 8 HOURS ENDING AT 3:00 P.M.      FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN:      HOURS LOST:      HOURS RUN:      HOURS LOST:      HOURS RUN:      HOURS LOST:

CAUSE OF TIME LOST:      CAUSE OF TIME LOST:      CAUSE OF TIME LOST:

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET

RUN (KIND) (NO.)      BIT RUN (KIND) (NO.)      BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT:      NO. OF HOURS RUN ROCK BIT:      NO. OF HOURS RUN ROCK BIT:

CONE NOS.      SIZE      SET NO.      CONE NOS.      SIZE      SET NO.      CONE NOS.      SIZE      SET NO.

JOINTS OF PIPE IN HOLE      SIZE      JOINTS OF PIPE IN HOLE      SIZE      JOINTS OF PIPE IN HOLE      SIZE

MUD USED (KIND AND AMOUNT):      MUD USED (KIND AND AMOUNT):      MUD USED (KIND AND AMOUNT):

AQUAGEL      AQUAGEL      AQUAGEL

HULLS      HULLS      HULLS

ZEOGEL      ZEOGEL      ZEOGEL

OTHER      OTHER      OTHER

DAY WORK (CORING, CIRCULATING, ETC.):      DAY WORK (CORING, CIRCULATING, ETC.):      DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.):      CASING RECORD (SIZE, CEMENT, ETC.):      CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: SET IN Rig Rigging up      REMARKS: Set in Rig Rigging up      REMARKS: Setting in rig & rigging up

NAME OF EMPLOYEE      NAME OF EMPLOYEE      NAME OF EMPLOYEE

Keneth E. Utterback 8      Jim Hewrights 8 Hrs      Chester Strickland 8hrs

Wilbur E. Tarrey 8      Harold Little 8"      William Doerfler 8hrs

Gerald W. Morris 8      C.W. Pratt 8"      Darrell Pratt 8hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Del. Lattom WELL NO. \_\_\_\_\_ COMPANY Rupe Oil Co. PUSHER Buffington DATE 9-22-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: \_\_\_\_\_ HOURS LOST: \_\_\_\_\_ HOURS RUN: \_\_\_\_\_ HOURS LOST: \_\_\_\_\_ HOURS RUN: \_\_\_\_\_ HOURS LOST: \_\_\_\_\_

CAUSE OF TIME LOST: \_\_\_\_\_ CAUSE OF TIME LOST: \_\_\_\_\_ CAUSE OF TIME LOST: \_\_\_\_\_

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
				0	100'	SAND					
				100	260	Red Shale					

RUN (KIND) \_\_\_\_\_ (NO.) \_\_\_\_\_ BIT RUN (KIND) DT Perun (NO.) 1 BIT RUN (KIND) T-3J (NO.) 1

NO. OF HOURS RUN ROCK BIT: \_\_\_\_\_ NO. OF HOURS RUN ROCK BIT: \_\_\_\_\_ NO. OF HOURS RUN ROCK BIT: \_\_\_\_\_

CONE NOS. \_\_\_\_\_ SIZE \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NOS. Perun SIZE 1 1/4 SET NO. 1 CONE NOS. Retip SIZE 7/8 SET NO. \_\_\_\_\_

JOINTS OF PIPE IN HOLE \_\_\_\_\_ SIZE \_\_\_\_\_ JOINTS OF PIPE IN HOLE \_\_\_\_\_ SIZE \_\_\_\_\_ JOINTS OF PIPE IN HOLE \_\_\_\_\_ SIZE \_\_\_\_\_

MUD USED (KIND AND AMOUNT): \_\_\_\_\_ MUD USED (KIND AND AMOUNT): \_\_\_\_\_ MUD USED (KIND AND AMOUNT): \_\_\_\_\_

AQUAGEL \_\_\_\_\_ AQUAGEL 50 SKS AQUAGEL \_\_\_\_\_

HULLS \_\_\_\_\_ HULLS 5 SKS HULLS \_\_\_\_\_

ZEOGEL \_\_\_\_\_ ZEOGEL \_\_\_\_\_ ZEOGEL \_\_\_\_\_

OTHER \_\_\_\_\_ OTHER 6 SKS. lime OTHER \_\_\_\_\_

DAY WORK (CORING, CIRCULATING, ETC.): \_\_\_\_\_ DAY WORK (CORING, CIRCULATING, ETC.): Plug Set Rat. hole DAY WORK (CORING, CIRCULATING, ETC.): \_\_\_\_\_

CASING RECORD (SIZE, CEMENT, ETC.): \_\_\_\_\_ CASING RECORD (SIZE, CEMENT, ETC.): Ran 6 joints on CASING RECORD (SIZE, CEMENT, ETC.): cut 30' off of

REMARKS: Mix mud - Rig up REMARKS: 250-58" of 8 3/8" SRT 20# New casing set @ 258' with REMARKS: drlg line nipple up put

REMARKS: \_\_\_\_\_ REMARKS: Landring joint cemented REMARKS: new w 3 1/2" pipe & packing

REMARKS: \_\_\_\_\_ REMARKS: with 225 SKS SUN set REMARKS: in SW 1/4 - went in

REMARKS: \_\_\_\_\_ REMARKS: plug down @ 3:00 PM size good REMARKS: hole & started drlg plug

NAME OF EMPLOYEE \_\_\_\_\_ NAME OF EMPLOYEE \_\_\_\_\_ NAME OF EMPLOYEE \_\_\_\_\_

\_\_\_\_\_ Jim Lee Wright 8 hrs \_\_\_\_\_ Chester Strickland 8 hrs

Kenneth E. UTERBACK 8 \_\_\_\_\_ Harold Little 8 hrs \_\_\_\_\_ William Doerfler 8 hrs

Wilbur E. Tarkey 8 \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

GERALD W. MORRIS 8 \_\_\_\_\_ C. W. Pratt 8 hrs \_\_\_\_\_ Darrell Pratt 8 hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemon WELL NO. 1 COMPANY RUPPE OIL CO. PUSHER BUFFINGTON DATE 9-23-72

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>8 2 3/4</u> HOURS LOST: <u>X 1/4</u>	HOURS RUN: <u>3 1/2</u> HOURS LOST: <u>4 1/2</u>	HOURS RUN: HOURS LOST: <u>8</u>
CAUSE OF TIME LOST:	CAUSE OF TIME LOST: <u>lost pipe</u>	CAUSE OF TIME LOST: <u>pipe</u>

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
260	772	Shale & sand		772	1123	Shale Red		1123			
							<u>4 1/2 HRS.</u>				<u>8 HRS.</u>

BIT RUN (KIND) <u>T3J</u> (NO.) <u>1</u>	BIT RUN (KIND) <u>T3-J</u> (NO.) <u>1</u>	BIT RUN (KIND) (NO.)
NO. OF HOURS RUN ROCK BIT: <u>8</u>	NO. OF HOURS RUN ROCK BIT: <u>11 1/4</u>	NO. OF HOURS RUN ROCK BIT:
CONE NOS. <u>RETIP</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>RETIP</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. SIZE SET NO.
JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" XH</u>	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" XH</u>	JOINTS OF PIPE IN HOLE SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL	AQUAGEL <u>5 SKS Shut Plug</u>	AQUAGEL <u>Cemented with</u>
HULLS	HULLS <u>2B</u>	HULLS <u>75 SKS common 12%</u>
ZEOGEL	ZEOGEL <u>10 SKS Hicks Mud Seal</u>	ZEOGEL <u>Gilsonite 4% Gel. Job camp</u>
OTHER	OTHER <u>4 SKS. LITTO</u>	OTHER <u>64 JPM</u>
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.): <u>4.5 SKS Prem Gel pulled pipe - cement did not hold</u>

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):
REMARKS: <u>Rig 15" Drilling Plus @ 11:00 pm 20' hard cement</u>	REMARKS: <u>grew rig lost pipe @ 11:15 pulled 6 stand mixed pit mud &amp; loss pipe met. 20' pre BBL pumped in hole not cemented</u>	REMARKS:

NAME OF EMPLOYEE		NAME OF EMPLOYEE		NAME OF EMPLOYEE	
<u>James E. Albertson</u>	<u>FH 8</u>	<u>Jim Leewright</u>	<u>8 Hrs</u>	<u>Chester Strickland</u>	<u>8 hrs</u>
<u>Wilbur E. Torrey</u>	<u>MM 8</u>	<u>Harold Little</u>	<u>8 "</u>	<u>William Doerfler</u>	<u>8 hrs</u>
<u>Gerald W. Morris</u>	<u>DKM 8</u>	<u>C.W. Pratt</u>	<u>8 "</u>	<u>Ronald Pratt</u>	<u>8 hrs</u>



# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM LEMON WELL NO. 1 COMPANY RYPE OIL CO PUSHER BUFFINGTON DATE 9-25-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: HOURS LOST: 8 HOURS RUN: HOURS LOST: 8 HOURS RUN: HOURS LOST: 8

CAUSE OF TIME LOST: LOSS PIPE CAUSE OF TIME LOST: LOSS PIPE CAUSE OF TIME LOST: LOSS PIPE

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>1123</u>				<u>1123</u>							
	<u>8 HRS.</u>				<u>8 HRS.</u>						

RUN (KIND) (NO.) BIT RUN (KIND) (NO.) BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: NO. OF HOURS RUN ROCK BIT: NO. OF HOURS RUN ROCK BIT:

CONE NOS. SIZE SET NO. CONE NOS. SIZE SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER  
AQUAGEL HULLS ZEOGEL OTHER  
AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

DAY WORK (CORING, CIRCULATING, ETC.): Ran pipe in hole drilled out cement lost size DAY WORK (CORING, CIRCULATING, ETC.): Laid down drill pipe to plug hole DAY WORK (CORING, CIRCULATING, ETC.): plugged hole

CASING RECORD (SIZE, CEMENT, ETC.): Ran pipe in hole cemented with 100 sacks common cement + 49 sacks CASING RECORD (SIZE, CEMENT, ETC.): Laid down drill pipe to plug hole CASING RECORD (SIZE, CEMENT, ETC.): 1123-10-950: set plug @ 250'

REMARKS: 12:00 & 1:50 on site with cellco REMARKS: Job camp @ 2:00 AM. REMARKS: 2:30-7:00 Bottom of cellar. Hole plugged @ 3:00 PM Getting Rig ready to skid

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE  
Jim Leewright 8 Hrs phoster Strickland 8 Hrs

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE  
Gerald W. Morris 8 HR W. Pratt 8 "  
Wilbur E. Torrey 8 HR Harold Little 8 "  
Kenneth F. Utterback 8 HR



# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemon WELL NO. 1 COMPANY Clonk PUSHER Buffington DATE 9-27-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 6 HOURS LOST: 2 HOURS RUN: 2 HOURS LOST: 6 HOURS RUN: 2 HOURS LOST: 6

CAUSE OF TIME LOST: surf pipe trouble CAUSE OF TIME LOST: surf pipe trouble CAUSE OF TIME LOST: surf pipe trouble

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
184	332	SHALE & SAND		332	425	Shale & Sand		425	540	Red bed	
2 hrs working on and sitting 13" casing				6 hrs working on surf pipe							

BIT RUN (KIND) RR (NO.) NO. OF HOURS RUN ROCK BIT: CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

CONE NOS. SIZE 12 1/4 SET NO. JOINTS OF PIPE IN HOLE SIZE MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER DAY WORK (CORING, CIRCULATING, ETC.):

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
	Jim Leewright 8 Hrs	Chester Strickland 8hrs
Kenneth E Utterback	G.W. Pratt 8"	Berard Newby 8hrs
Wilbur E. Torrey 8hr	Harold Little 8"	Harold Bohannon 8hrs
Gerald W. Morris 8hr		

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemon WELL NO. 1 COMPANY Elon Rupe PUSHER Buffington DATE 9-28-72

FOR 8 HOURS ENDING AT 7:00 A.M. HOURS RUN: <u>7 1/2</u> HOURS LOST: <u>1/2</u> CAUSE OF TIME LOST: <u>PUMP</u>	FOR 8 HOURS ENDING AT 3:00 P.M. HOURS RUN: <u>4 1/2</u> HOURS LOST: <u>3 1/2</u> CAUSE OF TIME LOST: <u>LOSS PIPE</u>	FOR 8 HOURS ENDING AT 11:00 P.M. HOURS RUN: HOURS LOST: <u>8</u> CAUSE OF TIME LOST: <u>W O P 8 1/2" ON 8 7/8"</u>
--	---	--

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>590</u>	<u>840</u>	<u>Shale &amp; Sand</u>		<u>840</u>	<u>1015</u>	<u>Shale</u>					

BIT RUN (KIND) (NO.)			BIT RUN (KIND) (NO.)			BIT RUN (KIND) (NO.)		
NO. OF HOURS RUN ROCK BIT:			NO. OF HOURS RUN ROCK BIT:			NO. OF HOURS RUN ROCK BIT:		
CONE NOS.	SIZE	SET NO.	CONE NOS.	SIZE	SET NO.	CONE NOS.	SIZE	SET NO.
	<u>12M</u>							
JOINTS OF PIPE IN HOLE			JOINTS OF PIPE IN HOLE			JOINTS OF PIPE IN HOLE		
MUD USED (KIND AND AMOUNT):			MUD USED (KIND AND AMOUNT):			MUD USED (KIND AND AMOUNT):		
AQUAGEL			AQUAGEL			AQUAGEL		
HULLS			HULLS			HULLS		
ZEOGEL			ZEOGEL			ZEOGEL		
OTHER			OTHER			OTHER		
DAY WORK (CORING, CIRCULATING, ETC.):			DAY WORK (CORING, CIRCULATING, ETC.): <u>Ser. Rig</u>			DAY WORK (CORING, CIRCULATING, ETC.): <u>Ran 24 joints</u>		

CASING RECORD (SIZE, CEMENT, ETC.): <u>2" Rig - DRG -</u>	CASING RECORD (SIZE, CEMENT, ETC.): <u>Lost pipe</u> <u>Ø950 came out of hole</u> <u>planned BIT went back to bottom</u>	CASING RECORD (SIZE, CEMENT, ETC.): <u>cemented with</u> <u>200 SKSSUN set on bottom @ 445'</u> <u>Backed set @ 750' cemented</u>
REMARKS:	REMARKS: <u>Drilled to 1015' size 1 1/2 hr.</u> <u>came out of hole to run 8 7/8"</u> <u>Helped Run 8 7/8"</u>	REMARKS: <u>with approx 220 SKS</u> <u>sun set job camp @ 600 pm</u> <u>put sand around cellar</u> <u>box nipple up.</u>

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Kenneth E. Utterback</u>	<u>Jim Leewright</u> 10 Hrs	<u>Chester Strickland</u> 8 hrs
<u>Wilbur E. Torrey</u> 8 hr	<u>C.W. Pratt</u> 10 Hrs	<u>Gerald Newby</u> 8 hrs
<u>Gerard W. Morris</u> 8 hr	<u>Harold Little</u> 10 Hrs	<u>Jim Buffington</u> 8 hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leman WELL NO. 1 COMPANY Chen Rupe PUSHER Bullington DATE 9-29-75

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 2 HOURS LOST: 10 HOURS RUN: 7 3/4 HOURS LOST: 114 HOURS RUN: 6 HOURS LOST: 2

CAUSE OF TIME LOST: WOC. pump CAUSE OF TIME LOST: CAUSE OF TIME LOST: Rig-jet-trip

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
1015	1157	Shale		1157	1612	Shale		1785	1935	Shale & Limestone	
				1612	1630	Blanc Anhydrite					
				1630	1785	Shale					

BIT RUN (KIND) Sm. DT-J (NO.) 1 BIT RUN (KIND) SM DT-J (NO.) 1 BIT RUN (KIND) DTJ - DBTJ (NO.) 2-3

NO. OF HOURS RUN ROCK BIT: 2 NO. OF HOURS RUN ROCK BIT: 9 3/4 NO. OF HOURS RUN ROCK BIT: 12 3/4 - 3

CONE NOS. LE369 SIZE 7 7/8 SET NO. 1 CONE NOS. LE369 SIZE 7 7/8 SET NO. 1 CONE NOS. LE369 SIZE 7 7/8 SET NO. 2-3

JOINTS OF PIPE IN HOLE SIZE 4 1/2 JOINTS OF PIPE IN HOLE SIZE 7 7/8 JOINTS OF PIPE IN HOLE KU741 SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Ser Rig - went in hole - start drill Plug at 2:25 - put in cap gasket - Replace 3 studs in pump cap - called Wilbur - REMARKS: Ser Rig REMARKS: Ser. Rig-jetted pit-trip @ 1855 #2 cut 840 in. 12 3/4 hrs OB w/ #3-DBTJ @ 8:05

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

Jim Leewright 8 hrs Harold Little 8" Chester Strickland 8 hrs  
GERALD NEWBY 8 hrs WILBUR E. TORREY 8 hrs GERALD NEWBY 8 hrs  
GERALD W. MORRIS 8 hrs C.W. Pratt 8" Jim Bullington 8 hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemon WELL NO. 1 COMPANY Chas W Rupp PUSHER Buffington DATE 9-30-42

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>5</u> HOURS LOST: <u>3</u>	HOURS RUN: <u>7 3/4</u> HOURS LOST: <u>1 1/4</u>	HOURS RUN: <u>6</u> HOURS LOST: <u>2</u>
CAUSE OF TIME LOST: <u>TRIP Run bit</u>	CAUSE OF TIME LOST: <u>pitc</u>	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>1985</u>	<u>2030</u>	<u>SHALE &amp; LIME</u>		<u>2030</u>	<u>2185</u>	<u>Lime Shale</u>		<u>2185</u>	<u>2285</u>	<u>Shale &amp; lime</u>	

BIT RUN (KIND) <u>DGTJ</u> (NO.) <u>3</u>	BIT RUN (KIND) <u>Smith DGT J</u> (NO.) <u>3</u>	BIT RUN (KIND) <u>DGTJ - J-33</u> (NO.) <u>3-4</u>
NO. OF HOURS RUN ROCK BIT: <u>4 3/8</u> <u>8</u>	NO. OF HOURS RUN ROCK BIT: <u>15 3/4</u>	NO. OF HOURS RUN ROCK BIT: <u>18 3/4</u> - <u>3</u>
CONE NOS. <u>KV 471</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>KV 471</u> SIZE <u>7 7/8</u> SET NO. <u>3</u>	CONE NOS. <u>KV 471</u> SIZE <u>7 7/8</u> SET NO.
JOINTS OF PIPE IN HOLE SIZE	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X. H</u>	JOINTS OF PIPE IN HOLE <u>RF 759</u> SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL	AQUAGEL	AQUAGEL
HULLS	HULLS	HULLS
ZEOGEL	ZEOGEL	ZEOGEL
OTHER	OTHER	OTHER
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: <u>Sen. Rig - 1219 - Trip at 1992 - Reamed 40ft on bottom at 5'10 with 3 DGT-J</u>	REMARKS: <u>Sen. Rig detbed &amp; cleaned shale pit.</u>	REMARKS: <u>Sen. Rig - pulled # 30 2222 cut 3067 in 18 3/4 hrs OB w/ # 4 - J - 33 @ 8:00</u>
---	--	--

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Jim Buffington</u> 8	<u>Jim Lee Wright</u> 8 Hrs	<u>Chester Strickland</u> 8 hrs
<u>Gerald Newby</u> 8 hr	<u>C.W. Pratt</u> 8 "	<u>Gerald Newby</u> 8 hrs
<u>Wilbur E. Torrey</u> 8 hr	<u>Harold Little</u> 8 "	<u>Jim Buffington</u> 8 hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leman WELL NO. 1 COMPANY Chas N. Bupe PUSHER Bullington DATE 10-1-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 11 1/2 HOURS LOST: 1/2 HOURS RUN: 5 1/2 HOURS LOST: 6 1/2 HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: CAUSE OF TIME LOST: Repearing mud pump CAUSE OF TIME LOST:

RECORD OF HOLE MADE RECORD OF HOLE MADE RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>2285</u>	<u>2460</u>	<u>Shale &amp; lime</u>		<u>2460</u>	<u>2565</u>	<u>Shale w/ Lime</u>					

BIT RUN (KIND) J-33 (NO.) 4 BIT RUN (KIND) J-33 (NO.) 4 BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: 14 1/2 NO. OF HOURS RUN ROCK BIT: 20 NO. OF HOURS RUN ROCK BIT:

CONE NOS. RF795 SIZE 7 7/8 SET NO. CONE NOS. RF795 SIZE 7 7/8 SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE 4 1/2" XH JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Set. Rig & fetted pit @ 2432 REMARKS: Set shale pit @ 2504 REMARKS:

REMARKS: lost 6 1/2 hrs working on pump pulled 6 stands put 4 new seals & 4 new valves REMARKS: set rig in pump pulled pit side of mud 1/2 of pump pulled 4 broke off studs out replaced put back on drilling @ 3 1/2 pm

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

Chester Strickland 12hrs Jim Loewright 12hrs  
Bernald Newby 12hrs Harold Little 12hrs  
Jim Bullington 12hrs C.W. Dratt 12hrs

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM heman WELL NO. 1 COMPANY Chas Rupe PUSHER Buttington DATE 10-2-75

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>11 1/2</u> HOURS LOST: <u>1/2</u>	HOURS RUN: <u>11 1/2</u> HOURS LOST: <u>1/2</u>	HOURS RUN: HOURS LOST:
CAUSE OF TIME LOST:	CAUSE OF TIME LOST: <u>Big pits</u>	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>2565</u>	<u>2760</u>	<u>Lime &amp; shale</u>		<u>2760</u>	<u>3030</u>	<u>Shale Phalk Lime</u>					

BIT RUN (KIND) <u>J-33</u> (NO.) <u>4</u>	BIT RUN (KIND) <u>Htc-J33</u> (NO.) <u>4</u>	BIT RUN (KIND) (NO.)
NO. OF HOURS RUN ROCK BIT: <u>31 1/2</u>	NO. OF HOURS RUN ROCK BIT: <u>43</u>	NO. OF HOURS RUN ROCK BIT:
CONE NOS. <u>RF759</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>RF759</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. SIZE SET NO.
JOINTS OF PIPE IN HOLE SIZE	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X H</u>	JOINTS OF PIPE IN HOLE SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL	<del>FOUNDER</del> <u>2-5-BAIR/CANS SUMMULA</u>	AQUAGEL
HULLS	HULLS	HULLS
ZEOGEL	ZEOGEL <u>40 SCKS</u>	ZEOGEL
OTHER	OTHER <u>40 BBLs oil</u>	OTHER
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Serv. Rig - jet pit      REMARKS: Jet pits to add oil & gel @ 2950      REMARKS:

NAME OF EMPLOYEE		NAME OF EMPLOYEE		NAME OF EMPLOYEE	
<u>Chester</u>	<u>Strickland</u>	<u>12hr</u>	<u>Jim Leewright</u>	<u>12 Hrs</u>	
<u>Gerald</u>	<u>Newby</u>	<u>12hr</u>	<u>Hold. Little</u>	<u>12 Hrs</u>	
<u>Larry</u>	<u>Newby</u>	<u>12hr</u>	<u>C.W. Pratt</u>	<u>12 Hrs</u>	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leason WELL NO. 1 COMPANY Blair Bupe PUSHER Buttington DATE 10-3-72

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>1 1/2</u> HOURS LOST: <u>1/2</u>	HOURS RUN: <u>1 3/4</u> HOURS LOST: <u>1/4</u>	HOURS RUN: HOURS LOST:
CAUSE OF TIME LOST: <u>Rig</u>	CAUSE OF TIME LOST: <u>Rig</u>	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>3030</u>	<u>3200</u>	<u>Shale &amp; lime</u>		<u>3200</u>	<u>3440</u>	<u>lime shale</u>					

BIT RUN (KIND) <u>J-33</u> (NO.) <u>4</u>	BIT RUN (KIND) <u>J33-</u> (NO.) <u>4</u>	BIT RUN (KIND) (NO.)
---	---	----------------------

NO. OF HOURS RUN ROCK BIT: <u>5 1/2</u>	NO. OF HOURS RUN ROCK BIT: <u>6 1/4</u>	NO. OF HOURS RUN ROCK BIT:
---	---	----------------------------

CONE NOS. <u>RF759</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>RF759</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. SIZE SET NO.
--	--	------------------------

JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X H</u>	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X H</u>	JOINTS OF PIPE IN HOLE SIZE
---	---	-----------------------------

MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER	MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER	MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER
--	--	--

DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):
---------------------------------------	---------------------------------------	---------------------------------------

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):
-------------------------------------	-------------------------------------	-------------------------------------

REMARKS: <u>Seri Rig</u>	REMARKS: <u>seru Rig</u>	REMARKS:

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland</u> 12hrs	<u>Tim. Lee Wright</u> 12 Hrs	
<u>Berzhd Newby</u> 12hrs	<u>Harold Little</u> 12 Hrs	
<u>harry newby</u> 12hrs	<u>C.W. Pratt</u> 12 Hrs	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Kerman WELL NO. 1 COMPANY Shen Rups PUSHER Bullington DATE 10-4-72

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>10 1/4</u> HOURS LOST: <u>1 3/4</u>	HOURS RUN: <u>11</u> HOURS LOST: <u>1</u>	HOURS RUN: HOURS LOST:
CAUSE OF TIME LOST:	CAUSE OF TIME LOST: <u>G.F.S. &amp; Rig</u>	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>3440</u>	<u>3610</u>	<u>Lime</u>		<u>3610</u>	<u>3820</u>	<u>Lime</u>					

BIT RUN (KIND) <u>J-33</u> (NO.) <u>4</u>	BIT RUN (KIND) <u>J33-</u> (NO.) <u>4</u>	BIT RUN (KIND) (NO.)
NO. OF HOURS RUN ROCK BIT: <u>7 1/2</u>	NO. OF HOURS RUN ROCK BIT: <u>8 1/2</u>	NO. OF HOURS RUN ROCK BIT:
CONE NOS. <u>RF 259</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>RF 759</u> SIZE <u>7 1/8"</u> SET NO.	CONE NOS. SIZE SET NO.
JOINTS OF PIPE IN HOLE SIZE	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X H</u>	JOINTS OF PIPE IN HOLE SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL <u>starch 35</u>	AQUAGEL	AQUAGEL
HULLS <u>Pres 150 #</u>	HULLS	HULLS
ZEOGEL <u>15 salt gel</u>	ZEOGEL	ZEOGEL
OTHER <u>soda ash 5</u>	OTHER	OTHER

DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.): <u>RF S @ 3785</u> <u>3 1/4 Hrs</u>	DAY WORK (CORING, CIRCULATING, ETC.):
---------------------------------------	--	---------------------------------------

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):
-------------------------------------	-------------------------------------	-------------------------------------

REMARKS: <u>Service rig - jetted pit to mud up, cleaned screen around suction</u>	REMARKS: <u>Service Rig</u>	REMARKS:
---	-----------------------------	----------

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland 12hrs</u>	<u>Jim. Leewright 12 Hrs</u>	
<u>Everald Newby 12hrs</u>	<u>Harold Little 12 Hrs</u>	
<u>Harry Newby 12hrs</u>	<u>C.W. Pratt 12 Hrs</u>	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemmon WELL NO. 1 COMPANY Chen Roper PUSHER Bullington DATE 10-5-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 11 HOURS LOST: 1 HOURS RUN: 11 3/4 HOURS LOST: 1/4 HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: CAUSE OF TIME LOST: CAUSE OF TIME LOST:

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>3820</u>	<u>3940</u>	<u>lime</u>		<u>3940</u>	<u>4085</u>	<u>lime</u>					
		<u>3/4 hr. Co time w/DP</u>									

BIT RUN (KIND) J-33 (NO.) 4 BIT RUN (KIND) J33 (NO.) 4 BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: 98 1/2 NO. OF HOURS RUN ROCK BIT: 110 1/4 NO. OF HOURS RUN ROCK BIT:

CONE NOS. RH 759 SIZE 7 7/8 SET NO. CONE NOS. RH 759 SIZE 7 7/8 SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE 4 1/2" X H JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL AQUAGEL AQUAGEL  
 HULLS HULLS HULLS  
 ZEOGEL 6 ZEOGEL 15 SACKS SALT MUD ZEOGEL  
 OTHER starch 6 OTHER 6 SKS starch OTHER

DAY WORK (CORING, CIRCULATING, ETC.): circ fanspls DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

e 3845 - 3/4 hr.

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Service Rig REMARKS: serv Rig REMARKS:

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

<u>Chester Strickland</u>	<u>Jim Leewright</u>	<u>12 Hrs</u>
<u>Berard Newby</u>	<u>Harold Little</u>	<u>12 Hrs</u>
<u>Larry Newby</u>	<u>C.W. Dratt</u>	<u>12 Hrs</u>

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leamon WELL NO. 1 COMPANY Glen Rupe PUSHER Bullington DATE 10-6-72

FOR 8 HOURS ENDING AT 7:00 A.M.	FOR 8 HOURS ENDING AT 3:00 P.M.	FOR 8 HOURS ENDING AT 11:00 P.M.
HOURS RUN: <u>7 1/4</u> HOURS LOST: <u>4 3/4</u>	HOURS RUN: <u>11 1/4</u> HOURS LOST: <u>3 1/4</u>	HOURS RUN: HOURS LOST:
CAUSE OF TIME LOST:	CAUSE OF TIME LOST:	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>4085</u>	<u>4135</u>	<u>Lime</u>		<u>4155</u>	<u>4235</u>	<u>Lime</u>					

BIT RUN (KIND) <u>J-33</u> <u>J-44</u> (NO.) <u>4-5</u>	BIT RUN (KIND) <u>HTC</u> <u>144</u> (NO.) <u>5</u>	BIT RUN (KIND) (NO.)
NO. OF HOURS RUN ROCK BIT: <u>11 1/4</u> - <u>3 1/4</u>	NO. OF HOURS RUN ROCK BIT: <u>14 1/2</u>	NO. OF HOURS RUN ROCK BIT:
CONE NOS. <u>RF759</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>ME619</u> SIZE <u>7 7/8</u> SET NO. <u>5</u>	CONE NOS. SIZE SET NO.
JOINTS OF PIPE IN HOLE <u>ME619</u> SIZE	JOINTS OF PIPE IN HOLE SIZE <u>4 5/8 X H</u>	JOINTS OF PIPE IN HOLE SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT) <u>2-5, FA/CONS SUMMIT</u>	MUD USED (KIND AND AMOUNT):
AQUAGEL	AQUAGEL	AQUAGEL
HULLS	HULLS <u>5 SKS</u>	HULLS
ZEOGEL	ZEOGEL <u>16-80 # Bags 4-100 # Bags = 20 SKS</u>	ZEOGEL
OTHER <u>6 starch</u>	OTHER <u>10 sacks starch</u>	OTHER
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): <u>Board 4133-65</u> <u>4133-14</u> <u>5/8</u> <u>NC</u>	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):
--	-------------------------------------	-------------------------------------

REMARKS: <u>Serv. Rig pulled @ 4 @ 4133 cut 19 1/2 in 11 1/4 hrs @ 13 wt @ 5-J-44 @ 7:45 strap pipe</u>	REMARKS: <u>Serv. Rig set shale pit</u>	REMARKS:
---	---	----------

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland 12hrs</u>	<u>Jim Beawright 12 Hrs</u>	
<u>Bernd Newby 12hrs</u>	<u>Harold Little 12"</u>	
<u>Larry Newby 10hrs</u>	<u>C. W. Pratt 12"</u>	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leonard WELL NO. 1 COMPANY Olson Bupe PUSHER Buffington DATE 10-7-72  
 FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 11 3/4 HOURS LOST: 44 CAUSE OF TIME LOST:  
 HOURS RUN: 2 1/2 Hrs HOURS LOST: 9 1/2 CAUSE OF TIME LOST: DST  
 HOURS RUN: HOURS LOST: CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>4235</u>	<u>4320</u>	<u>lime</u>		<u>4320</u>	<u>4340</u>	<u>lime</u>					

BIT RUN (KIND) <u>J-44</u> (NO.) <u>5</u>	BIT RUN (KIND) <u>HTC J-44</u> (NO.) <u>5</u>	BIT RUN (KIND) (NO.)
NO. OF HOURS RUN ROCK BIT: <u>26 1/4</u>	NO. OF HOURS RUN ROCK BIT: <u>28 3/4</u>	NO. OF HOURS RUN ROCK BIT:
CONE NOS. <u>ME619</u> SIZE <u>7 7/8</u> SET NO.	CONE NOS. <u>ME609</u> SIZE <u>7 1/8</u> SET NO. <u>5</u>	CONE NOS. SIZE SET NO.
JOINTS OF PIPE IN HOLE SIZE	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" X H</u>	JOINTS OF PIPE IN HOLE SIZE
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL	AQUAGEL	AQUAGEL
HULLS	HULLS	HULLS
ZEOGEL <u>12-100# bags 6-80# bags</u>	ZEOGEL <u>6-80# SKS Salt Gel</u>	ZEOGEL
OTHER <u>50# pres.</u>	OTHER	OTHER

DAY WORK (CORING, CIRCULATING, ETC.):  
 DAY WORK (CORING, CIRCULATING, ETC.): C.F.S. @ 4340'  
1 1/2 Hrs. Spotted 6 SKS Salt Gel out of hole for DST#1 4300-4340 1/2 HR. I.F.P.  
 DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.):  
 CASING RECORD (SIZE, CEMENT, ETC.): 1/2 HR. ISIP. 1/2 HR F.F.P. 1/2 Hr FSIP. work blow for 5 min  
Rec'd 10 mud I.F.P. 28# ISIP 47# F.F.P. 28#  
 CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: serv. Rig  
 REMARKS: Set Rig F.S.I.P. 47# H# 2318  
 REMARKS:

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland 12 hrs</u>	<u>Jim Lee Wright 12 Hrs</u>	
<u>Bernd Newby 12 hrs</u>	<u>Harold Little 12 "</u>	
<u>Larry Newby 12 hrs</u>	<u>Jim Buffington 12 "</u>	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Lemon WELL NO. 1 COMPANY Phon Supc PUSHER Buttington DATE 10-8-70

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 10 HOURS LOST: 2 HOURS RUN: 4 HOURS LOST: 8 HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: 1/2 trip - rig pump CAUSE OF TIME LOST: PFS + DST #2 CAUSE OF TIME LOST:

### RECORD OF HOLE MADE

FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>4340</u>	<u>4400</u>	<u>Lime</u>		<u>4415</u>	<u>4427</u>	<u>Chert</u>					
<u>4400</u>	<u>4415</u>	<u>Chert</u>		<u>4427</u>	<u>4455</u>	<u>Lime w/Chert</u>					
		<u>1 1/2 hrs Casing w/DP</u>				<u>8 Hrs CO TIME</u>					

BIT RUN (KIND) J-44 (NO.) 5 BIT RUN (KIND) J-44 (NO.) 5 BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: 3 8 3/4 NO. OF HOURS RUN ROCK BIT: 4 2 3/4 NO. OF HOURS RUN ROCK BIT:

CONE NOS. ME619 SIZE 7 7/8 SET NO. CONE NOS. ME619 SIZE 7 1/8 SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE 4 1/2" X H JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS 5 ZEOGEL 2 OTHER AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): went in hole after DST #1 OBC @ 12:30 DAY WORK (CORING, CIRCULATING, ETC.): PFS @ 4455 1 1/4 hrs out for DST #2 4405-4455 OB tool open @ 7:45 1 1/2 hr. DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Serv. Rig REMARKS: 1/2 - 1/2 1/2 pulled 60 stands out of hole REMARKS:

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland 12hrs</u>	<u>Jim. Leewright 12 Hrs</u>	
<u>Jim Buttington 12hrs</u>	<u>Harold Little 12 Hrs</u>	
<u>Harry Newby 12hrs</u>	<u>C.W. Pratt 12 Hrs</u>	

# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM homan WELL NO. 1 COMPANY Polen Bupe PUSHER Buttington DATE 10-9-72

FOR 8 HOURS ENDING AT 7:00 A.M. FOR 8 HOURS ENDING AT 3:00 P.M. FOR 8 HOURS ENDING AT 11:00 P.M.

HOURS RUN: 8 HOURS LOST: 4 HOURS RUN: 2 1/4 HOURS LOST: 9 3/4 HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: Dst 2-circ. mud time CAUSE OF TIME LOST: CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>4455</u>	<u>4505</u>	<u>Lime</u>		<u>4505</u>	<u>4540</u>	<u>phert</u>					
<u>33 1/2 hrs Co time w/DP</u>				<u>9 3/4 hrs PO TIME</u>							

BIT RUN (KIND) J-44 (NO.) 5 BIT RUN (KIND) J-44 (NO.) 5 BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: 50 3/4 NO. OF HOURS RUN ROCK BIT: 58 NO. OF HOURS RUN ROCK BIT:

CONE NOS. ME 619 SIZE 7 7/8 SET NO. CONE NOS. ME 619 SIZE 7 7/8 SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE 4 1/2" X H JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER 10 starch AQUAGEL HULLS ZEOGEL OTHER (DST #3 (4473-4518)) AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): 220-40' casing pipe 20' gas cut mud IF 38 ISIP 288 FF-38 FSIP, 228 HM, 2318 DAY WORK (CORING, CIRCULATING, ETC.): CFS @ 4520 DST #3) 4473-4518 45' out for DST TOOL OB tool open @ 3:45 pm DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): OB to drill 4 1/2 circ. to mix mud 4 hrs. Circ for spls @ 4490 - 3/4 hr. CASING RECORD (SIZE, CEMENT, ETC.): 30-30-30-30 out of hole REC 20' GAS PUT MUD few speck soil. CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: REMARKS: IFP=28-28# FFP=47-47# ISIP=699# FSIP=352# OB Drilling @ 9:00 pm. REMARKS:

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland 12 hrs</u>	<u>Jim. Leckwright 12 hrs</u>	
<u>Gerald Newby 12 hrs</u>	<u>Harold. Little 12 hrs</u>	
<u>Larry Newby 12 hrs</u>	<u>C.W. Pratt 12 hrs</u>	



# RED TIGER DRILLING COMPANY DAILY DRILLING REPORT

RIG NO. 1 FARM Leman WELL NO. 1 COMPANY Chas Bure PUSHER Burington DATE 10-11-72

<b>FOR 8 HOURS ENDING AT 7:00 A.M.</b>	<b>FOR 8 HOURS ENDING AT 3:00 P.M.</b>	<b>FOR 8 HOURS ENDING AT 11:00 P.M.</b>
HOURS RUN: _____ HOURS LOST: _____	HOURS RUN: _____ HOURS LOST: _____	HOURS RUN: _____ HOURS LOST: _____
CAUSE OF TIME LOST: _____	CAUSE OF TIME LOST: _____	CAUSE OF TIME LOST: _____

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
4605	4640	lime		TD	4650						
4640	4650	Arb. dolomite									
		3/4 hr cont time w/ DP									

BIT RUN (KIND) <u>J-44</u> (NO.) <u>5</u>	BIT RUN (KIND) _____ (NO.) _____	BIT RUN (KIND) _____ (NO.) _____
NO. OF HOURS RUN ROCK BIT: <u>6.94</u>	NO. OF HOURS RUN ROCK BIT: _____	NO. OF HOURS RUN ROCK BIT: _____
CONE NOS. <u>ME619</u> SIZE <u>7 7/8</u> SET NO. _____	CONE NOS. _____ SIZE _____ SET NO. _____	CONE NOS. _____ SIZE _____ SET NO. _____
JOINTS OF PIPE IN HOLE _____ SIZE _____	JOINTS OF PIPE IN HOLE _____ SIZE _____	JOINTS OF PIPE IN HOLE _____ SIZE _____
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL _____	AQUAGEL _____	AQUAGEL _____
HULLS _____	HULLS _____	HULLS _____
ZEOGEL _____	ZEOGEL _____	ZEOGEL _____
OTHER _____	OTHER _____	OTHER _____

DAY WORK (CORING, CIRCULATING, ETC.): <u>circ. for</u>	DAY WORK (CORING, CIRCULATING, ETC.): _____	DAY WORK (CORING, CIRCULATING, ETC.): _____
<u>spls @ 4645 - 1/4 circ for</u>		
<u>spls @ 4650 - 1/4 circ &amp; wait</u>		

CASING RECORD (SIZE, CEMENT, ETC.): <u>in orders 3/4</u>	CASING RECORD (SIZE, CEMENT, ETC.): <u>filled hole with mud up to 800' set 1/2 sack hulls plus cemented with</u>	CASING RECORD (SIZE, CEMENT, ETC.): _____
REMARKS: <u>Service Rig - laid down drill pipe &amp; plug hole</u>	REMARKS: <u>10 hrs. Filled hole up to 60' 1/2 sk hulls plus 15 sacks cement hole plugged @ 4:00 pm</u>	REMARKS: _____

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Chester Strickland</u>	<u>Jim. Leewright</u>	<u>10 Hrs</u>
<u>Gerald Newby</u>	<u>Harold Little</u>	<u>10 Hrs</u>
<u>Larry Newby</u>	<u>Willie Bowman</u>	<u>8 Hrs</u>