



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET

No 18337

P. O. BOX 1599 PHONE (316) 262-5861
WICHITA, KANSAS 67201

Elevation _____ Formation Douglas Eff. Pay _____ Ft.

District Pratt Date 12/4/82 Customer Order No. _____

COMPANY NAME H-30 Inc. / WILLIAM N. BUCKLIN, III

ADDRESS 251 N Water Suite 10, Wichita KS 67202

LEASE AND WELL NO. Stumph #1 COUNTY Barber STATE KS Sec. 24 Twp. 30S Rge. 13W

Mail Invoice To Same #1 STUMPH No. Copies Requested Reg

Co. Name _____ Address _____

Mail Charts To Same No. Copies Requested Reg

Address _____

Formation Test No. 1 Interval Tested From 3756 ft. to 3790 ft. Total Depth 3790 ft.

Packer Depth 3751 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.

Packer Depth 3756 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3780 ft.

Recorder Number 1565 Cap. 4900

Bottom Recorder Depth (Outside) 3783 ft.

Recorder Number 6074 Cap. 5100

Below Straddle Recorder Depth _____ ft.

Recorder Number _____ Cap. _____

Drilling Contractor H-30 #77

Drill Collar Length 480 I. D. 2.2 in.

Mud Type Gel Viscosity 35

Weight Pipe Length _____ I. D. _____ in.

Weight 9.4 Water Loss 60 cc.

Drill Pipe Length 3254 I. D. 3.8 in.

Chlorides 22,000 P.P.M.

Test Tool Length 22 ft. Tool Size 5 1/2 OD in.

Jars: Make _____ Serial Number _____

Anchor Length 34 ft. Size 5 1/2 OD in.

Did Well Flow? NO Reversed Out NO

Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Blow: Weak thru I.F. - No Blow FF

Recovered 60 ft. of Mud

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Remarks: _____

Time On Location 3:00 A.M. Time Pick Up Tool 5:30 A.M. Time Off Location 1:00 P.M.

Time Set Packer(s) 7:45 A.M. Time Started Off Bottom 10:15 A.M. Maximum Temperature 112°

Initial Hydrostatic Pressure _____ (A) 1889 P.S.I.

Initial Flow Period _____ Minutes 30 (B) 24 P.S.I. to (C) 37 P.S.I.

Initial Closed In Period _____ Minutes 30 (D) 693 P.S.I.

Final Flow Period _____ Minutes 30 (E) 49 P.S.I. to (F) 49 P.S.I.

Final Closed In Period _____ Minutes 60 (G) 915 P.S.I.

Final Hydrostatic Pressure _____ (H) 1889 P.S.I.

COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By Jimmy McLeod
Signature of Customer or his authorized representative

Western Representative Jeff Probst

Thank you

FIELD INVOICE

Open Hole Test \$ 600.00
Misrun \$ _____
Straddle Test \$ _____
Jars \$ _____
Selective Zone \$ _____
Safety Joint \$ 65.00
Standby \$ _____
Evaluation \$ _____
Extra Packer \$ _____
Circ. Sub. \$ _____
Mileage \$ _____
Fluid Sampler \$ _____
Extra Charts \$ _____
Insurance \$ _____
Telecopier \$ _____
TOTAL \$ 665.00

WESTERN TESTING CO., INC.

Pressure Data

Date 12-4-82 Recorder No. 1565 Capacity 4500 Test Ticket No. 18327 Location 2780 Ft.
 Clock No. Elevation Well Temperature 112 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>1865</u> P.S.I.	Open Tool	<u>2:45 A</u> M	
B First Initial Flow Pressure	<u>35</u> P.S.I.	First Flow Pressure	<u>30</u> Mins.	<u>20</u> Mins.
C First Final Flow Pressure	<u>40</u> P.S.I.	Initial Closed-in Pressure	<u>30</u> Mins.	<u>27</u> Mins.
D Initial Closed-in Pressure	<u>707</u> P.S.I.	Second Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
E Second Initial Flow Pressure	<u>50</u> P.S.I.	Final Closed-in Pressure	<u>60</u> Mins.	<u>60</u> Mins.
F Second Final Flow Pressure	<u>54</u> P.S.I.			
G Final Closed-in Pressure	<u>921</u> P.S.I.			
H Final Hydrostatic Mud	<u>1865</u> P.S.I.			


PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>6</u> Inc.		Breakdown: <u>9</u> Inc.		Breakdown: <u>6</u> Inc.		Breakdown: <u>20</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 0	<u>35</u>	0	<u>40</u>	0	<u>50</u>	0	<u>54</u>
P 2 5	<u>35</u>	3	<u>51</u>	5	<u>7</u>	3	<u>59</u>
P 3 10	<u>36</u>	6	<u>67</u>	10	<u>50</u>	6	<u>67</u>
P 4 15	<u>37</u>	9	<u>97</u>	15	<u>50</u>	9	<u>74</u>
P 5 20	<u>38</u>	12	<u>151</u>	20	<u>50</u>	12	<u>91</u>
P 6 25	<u>39</u>	15	<u>240</u>	25	<u>53</u>	15	<u>109</u>
P 7 30	<u>40</u>	18	<u>356</u>	30	<u>54</u>	18	<u>135</u>
P 8 35		21	<u>485</u>	35		21	<u>168</u>
P 9 40		24	<u>597</u>	40		24	<u>215</u>
P10 45		27	<u>707</u>	45		27	<u>279</u>
P11 50		30		50		30	<u>347</u>
P12 55		33		55		33	<u>426</u>
P13 60		36		60		36	<u>512</u>
P14		39		65		39	<u>589</u>
P15		42		70		42	<u>662</u>
P16		45		75		45	<u>720</u>
P17		48		80		48	<u>775</u>
P18		51		85		51	<u>818</u>
P19		54		90		54	<u>864</u>
P20		57				57	<u>902</u>
		60				60	<u>921</u>

1565
DST#1

TKT # 18337

I



Company H-30, Inc./William N. Bucklin III Lease & Well No. #1 Stumph
Elevation ---- Formation Douglas Effective Pay ---- Ft. Ticket No. 18337
Date 12/ 4 /82 Sec. 24 Twp. 30S Range 13W County Barber State Kansas
Test Approved by Terry McLeod Western Representative Jeff Piotrowski

Formation Test No. 1 Interval Tested from 3756 ft. to 3790 ft. Total Depth 3790 ft.

Packer Depth 3751 ft. Size 6 3/4 in. Packer Depth -- ft. Size - in.

Packer Depth 3756 ft. Size 6 3/4 in. Packer Depth -- ft. Size - in.

Depth of Selective Zone Set -

Top Recorder Depth (Inside) 3780 ft. Recorder Number 1565 Cap. 4900

Bottom Recorder Depth (Outside) 3783 ft. Recorder Number 6074 Cap. 5100

Below Straddle Recorder Depth --- ft. Recorder Number - Cap. -

Drilling Contractor H-30 Drlg. Rig #77 Drill Collar Length 480 I. D. 2.2 in.

Mud Type gel Viscosity 35 Weight Pipe Length - I. D. - in.

Weight 9.4 Water Loss 6.0 cc. Drill Pipe Length 3254 I. D. 3.8 in.

Chlorides 22,000 P.P.M. Test Tool Length 22 ft. Tool Size 5 1/2 in.

Jars: Make - Serial Number - Anchor Length 34 ft. Size 5 1/2 in.

Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 in.

Blow: Weak through initial flow period; no blow on final flow period.

Recovered 60 ft. of mud

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks:

Time Set Packer(s) 7:45 A.M. Time Started Off Bottom 10:15 P.M. Maximum Temperature 112°

Initial Hydrostatic Pressure (A) 1865 P.S.I.

Initial Flow Period Minutes 30 (B) 35 P.S.I. to (C) 40 P.S.I.

Initial Closed In Period Minutes 27 (D) 707 P.S.I.

Final Flow Period Minutes 30 (E) 50 P.S.I. to (F) 54 P.S.I.

Final Closed In Period Minutes 60 (G) 921 P.S.I.

Final Hydrostatic Pressure (H) 1865 P.S.I.

WESTERN TESTING CO., INC.

Pressure Data

Date 12/4/82 Test Ticket No. 18337
 Recorder No. 1565 Capacity 4900 Location 3780 Ft.
 Clock No. --- Elevation ----- Well Temperature 112 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>1865</u>	P.S.I.	<u>7:45A</u>	<u>M</u>
B First Initial Flow Pressure	<u>35</u>	P.S.I.	<u>30</u>	Mins. <u>30</u> Mins.
C First Final Flow Pressure	<u>40</u>	P.S.I.	<u>30</u>	Mins. <u>27</u> Mins.
D Initial Closed-in Pressure	<u>707</u>	P.S.I.	<u>30</u>	Mins. <u>30</u> Mins.
E Second Initial Flow Pressure	<u>50</u>	P.S.I.	<u>60</u>	Mins. <u>60</u> Mins.
F Second Final Flow Pressure	<u>54</u>	P.S.I.		
G Final Closed-in Pressure	<u>921</u>	P.S.I.		
H Final Hydrostatic Mud	<u>1865</u>	P.S.I.		

PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>6</u> Inc.		Breakdown: <u>9</u> Inc.		Breakdown: <u>6</u> Inc.		Breakdown: <u>20</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 <u>0</u>	<u>35</u>	<u>0</u>	<u>40</u>	<u>0</u>	<u>50</u>	<u>0</u>	<u>54</u>
P 2 <u>5</u>	<u>35</u>	<u>3</u>	<u>51</u>	<u>5</u>	<u>50</u>	<u>3</u>	<u>59</u>
P 3 <u>10</u>	<u>36</u>	<u>6</u>	<u>67</u>	<u>10</u>	<u>50</u>	<u>6</u>	<u>67</u>
P 4 <u>15</u>	<u>37</u>	<u>9</u>	<u>97</u>	<u>15</u>	<u>50</u>	<u>9</u>	<u>74</u>
P 5 <u>20</u>	<u>38</u>	<u>12</u>	<u>151</u>	<u>20</u>	<u>52</u>	<u>12</u>	<u>91</u>
P 6 <u>25</u>	<u>39</u>	<u>15</u>	<u>240</u>	<u>25</u>	<u>53</u>	<u>15</u>	<u>109</u>
P 7 <u>30</u>	<u>40</u>	<u>18</u>	<u>356</u>	<u>30</u>	<u>54</u>	<u>18</u>	<u>135</u>
P 8		<u>21</u>	<u>485</u>			<u>21</u>	<u>168</u>
P 9		<u>24</u>	<u>597</u>			<u>24</u>	<u>215</u>
P10		<u>27</u>	<u>707</u>			<u>27</u>	<u>279</u>
P11						<u>30</u>	<u>347</u>
P12						<u>33</u>	<u>426</u>
P13						<u>36</u>	<u>512</u>
P14						<u>39</u>	<u>589</u>
P15						<u>42</u>	<u>662</u>
P16						<u>45</u>	<u>720</u>
P17						<u>48</u>	<u>775</u>
P18						<u>51</u>	<u>818</u>
P19						<u>54</u>	<u>864</u>
P20						<u>57</u>	<u>902</u>
						<u>60</u>	<u>921</u>



WESTERN TESTING CO., INC.

FORMATION TESTING

TICKET

No 18338

P. O. BOX 1599
WICHITA, KANSAS 67201

PHONE (316) 262-5861

Elevation

Formation

Eff. Pay Ft.

District

Date

Customer Order No.

COMPANY NAME

ADDRESS

LEASE AND WELL NO.

COUNTY

STATE

Sec.

Twp.

Rge.

Mail Invoice To

Co. Name

Address

No. Copies Requested

Mail Charts To

Address

No. Copies Requested

Formation Test No.

Interval Tested From

ft. to

ft. Total Depth

ft.

Packer Depth

ft.

Size

in.

Packer Depth

ft.

Size

in.

Packer Depth

ft.

Size

in.

Packer Depth

ft.

Size

in.

Depth of Selective Zone Set

Top Recorder Depth (Inside)

4305

ft.

Recorder Number

1565

Cap.

4900

Bottom Recorder Depth (Outside)

4308

ft.

Recorder Number

1560

Cap.

4500

Below Straddle Recorder Depth

ft.

Recorder Number

Cap.

Drilling Contractor

H-30 #77

Drill Collar Length

480

I. D.

2.2

in.

Mud Type

Disp

Viscosity

5.6

Weight Pipe Length

I. D.

in.

Weight

10.0

Water Loss

6.0

cc.

Drill Pipe Length

3764

I. D.

3.8

in.

Chlorides

24,000

P.P.M.

Test Tool Length

22

ft.

Tool Size

5 1/2 OD

in.

Jars: Make

-

Serial Number

-

Anchor Length

49

ft.

Size

5 1/2 OD

in.

Did Well Flow?

NO

Reversed Out

NO

Surface Choke Size

3/4

in.

Bottom Choke Size

3/4

in.

Main Hole Size

7 7/8

in.

Tool Joint Size

4 1/2 x 11

in.

Blow: Weak thru IF - NO Blow FF

Recovered 30 ft. of Mud

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks:

DEC 8 - 1982

Time On Location 6:30

A.M.

P.M.

Time Pick Up Tool 9:00

A.M.

P.M.

Time Off Location 4:00

A.M.

P.M.

Time Set Packer(s) 11:00

A.M.

P.M.

Time Started Off Bottom 1:00

A.M.

P.M.

Maximum Temperature 120°

Initial Hydrostatic Pressure (A) 2135 P.S.I.

Initial Flow Period (B) 30 Minutes 49 P.S.I. to (C) 49 P.S.I.

Initial Closed In Period (D) 30 Minutes 99 P.S.I.

Final Flow Period (E) 30 Minutes 49 P.S.I. to (F) 49 P.S.I.

Final Closed In Period (G) 30 Minutes 86 P.S.I.

Final Hydrostatic Pressure (H) 2135 P.S.I.

COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By

Signature of Customer or his authorized representative

Western Representative

FIELD INVOICE

Open Hole Test	\$ 675.00
Misrun	\$
Straddle Test	\$
Jars	\$
Selective Zone	\$
Safety Joint	\$ 65.00
Standby	\$
Evaluation	\$
Extra Packer	\$
Circ. Sub.	\$
Mileage	\$
Fluid Sampler	\$
Extra Charts	\$
Insurance	\$
Telecopier	\$
TOTAL	\$ 740.00

WESTERN TESTING CO., INC.

Pressure Data

Date 12-5-82 Test Ticket No. 18338
 Recorder No. 1565 Capacity 4900 Location 4305 Ft.
 Clock No. Elevation Well Temperature 120 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>2121</u>	P.S.I.	<u>11:08</u>	<u> </u>
B First Initial Flow Pressure	<u>45</u>	P.S.I.	<u>30</u>	<u>30</u>
C First Final Flow Pressure	<u>47</u>	P.S.I.	<u>30</u>	<u>30</u>
D Initial Closed-in Pressure	<u>86</u>	P.S.I.	<u>30</u>	<u>30</u>
E Second Initial Flow Pressure	<u>52</u>	P.S.I.	<u>30</u>	<u>30</u>
F Second Final Flow Pressure	<u>52</u>	P.S.I.		
G Final Closed-in Pressure	<u>71</u>	P.S.I.		
H Final Hydrostatic Mud	<u>2121</u>	P.S.I.		

PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>6</u> Inc.		Breakdown: <u>10</u> Inc.		Breakdown: <u>6</u> Inc.		Breakdown: <u>10</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 0	<u>45</u>	0	<u>47</u>	0	<u>52</u>	0	<u>52</u>
P 2 5	<u>45</u>	3	<u>51</u>	5	<u> </u>	3	<u>54</u>
P 3 10	<u>45</u>	6	<u>54</u>	10	<u> </u>	6	<u>56</u>
P 4 15	<u>45</u>	9	<u>58</u>	15	<u> </u>	9	<u>58</u>
P 5 20	<u>45</u>	12	<u>61</u>	20	<u> </u>	12	<u>60</u>
P 6 25	<u>46</u>	15	<u>66</u>	25	<u> </u>	15	<u>62</u>
P 7 30	<u>47</u>	18	<u>70</u>	30	<u>52</u>	18	<u>64</u>
P 8 35	<u> </u>	21	<u>74</u>	35	<u> </u>	21	<u>66</u>
P 9 40	<u> </u>	24	<u>78</u>	40	<u> </u>	24	<u>68</u>
P10 45	<u> </u>	27	<u>82</u>	45	<u> </u>	27	<u>70</u>
P11 50	<u> </u>	30	<u>86</u>	50	<u> </u>	30	<u>71</u>
P12 55	<u> </u>	33	<u> </u>	55	<u> </u>	33	<u> </u>
P13 60	<u> </u>	36	<u> </u>	60	<u> </u>	36	<u> </u>
P14	<u> </u>	39	<u> </u>	65	<u> </u>	39	<u> </u>
P15	<u> </u>	42	<u> </u>	70	<u> </u>	42	<u> </u>
P16	<u> </u>	45	<u> </u>	75	<u> </u>	45	<u> </u>
P17	<u> </u>	48	<u> </u>	80	<u> </u>	48	<u> </u>
P18	<u> </u>	51	<u> </u>	85	<u> </u>	51	<u> </u>
P19	<u> </u>	54	<u> </u>	90	<u> </u>	54	<u> </u>
P20	<u> </u>	57	<u> </u>		<u> </u>	57	<u> </u>
	<u> </u>	60	<u> </u>		<u> </u>	60	<u> </u>

1565

DST #2

TKT # 18338
I



Company H-30, Inc./William N. Bucklin III Lease & Well No. #1 Stumph
Elevation ---- Formation Massey Effective Pay ---- Ft. Ticket No. 18338
Date 12/ 5 /82 Sec. 24 Twp. 30S Range 13W County Barber State Kansas
Test Approved by Terry McLeod Western Representative Jeff Piotrowski

Formation Test No. 2 Interval Tested from 4266 ft. to 4315 ft. Total Depth 4315 ft.

Packer Depth 4261 ft. Size 6 3/4 in. Packer Depth -- ft. Size - in.

Packer Depth 4266 ft. Size 6 3/4 in. Packer Depth -- ft. Size - in.

Depth of Selective Zone Set -

Top Recorder Depth (Inside) 4305 ft. Recorder Number 1565 Cap. 4900

Bottom Recorder Depth (Outside) 4308 ft. Recorder Number 6074 Cap. 5100

Below Straddle Recorder Depth --- ft. Recorder Number - Cap. -

Drilling Contractor H-30 Drlg. Rig #77 Drill Collar Length 480 I. D. 2.2 in.

Mud Type drispac Viscosity 56 Weight Pipe Length - I. D. - in.

Weight 10.0 Water Loss 6.0 cc. Drill Pipe Length 3764 I. D. 3.8 in.

Chlorides 24,000 P.P.M. Test Tool Length 22 ft. Tool Size 5 1/2 OD in.

Jars: Make - Serial Number - Anchor Length 49 ft. Size 5 1/2 OD in.

Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 X 1 1/2 in.

Blow: Weak throughout initial flow period. No blow on final flow period.

Recovered 30 ft. of mud

Recovered - ft. of -

Recovered - ft. of -

Recovered - ft. of -

Recovered - ft. of -

Remarks: -

Time Set Packer(s) 11:00 ~~A.M.~~ P.M. Time Started Off Bottom 1:00 ~~A.M.~~ P.M. Maximum Temperature 120°

Initial Hydrostatic Pressure (A) 2121 P.S.I.

Initial Flow Period Minutes 30 (B) 45 P.S.I. to (C) 47 P.S.I.

Initial Closed In Period Minutes 30 (D) 86 P.S.I.

Final Flow Period Minutes 30 (E) 52 P.S.I. to (F) 52 P.S.I.

Final Closed In Period Minutes 30 (G) 71 P.S.I.

Final Hydrostatic Pressure (H) 2121 P.S.I.

WESTERN TESTING CO., INC.

Pressure Data

Date 12/5/82 Test Ticket No. 18338
 Recorder No. 1565 Capacity 4900 Location 4305 Ft.
 Clock No. --- Elevation --- Well Temperature 120 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	2121	P.S.I.	11:00P	M
B First Initial Flow Pressure	45	P.S.I.	30	Mins. 30
C First Final Flow Pressure	47	P.S.I.	30	Mins. 30
D Initial Closed-in Pressure	86	P.S.I.	30	Mins. 30
E Second Initial Flow Pressure	52	P.S.I.	30	Mins. 30
F Second Final Flow Pressure	52	P.S.I.		
G Final Closed-in Pressure	71	P.S.I.		
H Final Hydrostatic Mud	2121	P.S.I.		

PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>6</u> Inc.		Breakdown: <u>10</u> Inc.		Breakdown: <u>6</u> Inc.		Breakdown: <u>10</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 <u>0</u>	<u>45</u>	<u>0</u>	<u>47</u>	<u>0</u>	<u>52</u>	<u>0</u>	<u>52</u>
P 2 <u>5</u>	<u>45</u>	<u>3</u>	<u>51</u>	<u>5</u>	<u>52</u>	<u>3</u>	<u>54</u>
P 3 <u>10</u>	<u>45</u>	<u>6</u>	<u>54</u>	<u>10</u>	<u>52</u>	<u>6</u>	<u>56</u>
P 4 <u>15</u>	<u>45</u>	<u>9</u>	<u>58</u>	<u>15</u>	<u>52</u>	<u>9</u>	<u>58</u>
P 5 <u>20</u>	<u>45</u>	<u>12</u>	<u>61</u>	<u>20</u>	<u>52</u>	<u>12</u>	<u>60</u>
P 6 <u>25</u>	<u>46</u>	<u>15</u>	<u>66</u>	<u>25</u>	<u>52</u>	<u>15</u>	<u>62</u>
P 7 <u>30</u>	<u>47</u>	<u>18</u>	<u>70</u>	<u>30</u>	<u>52</u>	<u>18</u>	<u>64</u>
P 8		<u>21</u>	<u>74</u>			<u>21</u>	<u>66</u>
P 9		<u>24</u>	<u>78</u>			<u>24</u>	<u>68</u>
P10		<u>27</u>	<u>82</u>			<u>27</u>	<u>70</u>
P11		<u>30</u>	<u>86</u>			<u>30</u>	<u>71</u>
P12							
P13							
P14							
P15							
P16							
P17							
P18							
P19							
P20							