

DRILL STEM TEST REPORT

Prepared For: **CMX Inc**

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

8 30S 14W Barber KS

Lenkner GU #2

Start Date: 2006.09.23 @ 20:34:27

End Date: 2006.09.24 @ 02:43:57

Job Ticket #: 25435 DST #: 1

15-007-23061

NW SW NE

1680 FNL 2240 FEL

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25435

DST#: 1

Test Start: 2006.09.23 @ 20:34:27

GENERAL INFORMATION:

Formation: **Tarkio/Bern**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 22:38:57

Time Test Ended: 02:43:57

Test Type: **Conventional Bottom Hole**

Tester: **Gerald Adams**

Unit No: **36**

Interval: **3234.00 ft (KB) To 3262.00 ft (KB) (TVD)**

Total Depth: **3262.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **1927.00 ft (KB)**

1916.00 ft (CF)

KB to GR/CF: **11.00 ft**

Serial #: **6798**

Inside

Press@RunDepth: **19.55 psig @ 3235.00 ft (KB)**

Start Date: **2006.09.23**

End Date:

2006.09.24

Start Time: **20:34:32**

End Time:

02:43:56

Capacity: **7000.00 psig**

Last Calib.: **2006.09.24**

Time On Btm: **2006.09.23 @ 22:38:27**


Time Off Btm: **2006.09.24 @ 00:39:27**

TEST COMMENT: IF Weak blow Built to 1 3/4 " decreased to 1 1/4 "

ISI No blow

FF No blow

FSI No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1473.47	88.56	Initial Hydro-static
1	15.69	88.39	Open To Flow (1)
32	18.45	89.63	Shut-In (1)
61	32.34	90.41	End Shut-In (1)
62	18.88	90.47	Open To Flow (2)
90	19.55	91.02	Shut-In (2)
121	26.76	91.78	End Shut-In (2)
121	1453.39	93.38	Final Hydro-static

Recovery

Length (R)	Description	Volume (bbl)
15.00	SGCM 2%G 98%M	0.21
0.00		0.00

Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25435

DST#: 1

Test Start: 2006.09.23 @ 20:34:27

Tool Information

Drill Pipe:	Length: 3228.00 ft	Diameter: 3.80 inches	Volume: 45.28 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			Total Volume: 45.28 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	17.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3234.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	28.00 ft			
Tool Length:	51.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			3216.00	
Hydraulic tool	5.00			3221.00	
Safety Joint	3.00			3224.00	
Packer	5.00			3229.00	23.00 Bottom Of Top Packer
Packer	5.00			3234.00	
Stubb	1.00			3235.00	
Recorder	0.00	6798	Inside	3235.00	
Perforations	24.00			3259.00	
Recorder	0.00	13249	Outside	3259.00	
Bullnose	3.00			3262.00	28.00 Bottom Packers & Anchor
Total Tool Length:	51.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

CMX Inc

Lenkner GU #2

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

8 30S 14W Barber KS

Job Ticket: 25435

DST#: 1

ATTN: Ken LeBlanc

Test Start: 2006.09.23 @ 20:34:27

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 60.00 sec/qt

Cushion Volume:

bbl

Water Loss: 11.18 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3800.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	SGCM 2%G 98%M	0.210
0.00		0.000

Total Length: 15.00 ft

Total Volume: 0.210 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #: none


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **CMX Inc**

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

8 30S 14W Barber KS

Lenkner GU #2

Start Date: 2006.09.26 @ 03:19:21

End Date: 2006.09.26 @ 11:25:51

Job Ticket #: 25436 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

CMX Inc

Lenkner GU #2

8 30S 14W Barber KS

DST # 2

Lansing "B"

2006.09.26



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25436

DST#: 2

Test Start: 2006.09.26 @ 03:19:21

GENERAL INFORMATION:

Formation: **Lansing "B"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 05:44:21

Time Test Ended: 11:25:51

Test Type: Conventional Bottom Hole

Tester: Gerald Adams

Unit No: 36

Interval: **4036.00 ft (KB) To 4050.00 ft (KB) (TVD)**

Total Depth: 4050.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1927.00 ft (KB)

1916.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 6798

Inside

Press@RunDepth: 127.31 psig @ 4037.00 ft (KB)

Start Date: 2006.09.26

End Date:

2006.09.26

Capacity: 7000.00 psig

Last Calib.: 2006.09.26

Start Time: 03:19:26


End Time:

11:25:50

Time On Btm: 2006.09.26 @ 05:43:51

Time Off Btm: 2006.09.26 @ 09:14:20

TEST COMMENT: IF Tool opened packers did not seat Pulled loose filled hole tried again w/more weight Strong blow BOB immediately decreased to 5 "
ISI Weak blow Built to 1 1/4 " Dead in 35 mins.
FF Strong blow BOB



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1929.19	112.48	Initial Hydro-static
1	110.13	111.90	Open To Flow (1)
30	115.78	111.10	Shut-In (1)
90	896.86	112.34	End Shut-In (1)
92	116.78	109.67	Open To Flow (2)
150	127.31	113.13	Shut-In (2)
210	764.21	113.76	End Shut-In (2)
211	1889.22	114.04	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
130.00	SGCM 4%G 96%M	1.82
125.00	HG&OCM 40%G 10%O 50%M	1.75
0.00	865' GIP	0.00
0.00		0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25436

DST#: 2

Test Start: 2006.09.26 @ 03:19:21

Tool Information

Drill Pipe:	Length: 4040.00 ft	Diameter: 3.80 inches	Volume: 56.67 bbl	Tool Weight:	2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	60000.00 lb
		Total Volume:	56.67 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial	50000.00 lb
Depth to Top Packer:	4036.00 ft			Final	53000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	14.00 ft				
Tool Length:	37.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4018.00	
Hydraulic tool	5.00			4023.00	
Safety Joint	3.00			4026.00	
Packer	5.00			4031.00	23.00 Bottom Of Top Packer
Packer	5.00			4036.00	
Stubb	1.00			4037.00	
Recorder	0.00	6798	Inside	4037.00	
Perforations	10.00			4047.00	
Recorder	0.00	13249	Outside	4047.00	
Bullnose	3.00			4050.00	14.00 Bottom Packers & Anchor
Total Tool Length:	37.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

CMX Inc

Lenkner GU #2

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

8 30S 14W Barber KS

Job Ticket: 25436

DST#: 2

ATTN: Ken LeBlanc

Test Start: 2006.09.26 @ 03:19:21

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 11.18 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 6300.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
130.00	SGCM 4%G 96%M	1.824
125.00	HG&OCM 40%G 10%O 50%M	1.753
0.00	865' GIP	0.000
0.00		0.000

Total Length: 255.00 ft

Total Volume: 3.577 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:





DRILL STEM TEST REPORT

Prepared For: **CMX Inc**

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

8 30S 14W Barber KS

Lenkner GU #2

Start Date: 2006.09.27 @ 00:22:18

End Date: 2006.09.27 @ 08:10:48

Job Ticket #: 25437 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25437

DST#: 3

Test Start: 2006.09.27 @ 00:22:18

GENERAL INFORMATION:

Formation: K.C.- Drum

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:44:48

Time Test Ended: 08:10:48

Test Type: Conventional Bottom Hole

Tester: Gerald Adams

Unit No: 36

Interval: 4180.00 ft (KB) To 4195.00 ft (KB) (TVD)

Total Depth: 4195.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1927.00 ft (KB)

1916.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 6798

Inside

Press@RunDepth: 22.00 psig @ 4181.00 ft (KB)

Start Date: 2006.09.27

End Date:

2006.09.27

Start Time: 00:22:23

End Time:

08:10:47


Capacity: 7000.00 psig

Last Calib.: 2006.09.27

Time On Btm: 2006.09.27 @ 02:43:18

Time Off Btm: 2006.09.27 @ 06:13:47

TEST COMMENT: IF Strong blow BOB in 4 1/2 mins. Decreased to 8 "
ISI No blow
FF Strong blow BOB in 10 secs. Decreased to 2 "
FSI No blow



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2041.63	110.31	Initial Hydro-static
2	12.84	110.71	Open To Flow (1)
46	16.70	111.42	Shut-In (1)
106	240.42	112.90	End Shut-In (1)
107	18.94	112.89	Open To Flow (2)
151	22.00	113.32	Shut-In (2)
210	174.53	114.08	End Shut-In (2)
211	1951.92	115.23	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
40.00	GCMw/Oil scum 10%G 90%M	0.56
0.00	830' GIP	0.00
0.00		0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25437

DST#: 3

Test Start: 2006.09.27 @ 00:22:18

Tool Information

Drill Pipe:	Length: 4166.00 ft	Diameter: 3.80 inches	Volume: 58.44 bbl	Tool Weight:	2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	60000.00 lb
			Total Volume: 58.44 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial	52000.00 lb
Depth to Top Packer:	4180.00 ft			Final	53000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	15.00 ft				
Tool Length:	38.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			
Tool Comments:					

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4162.00	
Hydraulic tool	5.00			4167.00	
Safety Joint	3.00			4170.00	
Packer	5.00			4175.00	23.00 Bottom Of Top Packer
Packer	5.00			4180.00	
Stubb	1.00			4181.00	
Recorder	0.00	6798	Inside	4181.00	
Perforations	11.00			4192.00	
Recorder	0.00	13249	Outside	4192.00	
Bullnose	3.00			4195.00	15.00 Bottom Packers & Anchor
Total Tool Length:	38.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

CMX Inc

Lenkner GU #2

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

8 30S 14W Barber KS

Job Ticket: 25437

DST#: 3

ATTN: Ken LeBlanc

Test Start: 2006.09.27 @ 00:22:18

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 14.19 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 10000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
40.00	GCMw/Oil scum 10%G 90%M	0.561
0.00	830' GP	0.000
0.00		0.000

Total Length: 40.00 ft

Total Volume: 0.561 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #: none


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **CMX Inc**

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

8 30S 14W Barber KS

Lenkner GU #2

Start Date: 2006.09.28 @ 14:36:37

End Date: 2006.09.28 @ 22:53:37

Job Ticket #: 25438 DST #: 4

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25438

DST#: 4

Test Start: 2006.09.28 @ 14:36:37

GENERAL INFORMATION:

Formation: **Cong.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:41:37

Time Test Ended: 22:53:37

Test Type: Conventional Bottom Hole

Tester: Gerald Adams

Unit No: 36

Interval: **4465.00 ft (KB) To 4495.00 ft (KB) (TVD)**

Total Depth: 3262.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1927.00 ft (KB)

1916.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 6798

Inside

Press@RunDepth: 1453.79 psig @ 4466.00 ft (KB)

Start Date: 2006.09.28

End Date:

2006.09.28

Start Time: 14:36:42

End Time:

22:53:36


Capacity: 7000.00 psig

Last Calib.: 2006.09.28

Time On Btm: 2006.09.28 @ 16:40:37

Time Off Btm: 2006.09.28 @ 20:10:06

TEST COMMENT: IF Strong blow BOB in 30 secs.
ISI Fair blow Built to 8 "
FF Strong blow BOB in 45 secs. Decreased to 4 "
FSI No blow



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2191.78	111.79	Initial Hydro-static
1	337.61	121.50	Open To Flow (1)
31	1217.24	125.00	Shut-In(1)
90	1455.94	121.84	End Shut-In(1)
91	1247.67	122.72	Open To Flow (2)
150	1453.79	123.72	Shut-In(2)
209	1462.21	122.56	End Shut-In(2)
210	2095.04	122.64	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
3100.00	Muddy Saltwater 90%W 10%M	43.48
0.00	RW= .082 @ 64 deg. 105000 ppm	0.00
0.00		0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25438

DST#: 4

Test Start: 2006.09.28 @ 14:36:37

Tool Information

Drill Pipe:	Length: 4451.00 ft	Diameter: 3.80 inches	Volume: 62.44 bbl	Tool Weight:	2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	80000.00 lb
			Total Volume: 62.44 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial	57000.00 lb
Depth to Top Packer:	4465.00 ft			Final	70000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	30.00 ft				
Tool Length:	53.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			4447.00	
Hydraulic tool	5.00			4452.00	
Safety Joint	3.00			4455.00	
Packer	5.00			4460.00	23.00 Bottom Of Top Packer
Packer	5.00			4465.00	
Stubb	1.00			4466.00	
Recorder	0.00	6798	Inside	4466.00	
Perforations	26.00			4492.00	
Recorder	0.00	13249	Outside	4492.00	
Bullnose	3.00			4495.00	30.00 Bottom Packers & Anchor
Total Tool Length:	53.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

CMX Inc

1551 N Waterfront Parkway Ste #150
Wichita KS 67206

ATTN: Ken LeBlanc

Lenkner GU #2

8 30S 14W Barber KS

Job Ticket: 25438

DST#: 4

Test Start: 2006.09.28 @ 14:36:37

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 44.00 sec/qt

Water Loss: 11.99 in³

Resistivity: 0.00 ohm.m

Salinity: 8200.00 ppm

Filter Cake: 0.02 inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
3100.00	Muddy Saltwater 90%W 10%M	43.485
0.00	RW= .082 @ 64 deg. 105000 ppm	0.000
0.00		0.000

Total Length: 3100.00 ft Total Volume: 43.485 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

