

F.G. Hall Oil Co.
Staats Trust 1-15

15-30-14w
15-007-22941

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530
(316) 792-6902

Date 10-31-05 Location 15-30 -14 Elevation 1885 County Barber
Company FG Hall Company LLC 9431 E Central St #100 Wichita KS 67206 Number of Copies 5
Charts Mailed to Bill Rec
Drilling Contractor Bill Rec
Length Drill Pipe 2828 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 X 4
Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____
Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____
Top Packer Depth 2849 Bottom Packer Depth 2854 Number of Packers 2 Packer Size 6 3/4
TESTED FROM 2854 TO 2874 ANCHOR LENGTH 20 TOTAL DEPTH 2874 Hole Size 2 7/8
LEASE & WELL NO. Staats Trust 1-15 FORMATION TESTED New TEST NO. 1
Mud Weight 9.5 Viscosity 41 Water Loss 8.8 Chlorides - Pits 1680 D.S.T. 1
Maximum Temp. 92 °F Initial Hydrostatic Pressure (A) 1601 P.S.I. Final Hydrostatic Pressure (H) 1464 P.S.I.
Tool Open I.F.P. from 11:18 A.m. to 11:33 A.m. 15 min
Tool Closed I.C.I.P. from 11:33 A.m. to 12:03 A.m. 30 min
Tool Open F.F.P. from 12:03 P.m. to 12:18 P.m. 15 min
Tool Closed F.C.I.P. from 12:18 P.m. to 12:48 P.m. 30 min
Initial Blow Weak Blow 1 1/2 inch into Bucket in 15 min
Final Blow NO Bbw
Total Feet Recovered 10 feet mud Gravity of Oil _____ Corrected _____

from [B] <u>30</u>	P.S.I. to [C] <u>28</u>	P.S.I.
[D] <u>40</u>		P.S.I.
from [E] <u>29</u>	P.S.I. to [F] <u>27</u>	P.S.I.
[G] <u>35</u>		P.S.I.

_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____ Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____

Remarks _____

Extra Equipment - Jars Yes Safety Joint Yes Extra Packer _____ Straddle _____ Hook Wall _____
Top Recorder No. 4628 Clock No. Electronic Depth 2870 Cir. Sub _____ Sampler _____
Bottom Recorder No. 3088 Clock No. 47441 Depth 2871 Insurance _____

Price of Job _____
Tool Operator Amf Schurz
Approved By _____

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

NO 14647

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
TWP. 30 RGE. 14

Lease & Well No. STAATS TRUST 1-15

Test #: 1 Date: 10-31-05 SEC. 15

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1601
2	Initial Flow Pressure	30
3	Final Initial Flow Pressure	28
4	Initial Shut-In Pressure	40
5	Initial Final Flow Pressure	29
6	Final Flow Pressure	27
7	Final Shut-In Pressure	35
8	Final Hydrostatic Pressure	1464

Maximum Temperature 92

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY LLC

TEST DATE 10/31/05

SECTION-TOWN-RANGE 15-30W-14S

STATE KANSAS

COUNTY BARBER

ELEVATION GROUND LEVEL 1885

COMPANY REPRESENTATIVE BILL REE

LEASE AND WELL NUMBER STAATS TRUST 1-15

FORMATION TESTED NEVA

DRILL STEM TEST NUMBER 1

REPORT NUMBER 14647

ELEVATION KELLY BUSHINGS 1893

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 2854

TEST INTERVAL (to) 2874

ANCHOR LENGTH 20

TOTAL DEPTH (ft) 2874

TOP PACKER DEPTH 2849

BOTTOM PACKER DEPTH 2854

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 11:18A

INITIAL OPEN TOOL OPEN (to) 11:33A

DURATION (min.) 15

TOOL OPEN (from) 12:03P

FINAL OPEN TOOL OPEN (to) 12:18P

DURATION (min.) 15

TOOL CLOSED (from) 11:33A

INITIAL SHUT-IN TOOL CLOSED (to) 12:03P

DURATION (min.) 30

TOOL CLOSED (from) 12:18P

FINAL SHUT-IN TOOL CLOSED (to) 12:48P

DURATION (min.) 30

INITIAL FLOW

WEAK BLOW 1 1/2 INCH INTO BUCKET IN 15 MIN

FINAL FLOW

NO BLOW FOR 15 MIN

FEET OF	RECOVERY	%	%	%	%
Recovery	DESCRIPTION	GAS	OIL	MUD	WATER
1) 10	MUD				
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY LLC	LEASE AND WELL NUMBER	STAATS TRUST 1-15
TEST DATE	10/31/05	FORMATION TESTED	NEVA
SECTION-TOWN-RANGE	15-30W-14S	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	14647
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1893
ELEVATION GROUND LEVEL	1885	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	142 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	2870	BOTTOM RECORDER DEPTH	2871
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING COMPANY RIG #1		
DRILL PIPE LENGTH	2828	DRILL COLLAR LENGTH	
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.5
WEIGHT PIPE I.D.	2.25	VISCOSITY	41
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	8.8
		CHLORIDES-PITS	1680
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



10/31/2005

15-30W-14S

STAATS TRUST 1-15

FG HOLL COMPANY LLC

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-3-05 Location 15 30s 14w Elevation 1885 County Barber

Company F.G. Holl Company LLC Number of Copies 5

Charts Mailed to 9431 E Central St #100 Wichita Ks 67206

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 3877 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 x H

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 3898 Bottom Packer Depth 3903 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 3903 TO 4025 ANCHOR LENGTH 122 TOTAL DEPTH 4025 Hole Size 7 7/8

LEASE & WELL NO. Staats Trust #1-15 FORMATION TESTED Dgls / Organic Sand TEST NO. 2

Mud Weight 9.4 Viscosity 44 Water Loss 13.4 Chlorides - Pits 7000 D.S.T. _____

Maximum Temp. 104 °F Initial Hydrostatic Pressure (A) 2077 P.S.I. Final Hydrostatic Pressure (H) 2019 P.S.I.

Tool Open I.F.P. from 10:50 a.m. to 11:05 m 15 min

Tool Closed I.C.I.P. from 11:05 a.m. to 11:35 m 30 min

Tool Open F.F.P. from 11:35 a.m. to 11:50 m 15 min

Tool Closed F.C.I.P. from 11:50 a.m. to 12:20 p.m. 30 min

Initial Blow Weak Surface Blow, made 3 inches into Bucket in 15 min 15 min

Final Blow Weak Surface Blow, made 4 inches into Bucket in 15 min 15 min

Total Feet Recovered 50 Gravity of Oil _____ Corrected

50 Feet of Mud % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars yes Safety Joint yes Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 4005 Clock No. Elect Depth 4021 Cir. Sub _____ Sampler NO

Bottom Recorder No. 5463 Clock No. 47441 Depth 4022 Insurance _____

Price of Job 5200

Tool Operator Leonard Ramsey

Approved By _____

NO 14104

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G. HOLL LLC Lease & Well No. STAATS TRUST 1-15 Test #: 2 Date: 11/03/05 SEC. 15 TWP. 30S RGE. 14 W

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	2077
2	Initial Flow Pressure	73
3	Final Initial Flow Pressure	78
4	Initial Shut-In Pressure	1487
5	Initial Final Flow Pressure	83
6	Final Flow Pressure	89
7	Final Shut-In Pressure	1431
8	Final Hydrostatic Pressure	2019

Maximum Temperature 104

GENERAL INFORMATION

COMPANY NAME F.G. HOLL LLC

TEST DATE 11/3/05

SECTION-TOWN-RANGE 15 30S 14W

STATE KANSAS

COUNTY BARBER

ELEVATION GROUND LEVEL 1934

COMPANY REPRESENTATIVE BILL REE

LEASE AND WELL NUMBER STAATS TRUST #1-15

FORMATION TESTED DOUGLAS/TOGANOXY

DRILL STEM TEST NUMBER #2

REPORT NUMBER 14104

ELEVATION KELLY BUSHINGS 1945

TESTING ENGINEER LEONARD RAMSEY

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3903

TEST INTERVAL (to) 4025

ANCHOR LENGTH 122

TOTAL DEPTH (ft) 4025

TOP PACKER DEPTH 3898

BOTTOM PACKER DEPTH 3903

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 10:50

INITIAL OPEN

TOOL OPEN (to) 11:05

DURATION (min.) 15MIN

TOOL OPEN (from) 11:35

FINAL OPEN

TOOL OPEN (to) 11:50

DURATION (min.) 15MIN

TOOL CLOSED (from) 11:05

INITIAL SHUT-IN

TOOL CLOSED (to) 11:35

DURATION (min.) 30MIN

TOOL CLOSED (from) 11:50

FINAL SHUT-IN

TOOL CLOSED (to) 12:20P

DURATION (min.) 30MIN

INITIAL FLOW

WEAK SURFACE BLOW BUILT TO 3 INCHES INTO THE BUCKET IN 15 MIN 15MIN

FINAL FLOW

WEAK SURFACE BLOW, BUILT TO 4 INCHES INTO THE BUCKET IN 15MIN 15 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 50	MUD				
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST #1-15
TEST DATE	11/3/05	FORMATION TESTED	DOUGLAS/TOGANOXY SAN
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	#2
STATE	KANSAS	REPORT NUMBER	14104
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	180 MILES ROUND TRIP FROM	GREAT BEND KS	
TOP RECORDER DEPTH	4021	BOTTOM RECORDER DEPTH	4022
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3877	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.4
WEIGHT PIPE I.D.	2.25	VISCOSITY	44
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	13.4
		CHLORIDES-PITS	7000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-4-05 Location 15 30s 14w Elevation 1934 County Barber

Company F.G. Hall LLC. Number of Copies 5

Charts Mailed to 9431 E Central St #100 Wichita KS 67206

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 4069 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 X H

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 4090 Bottom Packer Depth 4095 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 4095 TO 4050 ANCHOR LENGTH 55 TOTAL DEPTH 4150 Hole Size 7 7/8

LEASE & WELL NO. STAA TS TRUST #1-15 FORMATION TESTED KANSAS CITY A.C.C. TEST NO. 3

Mud Weight 95 Viscosity 46 Water Loss 12.4 Chlorides - Pits 12,000 D.S.T. _____

Maximum Temp. 109 °F Initial Hydrostatic Pressure (A) 2075 P.S.I. Final Hydrostatic Pressure (H) 2023 P.S.I.

Tool Open I.F.P. from 6:50 A m to 6:55 A m 5 min

Tool Closed I.C.I.P. from 6:55 A m to 7:55 A m 60 min

Tool Open F.F.P. from 7:55 A m to 8:40 A m 45 min

Tool Closed F.C.I.P. from 8:40 A m to 10:10 A m 90 min

Initial Blow Fair Surface Blow, Blew off Bottom of Bucket in 3mins 5min

Final Blow Strong Blow To the Bottom of Bucket as soon as tool opened 45

Total Feet Recovered 70 w (300 ft gas in pipe) Gravity of Oil _____ Corrected _____

70 Feet of Oil Cut mud % Gas _____ % Oil _____ % Mud _____ % Water _____

70 Feet of Slightly Oil Cut mud % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NO Safety Joint NO Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 4021 Clock No. Elect. Depth 4146 Cir. Sub NO Sampler NO

Bottom Recorder No. 91991 Clock No. 47441 Depth 4147 Insurance _____

Price of Job _____

Tool Operator Genard Ramsey

Approved By _____

NO 14105


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	2075
2	Initial Flow Pressure	36
3	Final Initial Flow Pressure	37
4	Initial Shut-In Pressure	1432
5	Initial Final Flow Pressure	46
6	Final Flow Pressure	61
7	Final Shut-In Pressure	1382
8	Final Hydrostatic Pressure	2023

Maximum Temperature 109

GENERAL INFORMATION

COMPANY NAME F.G. HOLL LLC

TEST DATE 11/4/05

SECTION-TOWN-RANGE 15 30S 14W

STATE KANSAS

COUNTY BARBER

ELEVATION GROUND LEVEL 1934

COMPANY REPRESENTATIVE BILL REE

LEASE AND WELL NUMBER STAATS TRUST 1-15

FORMATION TESTED SIMPSON SAND

DRILL STEM TEST NUMBER #3

REPORT NUMBER 14105

ELEVATION KELLY BUSHINGS 1945

TESTING ENGINEER LEONARD RAMSEY

TOOL SETTING INFORMATION

TEST INTERVAL (From) 4095

TEST INTERVAL (to) 4150

ANCHOR LENGTH 55

TOTAL DEPTH (ft) 4150

TOP PACKER DEPTH 4090

BOTTOM PACKER DEPTH 4095

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 6:50A

INITIAL OPEN TOOL OPEN (to) 6:55

DURATION (min.) 5 MIN

TOOL OPEN (from) 7:55

FINAL OPEN TOOL OPEN (to) 8:40

DURATION (min.) 45MIN

TOOL CLOSED (from) 6:55

INITIAL SHUT-IN TOOL CLOSED (to) 7:55

DURATION (min.) 60MIN

TOOL CLOSED (from) 8:40

FINAL SHUT-IN TOOL CLOSED (to) 10:10A

DURATION (min.) 90MIN

INITIAL FLOW

FAIR SURFACE BLOW. BLEW OFF BOTTOM OF BUCKET IN 3MIN 5MIN

FINAL FLOW

STRONG BLOW TO BOTTOM OF BUCKET AS SOON AS TOOL OPENED 45MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 70	SLIGHTLY OIL CUT MUD				
2)					
3)	300 FT OF GAS IN PIPE				
4)					
5)					
6)					

Company: F.G. HOLL LLC Lease & Well No. STAATS TRUST1-15 Test #: 3 Date: 11/04/05 SEC. 15 TWP. 30S RGE. 14W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST 1-15
TEST DATE	11/4/05	FORMATION TESTED	SIMPSON SAND
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	#3
STATE	KANSAS	REPORT NUMBER	14105
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	180 MILES ROUND TRIP FROM	GREAT BEND KS	
TOP RECORDER DEPTH	4146	BOTTOM RECORDER DEPTH	4147
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG#1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	4069	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.5
WEIGHT PIPE I.D.	2.25	VISCOSITY	46
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	12000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



F.G. HOLL LLC STAATS TRUST #1-15 15 30S 14W 11/4/05

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-5-05 Location 15 30e 14 Elevation 1934 County Barber

Company F.G. Holl LLC Number of Copies 5

Charts Mailed to 9431 E Central St. 100 Wichita KS 67206

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 4153 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 H

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 4174 Bottom Packer Depth 4179 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 4179 TO 4196 ANCHOR LENGTH 17 TOTAL DEPTH 4196 Hole Size 7 7/8

LEASE & WELL NO. Staats Trust 1-15 FORMATION TESTED Kansas City E-F TEST NO. 4

Mud Weight 9.5 Viscosity 46 Water Loss 12.5 Chlorides - Pits 1200 D.S.T. _____

Maximum Temp. 110 °F Initial Hydrostatic Pressure (A) 2121 P.S.I. Final Hydrostatic Pressure (H) 2016 P.S.I.

Tool Open I.F.P. from 1:00 a.m. to 1:30 a.m. 30 min

Tool Closed I.C.I.P. from 1:30 a.m. to 2:30 a.m. 60 min

Tool Open F.F.P. from 2:30 a.m. to 3:00 a.m. 30 min

Tool Closed F.C.I.P. from 3:00 a.m. to 4:00 a.m. 60 min

Initial Blow Fair Surface Blow, Built to 8 inches into Bucker in 30 min

Final Blow Fair Surface Blow, Built to 6 inches into Bucker in 30 min

Total Feet Recovered 70 Gravity of Oil _____ Corrected

70 Feet of Slightly Oil Cut Mud % Gas 1 % Oil 99 % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NO Safety Joint NO Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 4005 Clock No. Elect Depth 4192 Cir. Sub NO Sampler NO

Bottom Recorder No. 5463 Clock No. _____ Depth 4193 Insurance _____

Price of Job _____

Tool Operator General Ramsey

Approved By No 14106

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G. HOLL LLC

Lease & Well No. STAATS TRUST 1-15 Test #: 4 Date: 11/5/05 SEC. 15 TWP. 30W RGE.

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	2121
2	Initial Flow Pressure	23
3	Final Initial Flow Pressure	34
4	Initial Shut-In Pressure	1417
5	Initial Final Flow Pressure	34
6	Final Flow Pressure	52
7	Final Shut-In Pressure	1353
8	Final Hydrostatic Pressure	2016

Maximum Temperature 110

GENERAL INFORMATION

COMPANY NAME F.G. HOLL LLC

TEST DATE 11/5/05

SECTION-TOWN-RANGE 15 30S 14W

STATE KANSAS

COUNTY BARBER

ELEVATION GROUND LEVEL 1934

COMPANY REPRESENTATIVE BILL REE

LEASE AND WELL NUMBER STAATS TRUST 1-15

FORMATION TESTED

DRILL STEM TEST NUMBER 4

REPORT NUMBER 14106

ELEVATION KELLY BUSHINGS 1945

TESTING ENGINEER LEONARD RAMSEY

TOOL SETTING INFORMATION

TEST INTERVAL (From) 4179

TEST INTERVAL (to) 4196

ANCHOR LENGTH 17

TOTAL DEPTH (ft) 4196

TOP PACKER DEPTH 4174

BOTTOM PACKER DEPTH 4179

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 1:00A

INITIAL OPEN TOOL OPEN (to) 1:30A

DURATION (min.) 30MIN

TOOL OPEN (from) 2:30

FINAL OPEN TOOL OPEN (to) 3:00

DURATION (min.) 30MIN

TOOL CLOSED (from) 1:30A

INITIAL SHUT-IN TOOL CLOSED (to) 2:30

DURATION (min.) 60MIN

TOOL CLOSED (from) 3:00

FINAL SHUT-IN TOOL CLOSED (to) 4:00A

DURATION (min.) 60MIN

INITIAL FLOW

FAIR SURFACE BLOW BUILT TO 8 INCHES INTO BUCKET IN 30 MIN 30MIN

FINAL FLOW

FAIR SURFACE BLOW BUILT TO 6 INCHES INTO BUCKET IN 30 MIN 30 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 70	SLIGHTLY OIL CUT MUD				
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST 1-15
TEST DATE	11/5/05	FORMATION TESTED	
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	4
STATE	KANSAS	REPORT NUMBER	14106
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	180 MILES ROUND TRIP FROM		GREAT BEND KS
TOP RECORDER DEPTH	4192	BOTTOM RECORDER DEPTH	4193
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG 1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	4153	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT	9.5
WEIGHT PIPE I.D.	2.25	VISCOSITY	46
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	12000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



11/5/05

15 30S 14W

STAATS TRUST 1-15

F.G. HOLL LLC

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-6-05 Location 15 30s 14w Elevation 1934 County Barber

Company F. G. Hall LLC Number of Copies 5

Charts Mailed to 9431 E Central ST #100 Wichita KS 67206

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 4484 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 x H

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 4505 Bottom Packer Depth 4510 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 4510 TO 4628 ANCHOR LENGTH 118 TOTAL DEPTH 4628 Hole Size 7 7/8

LEASE & WELL NO STAGTS Trv ST #1-15 FORMATION TESTED VIOLS TEST NO. 5

Mud Weight 9.3 Viscosity 51 Water Loss 12.4 Chlorides - Pits 11000 D.S.T. _____

Maximum Temp. 116 °F Initial Hydrostatic Pressure (A) 2292 P.S.I. Final Hydrostatic Pressure (H) 2262 P.S.I.

Tool Open I.F.P. from 1220 m to 1250 m 30 min

Tool Closed I.C.I.P. from 1250 m to 2:50 m 60 min

Tool Open F.F.P. from 2:50 m to 2:50 m 60 min

Tool Closed F.C.I.P. from 2:50 m to 3:20 m 90 min

Initial Blow Weak Surface Blow, Never Blew More Than one inch into Butler 30m

Final Blow Weak Surface Blow, 10min

Total Feet Recovered 15 Gravity of Oil _____ Corrected _____

15 Feet of Watery Mud / Water or mud % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NO Safety Joint NO Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 4005 Clock No. ELECT Depth 4622 Cir. Sub NO Sampler NO

Bottom Recorder No. 5463 Clock No. 47441 Depth 4623 Insurance _____

Price of Job _____

Tool Operator Gerard Rans

Approved By _____

NO 14107


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	2292
2	Initial Flow Pressure	70
3	Final Initial Flow Pressure	77
4	Initial Shut-In Pressure	108
5	Initial Final Flow Pressure	71
6	Final Flow Pressure	77
7	Final Shut-In Pressure	84
8	Final Hydrostatic Pressure	2262

Maximum Temperature 116

GENERAL INFORMATION

COMPANY NAME	 F.G. HOLL LLC	LEASE AND WELL NUMBER	 STAATS TRUST 1-15
TEST DATE	 11/6/05	FORMATION TESTED	 VIOLA
SECTION-TOWN-RANGE	 15 30S 14W	DRILL STEM TEST NUMBER	 5
STATE	 KANSAS	REPORT NUMBER	 14107
COUNTY	 BARBER	ELEVATION KELLY BUSHINGS	 1945
ELEVATION GROUND LEVEL	 1934	TESTING ENGINEER	 LEONARD RAMSEY
COMPANY REPRESENTATIVE	 BILL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	 4510	TOP PACKER DEPTH	 4505
TEST INTERVAL (to)	 4628	BOTTOM PACKER DEPTH	 4510
ANCHOR LENGTH	 118	NUMBER OF PACKERS	 2
TOTAL DEPTH (ft)	 4628	PACKER SIZE	 6 3/4
		HOLE SIZE	 7 7/8

FLOW TIMES

TOOL OPEN (from)	 12:20A	TOOL OPEN (from)	 1:50
INITIAL OPEN TOOL OPEN (to)	 12:50A	FINAL OPEN TOOL OPEN (to)	 2:50
DURATION (min.)	 30MIN	DURATION (min.)	 60MIN
TOOL CLOSED (from)	 12:50	TOOL CLOSED (from)	 2:50
INITIAL SHUT-IN TOOL CLOSED (to)	 1:50	FINAL SHUT-IN TOOL CLOSED (to)	 4:20A
DURATION (min.)	 60MIN	DURATION (min.)	 90 MIN

INITIAL FLOW

WEAK SURFACE BLOW NEVER MADE AN INCH INTO BUCKET 30MIN

FINAL FLOW

WEAK SURFACE BLOW NEVER MADE AN INCH INTO BUCKET 60 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 15	WATER CUT MUD				
2)					
3)					
4)					
5)					
6)					

Company: F.G. HOLL LLC Lease & Well No. STAATS TRUST#1-15 Test #: 5 Date: 11/6/05 SEC. 15 TWP. 30S RGE. 14W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST 1-15
TEST DATE	11/6/05	FORMATION TESTED	VIOLA
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	5
STATE	KANSAS	REPORT NUMBER	14107
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	180 MILES ROUND TRIP FROM	GREAT BEND KS	
TOP RECORDER DEPTH	4622	BOTTOM RECORDER DEPTH	4623
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	4484	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.3
WEIGHT PIPE I.D.	2.25	VISCOSITY	51
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	11000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11/7/05 Location 15 30s 14w Elevation 1934 County Barber

Company F.G. Holl LLC Number of Copies 5

Charts Mailed to 9431 E Central ST #100 Wichita Ks 67206

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 4607 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 x 1 1/2

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 4628 Bottom Packer Depth 4633 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 4633 TO 4644 ANCHOR LENGTH 11 TOTAL DEPTH 4644 Hole Size 7 7/8

LEASE & WELL NO. Staats Trust 1-15 FORMATION TESTED Simpson TEST NO. 6

Mud Weight 9.3 Viscosity 51 Water Loss 12.4 Chlorides - Pits 11,000 D.S.T. _____

Maximum Temp. 119 °F Initial Hydrostatic Pressure (A) 2300 P.S.I. Final Hydrostatic Pressure (H) 2247 P.S.I.

Tool Open I.F.P. from 9:30 m to 9:45 m 15 min

Tool Closed I.C.I.P. from 9:45 m to 10:15 m 30 min

Tool Open F.F.P. from 10:15 m to 10:30 m 15 min

Tool Closed F.C.I.P. from 10:30 m to 10:00 m 30 min

Initial Blow NO Blow 15 min

Final Blow NO Blow, Flushed Tool, Blew Three Bubbles, Then Quit / 5 min

Total Feet Recovered 60 Gravity of Oil _____ Corrected _____

60 Feet of Slightly Oil Speckled mud %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of Show of Oil Between Tools %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Feet of _____ %Gas _____ %Oil _____ %Mud _____ %Water _____

Remarks _____

Extra Equipment - Jars NO Safety Joint YES Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 4005 Clock No. ELECT Depth 4640 Cir. Sub _____ Sampler NO

Bottom Recorder No. 5463 Clock No. 47441 Depth 4641 Insurance _____

Price of Job _____

Tool Operator Donald Ramsey

Approved By _____

NO 14108

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G. HOLL LLC
RGE. 14W

Lease & Well No. STAATS TRUST #1-15

Test #: #6 Date: 11/7/05 SEC. 15 TWP. 30S



1	Initial Hydrostatic Pressure	2300
2	Initial Flow Pressure	21
3	Final Initial Flow Pressure	25
4	Initial Shut-In Pressure	1380
5	Initial Final Flow Pressure	27
6	Final Flow Pressure	30
7	Final Shut-In Pressure	1300
8	Final Hydrostatic Pressure	2247

Maximum Temperature 119

GENERAL INFORMATION

COMPANY NAME F.G. HOLL LLC		LEASE AND WELL NUMBER STAATS TRUST 1-15
TEST DATE 11/7/05	FORMATION TESTED SIMPSON	
SECTION-TOWN-RANGE 15 30S 14W	DRILL STEM TEST NUMBER #6	
STATE KANSAS	REPORT NUMBER 14108	
COUNTY BARBER	ELEVATION KELLY BUSHINGS 1945	
ELEVATION GROUND LEVEL 1934	TESTING ENGINEER LEONARD RAMSEY	
COMPANY REPRESENTATIVE BILL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From) 4633	TOP PACKER DEPTH 4628
TEST INTERVAL (to) 4644	BOTTOM PACKER DEPTH 4633
ANCHOR LENGTH 11	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 4644	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 9:30	TOOL OPEN (from) 10:15
INITIAL OPEN TOOL OPEN (to) 9:45	FINAL OPEN TOOL OPEN (to) 10:30
DURATION (min.) 15MIN	DURATION (min.) 15MIN
TOOL CLOSED (from) 9:45	TOOL CLOSED (from) 10:30
INITIAL SHUT-IN TOOL CLOSED (to) 10:15	FINAL SHUT-IN TOOL CLOSED (to) 11:00
DURATION (min.) 30MIN	DURATION (min.) 30MIN

INITIAL FLOW NO BLOW 15MIN

FINAL FLOW NO BLOW, FLUSHED TOOL BLEW THREE BUBBLES, THEN QUIT 15 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 60	SLIGHTLY OIL SPECKLED MUD				
2)	WITH A SHOW OF OIL BETWEEN TOOLS				
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST 1-15
TEST DATE	11/7/05	FORMATION TESTED	SIMPSON
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	#6
STATE	KANSAS	REPORT NUMBER	14108
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	180 MILES ROUND TRIP FROM		GREAT BEND KS
TOP RECORDER DEPTH	4640	BOTTOM RECORDER DEPTH	4641
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	4607	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.3
WEIGHT PIPE I.D.	2.25	VISCOSITY	51
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	11000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



F.G. HOLL LLC STAATS TRUST #1-15 15 30S 14W 11/7/05

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-8-05 Location 15 30s 14 W Elevation 1931 County Barber

Company F.G. Hall LLC Number of Copies 5

Charts Mailed to 9431 E Central ST #100 Wichita KS 67602

Drilling Contractor Duke Drilling Rig #1

Length Drill Pipe 4617 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 x 4

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 4638 Bottom Packer Depth 4643 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 4643 TO 4667 ANCHOR LENGTH 24 TOTAL DEPTH 4667 Hole Size 7 7/8

LEASE & WELL NO. Staats Trust 1-15 FORMATION TESTED Simpson TEST NO. 7

Mud Weight 9.4 Viscosity 45 Water Loss 12.0 Chlorides - Pits 8500 D.S.T. _____

Maximum Temp. 122° °F Initial Hydrostatic Pressure (A) 2331 P.S.I. Final Hydrostatic Pressure (H) 2252 P.S.I.

Tool Open I.F.P. from 12:50 m to 1:20 m 30 min

Tool Closed I.C.I.P. from 1:20 m to 2:20 m 60 min

Tool Open F.F.P. from 2:20 m to 3:05 m 45 min

Tool Closed F.C.I.P. from 3:05 m to 4:35 m 90 min

from [B] 36 P.S.I. to [C] 90 P.S.I.

[D] 1479 P.S.I.

from [E] 106 P.S.I. to [F] 183 P.S.I.

[G] 1482 P.S.I.

Initial Blow Fair Surface Blow Built To Bottom of Bucket in 13 min

Final Blow Fair Surface Blow Built To Bottom of Bucket in 40 min 45 min

Total Feet Recovered 480 Gravity of Oil _____ Corrected

50 Feet of Mud % Gas _____ % Oil _____ % Mud _____ % Water _____

430 Feet of Muddy Salt Water % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NO Safety Joint YES Extra Packer NO Straddle NO Hook Wall NO

Top Recorder No. 1005 Clock No. ELECT Depth 4663 Cir. Sub NO Sampler NO

Bottom Recorder No. 5463 Clock No. _____ Depth 4664 Insurance _____

Price of Job _____

Tool Operator Genard Ramsey

Approved By _____

No 14109

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G. HOLL LLC
RGE. 14W

Lease & Well No. STAATS TRUST 1-15 Test #: 7 Date: 11/08/05 SEC. 15 TWP. 30S



1	Initial Hydrostatic Pressure	2331
2	Initial Flow Pressure	36
3	Final Initial Flow Pressure	90
4	Initial Shut-In Pressure	1479
5	Initial Final Flow Pressure	106
6	Final Flow Pressure	183
7	Final Shut-In Pressure	1482
8	Final Hydrostatic Pressure	2252

Maximum Temperature 122

GENERAL INFORMATION

COMPANY NAME	 F.G. HOLL LLC	LEASE AND WELL NUMBER	 STAATS TRUST #1-15
TEST DATE	 11/8/05	FORMATION TESTED	 SIMPSONSAND
SECTION-TOWN-RANGE	 15 30S 14W	DRILL STEM TEST NUMBER	 7
STATE	 KANSAS	REPORT NUMBER	 14109
COUNTY	 BARBER	ELEVATION KELLY BUSHINGS	 1945
ELEVATION GROUND LEVEL	 1934	TESTING ENGINEER	 LEONARD RAMSEY
COMPANY REPRESENTATIVE	 BILL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	 4643	TOP PACKER DEPTH	 4638
TEST INTERVAL (to)	 4667	BOTTOM PACKER DEPTH	 4643
ANCHOR LENGTH	 24	NUMBER OF PACKERS	 2
TOTAL DEPTH (ft)	 4667	PACKER SIZE	 6 3/4
		HOLE SIZE	 7 7/8

FLOW TIMES

TOOL OPEN (from)	 12:50	TOOL OPEN (from)	 2:20
INITIAL OPEN TOOL OPEN (to)	 1:20	FINAL OPEN TOOL OPEN (to)	 3:05
DURATION (min.)	 30MIN	DURATION (min.)	 45MIN
TOOL CLOSED (from)	 1:20	TOOL CLOSED (from)	 3:05
INITIAL SHUT-IN TOOL CLOSED (to)	 2:20	FINAL SHUT-IN TOOL CLOSED (to)	 4:35
DURATION (min.)	 60MIN	DURATION (min.)	 90MIN

INITIAL FLOW FAIR SURFACE BLOW, BUILT TO BOTTOM OF BUCKET IN 15 MIN 30 MIN

FINAL FLOW FAIR SURFACE BLOW. BUILT TO BOTTOM OF BUCKET IN 40MIN 45MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 50	MUD				
2) 430	MUDDY SALT WATER - CHLORIDES 25000				
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G. HOLL LLC	LEASE AND WELL NUMBER	STAATS TRUST #1-15
TEST DATE	11/8/05	FORMATION TESTED	SIMPSONSAND
SECTION-TOWN-RANGE	15 30S 14W	DRILL STEM TEST NUMBER	7
STATE	KANSAS	REPORT NUMBER	14109
COUNTY	BARBER	ELEVATION KELLY BUSHINGS	1945
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	LEONARD RAMSEY
COMPANY REPRESENTATIVE	BILL REE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
TOP RECORDER DEPTH	4663	BOTTOM RECORDER DEPTH	4664
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	4617	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.4
WEIGHT PIPE I.D.	2.25	VISCOSITY	51
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	11000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



F.G. HOLL STAATS TRUST #1-15 15 30S 14W 11/8/05