

RECEIVED

JUL 06 2004

API 15-097-21535-00-00

KCC WICHITA

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 03-02-2004 Location SE-SW-10-30^S-18^W Elevation 2163 RB 2158 GL County KIOWA
 Company Oil Producers Inc of Kansas Number of Copies 5
 Charts Mailed to P.O. Box 8647, Wichita, Kansas 67208
 Drilling Contractor Mallard J.V.
 Length Drill Pipe 4652 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" x 11
 Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE
 Length Drill Collars 247 I.D. Drill Collars 2.25 Tool Joint Size 4 1/2" x 11
 Top Packer Depth 4913 Bottom Packer Depth 4913 Number of Packers 2 Packer Size 6 3/4"
 TESTED FROM 4918 TO 4975 ANCHOR LENGTH 57 TOTAL DEPTH 4975 Hole Size 7 7/8"
 EASE & WELL NO. Martin #1-10 FORMATION TESTED Mississippi TEST NO. 1
 Mud Weight 9.31 Viscosity 52 Water Loss 8.7 Chlorides - Pits 1000 D.S.T.
 Maximum Temp. 112 °F Initial Hydrostatic Pressure (A) 2545 P.S.I. Final Hydrostatic Pressure (H) 2366 P.S.I.

Tool Open I.F.P. from 6:00 am to 6:10 am 10 min
 Tool Closed I.C.I.P. from 6:10 am to 6:55 am 45 min
 Tool Open F.F.P. from 6:55 am to 7:25 am 30 min
 Tool Closed F.C.I.P. from 7:25 am to 8:55 am 90 min

from [B] <u>65</u>	P.S.I. to [C] <u>97</u>	P.S.I.
[D] <u>154</u>		P.S.I.
from [E] <u>112</u>	P.S.I. to [F] <u>122</u>	P.S.I.
[G] <u>154</u>		P.S.I.

Initial Blow WEAK blow built to 3 inches into the waterFinal Blow WEAK blow for 25 minutes & DIEDTotal Feet Recovered 120

Gravity of Oil _____ Corrected

120 Feet of Drill pipe mud

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____

% Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NONE Safety Joint NONE Extra Packer NONE Straddle NONE Hook Wall NONETop Recorder No. 91981 Clock No. 112000 Depth 4971 Cir. Sub NONE Sampler NONEBottom Recorder No. 13202 Clock No. 47441 Depth 4972 Insurance NONE

Price of Job _____

Tool Operator Don Sudley

Approved By _____

No. 12509

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

Great Bend, Kansas

CHART DATA

(316) 792-6902

State KANSAS

Test Date March 2, 2004

County KIOWA


Sec Town Range 10-30S-18W

Field

Report Number 12509

Company: OIL PRODUCERS INC. OF KANSAS Lease & Well No. MARTIN #1-10 Test #: 1 Date: 03-02-2004 SEC. 10
TWP. 30S RGE. 18W

Temperature / Pressure Data



Field Reading

(1)	Initial Hydrostatic Pressure	2545
(2)	Initial Flow Pressure	65
(3)	Final Initial Flow Pressure	97
(4)	Initial Shut-In Pressure	154
(5)	Initial Final Flow Pressure	112
(6)	Final Flow Pressure	122
(7)	Final Shut-In Pressure	154
(8)	Final Hydrostatic Pressure	2366

RECEIVED
JUL 06 2004
KCC WICHITA

ELECTRONIC RECORDER DEPTH 4968 FT, RECORDER NUMBER 80507

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

GENERAL INFORMATION

COMPANY NAME	OIL PRODUCERS INC.OF KANSAS	LEASE AND WELL NUMBER	MARTIN #1-10
TEST DATE	3/2/2004	FORMATION TESTED	MISSISSIPPI
SECTION-TOWN-RANGE	10-30S-18W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	12509
COUNTY	KIOWA	ELEVATION KELLY BUSHINGS	2163
ELEVATION GROUND LEVEL	2158	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	BILLSHEPARD		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	4918	TOP PACKER DEPTH	4913
TEST INTERVAL (to)	4975	BOTTOM PACKER DEPTH	4918
ANCHOR LENGTH	57	NUMBER OF PACKERS	2
TOTAL DEPTH (ft)	4975	PACKER SIZE	6 3/4
		HOLE SIZE	7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from)	6:00
TOOL OPEN (to)	6:10
DURATION (min.)	10

INITIAL SHUT-IN

TOOL CLOSED (from)	6:10
TOOL CLOSED (to)	6:55
DURATION (min.)	45

FINAL OPEN

TOOL OPEN (from)	6:55
TOOL OPEN (to)	7:25
DURATION (min.)	30

FINAL SHUT-IN

TOOL CLOSED (from)	7:25
TOOL CLOSED (to)	8:55
DURATION (min.)	90

PRESSURE READINGS

INITIAL HYDROSTATIC	2545
INITIAL FLOW	65
FINAL INITIAL FLOW	97
INITIAL SHUT-IN	154
INITIAL FINAL FLOW	112
FINAL FLOW	122
FINAL SHUT-IN	154
FINAL HYDROSTATIC	2366

MAXIMUM TEMPERATURE	112
---------------------	-----

TOP RECORDER DEPTH	4968
RECORDER NUMBER	80507
BOTTOM RECORDER DEPTH	4972
RECORDER NUMBER	13208

INITIAL BLOW

WEAK BLOW BUILT TO 3 INCHES INTO THE WATER

RECEIVED

JUL 06 2004

FINAL BLOW

WEAK BLOW FOR 25 MINUTES AND DIED

KCC WICHITA

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

WELL INFORMATION

DRILLING CONTRACTOR **MALLARD JV**

DRILL PIPE LENGTH **4652**

DRILL PIPE I.D. **3.8**

TOOL JOINT SIZE **4 1/2 X.H.**

DRILL COLLAR LENGTH **247**

DRILL COLLAR I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

WEIGHT PIPE LENGTH

WEIGHT PIPE I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

MUD WEIGHT #/GAL **9.3**

VISCOSITY **52**

WATER LOSS **8.2**

CHLORIDES-PITS **4000**

CHLORIDES-DST

FEET OF RECOVERY		RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1)	120	DRILLING MUD NO SHOWS OF OIL OR GAS				
2)						
3)						
4)						
5)						
6)						
7)						
8)						
9)						
10)						
11)						
12)						
13)						
14)						
15)						
		TOTAL RECOVERY				

COMMENTS