

Kingman

KANSAS

SECTION 19 TOWNSHIP 30 RANGE 7 WWELL NO. #1 HostetlerCOMPANY Sunray Mid-Continent

NORTH

WEST								EAST
SOUTH								

.0

HOT FILE**Kingman****KANSAS**

SEC.	TWP.	R.
19	30 S	7 W

WELL NO.

1 Hostettler

FARM

COMPANY

Sunray Mid-Continent (DEVELOPMENT)

CONTRACTOR

Stickle Drlg.

Spivey

Ft. from N. Line


990 Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

of SE/4

NW SE SE



	ELEVATION	REPORT
1956	1548' DF	
	Projected Mississippi @ 4250'	
1/3	Spud 12-20-55	
	8-5/8" @ 193' / 225	
	Drlg. 1460'	(DR#256)
1/4	Drlg. 1895'	(F.R.Tkt)
1/5	Drlg. 2510'	
1/6	Drlg. 2975'	
1/9	Drlg. 3820'	
1/10	Drlg. 3980'	
1/11	Drlg. 4144'	
1/12	Taking DST 4244-57'.	
	Miss. 4246'	(T.-Type Rpt)
1/13	Drlg. 4310'.	
	DST #1, 4244-57', open 2 hrs, rec 2800' gas. FFP 70#.	
	DST #2, 4264-78', open 2 hrs, rec 540' gas, 100' slight oil cut mud. FFP 70#.	
1/16	TD 4310'. WOC - 5 1/2" @ 4302'	
1/17	TD 4310'. WOC - 5 1/2" csg.	
1/18	TD 4310'. WOC - 5 1/2" csg.	
1/19	TD 4310' Bailing.	
1/20	TD 4310'. Drlg. plug	
1/23	TD 4310'. Testing fraced open hole 4302-10'	

DX-78

OVER

1956
 1/24 TD 4310' Swabbing load oil.
 1/25 TD 4310' Swabbing.
 1/26 TD 4310' Swabbed 4 hrs @ 44 BO/
 Day Rate.
 1/27 TD 4320'. Swabbed @ 44 BO/Day Rate
 1/30 TD 4320'. WOC - PBTD 4298 $\frac{1}{2}$ '
 1/31 TD 4320'. Prep to perf.
 2/1 TD 4320'. Testing Perf 4289-93'
 2/2 TD 4320'. Prep to frac 4289-95'
 2/3 TD 4320'. Testing fraced perfs. 4289-9
 2/6 TD 4320'. Instl. pumping unit.
 2/7 TD 4320'. " "
 2/8 TD 4320'. " "
 2/9 TD 4320'. " "
 2/10 TD 4320'. " "
 2/13 " " "
 2/14 TD 4320'. " "
 2/15 " " "
 2/16 TD 4320'. Pumping - No test
 2/17 TD 4320'. Swabbed 87 BO Day rate
 Perfs 4289- 4295', Mississippi Zone.
 COMPLETE
 2-23. P/28 bo, 2 bw, 24 hrs. .
 3-1 P/25 bo 24 hrs. .
 3-8 No report .
 3-15 State test 26 bo 24 hrs. .
 3/21 TD 12,30-55 8" @ 193/225.
 DST 4244-57, open 2 hr, rec 2800' gas.
 150' GCWM, 140/30".
 DST 4264-78, open 2 hr rec 540' gas,
 100' GC & SO & WCM, 55' GCWM, 150/30"
 DST 4289-4310 open 1 $\frac{1}{2}$ hr rec 2100' gas
 210' O & HGCM, 60' HO & GCMW.
 1140#. 5 $\frac{1}{2}$ " @ 4302/100 CO to 4310
 4 GO 4 GWPH 750 A S/5.4 BO 4 BW 3 hr
 sd-oil-frac. S/1.82 BOPH, 3.21 BWPH
 4 hr. DD 4320 10,000 CFG. SD 6 hr.
 FU 600' fluid. DD 4322- S/9 BO 18 BW
 18 hr.. PB 4295. 24/4289-93 S/15
 BO 16 BW 8 hr. S/3 BOPH 1-3/4 BWPH
 4 hr. Sd-oil-frac. S/29 BO 5 BW 8 hr
 P/28 BO 2 BW 24 hr.. P/25 BO
 Comp. 26 BOPD L. 3426' BKC 3947'
 Marm. 4032' M. 4246'. TD 4310'

COMPLETED

County Kingman Elev. _____
 Sec. 19 Twp. 30 Rge. 7W
 Company Sunray Mid-Continent
 Farm Name Hostetler No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW SE SE
Tp.				
H.				
Tr.				
Dg.				
Bl.				
L.				Geol.
K.C.				Contr.
B.K.C.				Stickle
Ce.				Pool
C.				Spivey
M.				
M.				
K.				
Mz.				
Me.				
V.				
S.				
S.				
A.				
R.				
Pe.				
G.				
T.D.				

FIRST REPORT			
JAN 5 '56			
			0

Date Comm. 12-30-55
8" @ 193/225 drlg. 1895

[Handwritten signature/initials]

JAN 9 1956

M. M.

County Kingman Elev. 1548Sec. 19 Twp. 30 Rge. 7WCompany Sunray Mid-ContinentFarmName Hostetler No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW SE SE
TP.				
H.		3228		
Tr.		3255		
Dg.		3278		
Bl.				
L.	3426	3451	1903	Geol.
K.C.				Cantr.
B.K.C.	3947	3933	2385	
Ce. <u>Marm</u>	4032	4032	2484	
C.				
M.	4246	4244	2696	Pool
M.				
K.				
Mz.				
Me.				
V.				
S.				
S.				
A.				
R.				
PE.				
G.				
T.D.	4310			

COMPLETE

Date Comm. 12-30-55 MAR 21 1956

8" @ 193/225 DST 4244-57 open 2 hr.

rec. 2800' gas 150' gcwm 140/30"

DST 4264-78 open 2 hr. rec. 540' gas

100' gc & so & wcm 55' gcwm. 150/30"

DST 4289-4310 open 1½ hr. rec. 2100'

gas 210' oil & hgcm 60' ho & gcmw

1140# .5½" @ 4302/100 CO to 4310

4 go 4 gwph 750 A S/ 5.4 bo

OVER

4 bw 3 hr. sd-oil-frac S/1.82.boph
3.21 bwph 4 hr. DD 4320 . 10,000 cfb
SD 6 hr. FU 600' fluid DD 4322

S/9 bo 18 bw 8 hr. FB 4295

24/4289-93 S/15 bo 16 bw 8 hr.

S/3 boph 1 3/4 bwph 4 hr.

sd-oil-frac S/29 bo 5 bw 8 hr.

P/28 bo 2 bw 24 hr. P/25 bo

comp. 26 boph

M. M.

MAP 29 1953