


# FORMATION

# TEST

# REPORT



Home Office:


Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

TKT.# 6278

I



WESTERN TESTING COMPANY INC.  
SUBSURFACE PRESSURE SURVEY

DATE: 9/22/84  
 CUSTOMER: BRANDT PRODUCTION COMPANY  
 WELL: #5 TEST: 1  
 ELEVATION (KB): 0 FORMATION: MISS  
 SECTION: 25 TOWNSHIP: 30S  
 RANGE: 2W COUNTY: SUMNER STATE: KANSAS  
 GAUGE SN #3474 RANGE: 3000 CLOCK: 12

INTERVAL TEST FROM: 3757 FT TO: 3766 FT TOTAL DEPTH: 3766 FT  
 DEPTH OF SELECTIVE ZONE: FT  
 PACKER DEPTH: 3757 FT SIZE: 6 3/4 IN PACKER DEPTH: 3752 FT SIZE: 6 3/4 IN  
 PACKER DEPTH: FT SIZE: IN PACKER DEPTH: FT SIZE: IN

DRILLING CONTRACTOR: BRANDT  
 MUD TYPE: CHEM VISCOSITY: 38  
 WEIGHT: 9.5 WATER LOSS (CC): 12.2  
 CHLORIDES (P.P.M.): 2600  
 JARS - MAKE: SERIAL NUMBER:  
 DID WELL FLOW? REVERSED OUT?  
 DRILL COLLAR LENGTH: 274 FT I.D.: 2.25 IN  
 WEIGHT PIPE LENGTH: FT I.D.: IN  
 DRILL PIPE LENGTH: 3463 FT I.D.: 3.8 IN  
 TEST TOOL LENGTH: 20 FT TOOL SIZE: 5 1/2 O.D. IN  
 ANCHOR LENGTH: 9 FT SIZE: 5 1/2 O.D. IN  
 SURFACE CHOKE SIZE: 3/4 IN BOTTOM CHOKE SIZE: 3/4 IN  
 MAIN HOLE SIZE: 7 7/8 IN TOOL JOINT SIZE: 4 1/2 XH IN

BLOW: INITIAL FLOW PERIOD WEAK BLOW.  
 FINAL FLOW PERIOD NO BLOW.

RECOVERED: 30 FT OF: MUD.  
 RECOVERED: FT OF:  
 RECOVERED: FT OF:

REMARKS: MISS RUN PLUGGED TOOL. SBID TOOL  
 10 FEET TO BOTTOM.

TIME SET PACKER(S): 2:35 A.M. TIME STARTED OFF BOTTOM:  
 WELL TEMPERATURE: 0 °F  
 INITIAL HYDROSTATIC PRESSURE: (A) 1887 PSI  
 INITIAL FLOW PERIOD MIN: 0 (B) 0 PSI TO (C) 0 PSI  
 INITIAL CLOSED IN PERIOD MIN: 0 (D) 0 PSI  
 FINAL FLOW PERIOD MIN: 0 (E) 0 PSI TO (F) 0 PSI  
 FINAL CLOSED IN PERIOD MIN: 0 (G) 0 PSI  
 FINAL HYDROSTATIC PRESSURE (H) 1870 PSI

