

DRILL STEM TEST REPORT

Prepared For: **Diversified Operateing corp.**

18000 W 8th Ave.
Golden CO 80401

ATTN: Brad Rine

20-30-21 Clark-KS

Caddy 20-10-4

Start Date: 2004.02.10 @ 00:05:21

End Date: 2004.02.10 @ 10:01:20

Job Ticket #: 17325 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Diversified Operateing corp.


Caddy 20-10-4

20-30-21 Clark-KS

DST # 1

Inola

2004.02.10



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Diversified Operating corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 17325

DST#: 1

ATTN: Brad Rine

Test Start: 2004.02.10 @ 00:05:21

GENERAL INFORMATION:

Formation: **Inola**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:45:50

Time Test Ended: 10:01:20

Test Type: Conventional Bottom Hole

Tester: Dan & Kevin

Unit No: 20

Interval: **5203.00 ft (KB) To 5225.00 ft (KB) (TVD)**

Reference Elevations: 2349.00 ft (KB)

Total Depth: 5225.00 ft (KB) (TVD)

2337.00 ft (CF)

Hole Diameter: 7.78 inches Hole Condition: Good

KB to GR/CF: 12.00 ft

Serial #: 6667

Inside

Press@RunDepth: 44.58 psig @ 5204.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2004.02.10

End Date: 2004.02.10

Last Calib.: 2004.02.10


Start Time: 00:05:21

End Time: 10:01:20

Time On Btm: 2004.02.10 @ 03:39:20

Time Off Btm: 2004.02.10 @ 07:06:20

TEST COMMENT: IF-strong blow BOB 45 sec -GTS 10 min
FF no blow back
FS strong blow BOB as soon as opened
FS no blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2470.48	105.77	Initial Hydro-static
7	39.04	107.16	Open To Flow (1)
13	45.52	108.07	Shut-In(1)
29	219.20	109.31	End Shut-In(1)
31	33.28	108.70	Open To Flow (2)
86	44.58	105.01	Shut-In(2)
207	225.02	110.68	End Shut-In(2)
207	2449.26	113.42	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
124.00	Mud	0.61

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	0.25	5.00	30.78
Last Gas Rate	0.25	9.00	37.12
Max. Gas Rate	0.25	9.00	37.12



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Diversified Operating corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 17325

DST#: 1

ATTN: Brad Rine


Test Start: 2004.02.10 @ 00:05:21

Tool Information

Drill Pipe:	Length: 4959.00 ft	Diameter: 3.80 inches	Volume: 69.56 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 238.00 ft	Diameter: 2.25 inches	Volume: 1.17 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 70.73 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	24.00 ft			String Weight: Initial 70000.00 lb
Depth to Top Packer:	5203.00 ft			Final 70000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	22.00 ft			
Tool Length:	52.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			5178.00	
Sampler	3.00			5181.00	
Hydraulic tool	5.00			5186.00	
Jars	5.00			5191.00	
Safety Joint	3.00			5194.00	
Packer	5.00			5199.00	30.00 Bottom Of Top Packer
Packer	4.00			5203.00	
Stubb	1.00			5204.00	
Recorder	0.00	6667	Inside	5204.00	
Perforations	18.00			5222.00	
Recorder	0.00	11019	Outside	5222.00	
Bullnose	3.00			5225.00	22.00 Bottom Packers & Anchor

Total Tool Length: 52.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Diversified Operateing corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 17325

DST#: 1

ATTN: Brad Rine

Test Start: 2004.02.10 @ 00:05:21

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.37 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
124.00	Mud	0.610

Total Length: 124.00 ft

Total Volume: 0.610 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

Diversified Operateing corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 17325

DST#: 1

ATTN: Brad Rine

Test Start: 2004.02.10 @ 00:05:21

Gas Rates Information

Temperature: 59 deg C
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m ³ /d)
2	10	0.25	5.00	30.78
2	10	0.25	5.00	30.78
2	20	0.25	6.00	32.36
2	30	0.25	8.00	35.54
2	40	0.25	9.00	37.12
2	60	0.25	9.00	37.12

Serial #: 6667


Inside


Diversified Operating corp.

20-30-21 Clark-KS

DST Test Number: 1

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Diversified Operateing corp.**

18000 W 8th Ave.
Golden CO 80401

ATTN: Brad Rine

20-30-21 Clark-KS


Caddy 20-10-4

Start Date: 2004.02.10 @ 21:15:21

End Date: 2004.02.11 @ 07:30:21

Job Ticket #: 18276 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Diversified Operating corp.
 18000 W 8th Ave.
 Golden CO 80401
 ATTN: Brad Rine


Caddy 20-10-4
20-30-21 Clark-KS
 Job Ticket: 18276 **DST#: 2**
 Test Start: 2004.02.10 @ 21:15:21

GENERAL INFORMATION:

Formation: **Miss.**
 Deviated: **No** Whipstock: **ft (KB)**
 Time Tool Opened: 01:00:51
 Time Test Ended: 07:30:21
 Interval: **5268.00 ft (KB) To 5317.00 ft (KB) (TVD)**
 Total Depth: **5317.00 ft (KB) (TVD)**
 Hole Diameter: **7.78 inches** Hole Condition: **Good**
 Test Type: **Conventional Bottom Hole**
 Tester: **Kevin**
 Unit No: **20**
 Reference Elevations: **2349.00 ft (KB)**
2337.00 ft (CF)
 KB to GR/CF: **12.00 ft**

Serial #: 6667 **Inside**
 Press@RunDepth: **120.65 psig @ 5268.00 ft (KB)** Capacity: **7000.00 psig**
 Start Date: **2004.02.10** End Date: **2004.02.11** Last Calib.: **1899.12.30**
 Start Time: **21:15:22** End Time: **07:30:21** Time On Btm: **2004.02.11 @ 00:59:51**
 Time Off Btm: **2004.02.11 @ 03:46:21**

TEST COMMENT: IF- good blow BOB 5 min died down at end
 IS- no blow back
 FF- weak surface blow died in 3 min
 FS- no blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2482.70	104.04	Initial Hydro-static
1	34.67	106.71	Open To Flow (1)
13	67.85	109.14	Shut-In (1)
42	1425.57	110.60	End Shut-In (1)
43	88.45	110.78	Open To Flow (2)
73	120.65	112.45	Shut-In (2)
166	1567.60	114.09	End Shut-In (2)
167	2504.26	112.93	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
62.00	5% oil 95% mud	0.30
62.00	15% gas 5% oil 15% water 65% mud	0.30
62.00	30% gas 5% oil 15% water	0.30
62.00	5% gas 5% oil 45% water 45% mud	0.40
248.00	100% gas	3.48

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Diversified Operating corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 18276

DST#: 2

ATTN: Brad Rine

Test Start: 2004.02.10 @ 21:15:21

Tool Information


Drill Pipe:	Length: 5025.00 ft	Diameter: 3.80 inches	Volume: 70.49 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 238.00 ft	Diameter: 2.25 inches	Volume: 1.17 bbl	Weight to Pull Loose: 75000.00 lb
			<u>Total Volume: 71.66 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial 70000.00 lb
Depth to Top Packer:	5268.00 ft			Final 70000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	49.00 ft			
Tool Length:	82.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			5240.00	
Bullnose	3.00			5243.00	
Sampler	3.00			5246.00	
Hydraulic tool	5.00			5251.00	
Jars	5.00			5256.00	
Safety Joint	3.00			5259.00	
Packer	5.00			5264.00	33.00 Bottom Of Top Packer
Packer	4.00			5268.00	
Stubb	0.00			5268.00	
Recorder	0.00	6667	Inside	5268.00	
Perforations	49.00			5317.00	
Recorder	0.00	11019	Outside	5317.00	49.00 Bottom Packers & Anchor

Total Tool Length: 82.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Diversified Operating corp.

Caddy 20-10-4

18000 W 8th Ave.
Golden CO 80401

20-30-21 Clark-KS

Job Ticket: 18276

DST#: 2

ATTN: Brad Rine

Test Start: 2004.02.10 @ 21:15:21

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 42.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3500.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	5% oil 95% mud	0.305
62.00	15% gas 5% oil 15% water 65% mud	0.305
62.00	30% gas 5% oil 15% water	0.305
62.00	5% gas 5% oil 45% water 45% mud	0.396
248.00	100% gas	3.479

Total Length: 496.00 ft

Total Volume: 4.790 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6667


Inside

Diversified Operating corp.

20-30-21 Clark-KS

DST Test Number: 2





TRILOBITE TESTING INC.

P.O. Box 362 • Hays, Kansas 67601

INV 6219

No 17325

12/02

Test Ticket

Well Name & No. Caddy 20-10-4 Test No. 1 Date 2/19/04
 Company Diversified Operating Corp. Zone Tested INOLA
 Address 1800 W 8th Ave. STE 102 Golden CO 80401 Elevation 2349 KB 2337 GL
 Co. Rep / Geo. Brad Rine Cont. _____ Est. Ft. of Pay _____ Por. _____ %
 Location: Sec. 20 Twp. 30S Rge. 21W Co. CLARK State KS
 No. of Copies _____ Distribution Sheet (Y, N) _____ Turnkey (Y, N) _____ Evaluation (Y, N) _____

Interval Tested 5203-5225 Initial Str Wt./Lbs. 70000 Unseated Str Wt./Lbs. 20000
 Anchor Length 22' Wt. Set Lbs. 20000 Wt. Pulled Loose/Lbs. 80000
 Top Packer Depth 5203 5198 Tool Weight 1800
 Bottom Packer Depth 5203 Hole Size 7 7/8" Rubber Size 6 3/4"
 Total Depth 5225 Wt. Pipe Run 0 Drill Collar Run 238
 Mud Wt. 9.1 LCM 0 Vis. 46 WL 10.4 Drill Pipe Size 4 1/2 Ft. Run 4611
 Blow Description FF - strong blow bob 45 sec - GTS lamin
F5 - no blow back
FF - strong bob as soon as tool opened
F7 - no blow back

Recovery - Total Feet 124 GIP _____ Ft. in DC 124 Ft. in DP _____
 Rec. 124 Feet of Mud
 Rec. _____ Feet of _____
 Rec. _____ Feet of _____
 Rec. _____ Feet of _____
 Rec. _____ Feet of _____
 BHT 110 °F Gravity _____ °API D @ _____ °F Corrected Gravity _____ °API
 RW _____ @ _____ °F Chlorides _____ ppm Recovery _____ Chlorides 5000 ppm System

	AK-1	Alpine	Recorder No.	Test
(A) Initial Hydrostatic Mud	<u>2470</u>	PSI	<u>6667</u>	<u>900</u>
(B) First Initial Flow Pressure	<u>39</u>	PSI	(depth) <u>5204</u>	Elec. Rec. <u>150</u>
(C) First Final Flow Pressure	<u>45</u>	PSI	Recorder No. <u>11019</u>	Jars <u>200</u>
(D) Initial Shut-In Pressure	<u>219</u>	PSI	(depth) <u>5222</u>	Safety Jt. <u>50</u>
(E) Second Initial Flow Pressure	<u>33</u>	PSI	Recorder No. _____	Circ Sub <u>200</u>
(F) Second Final Flow Pressure	<u>44</u>	PSI	(depth) _____	Sampler <u>200</u>
(G) Final Shut-In Pressure	<u>225</u>	PSI	Initial Opening <u>10</u>	Straddle _____
(Q) Final Hydrostatic Mud	<u>2448</u>	PSI	Initial Shut-In <u>15</u>	Ext. Packer _____
			Final Flow <u>60</u>	Shale Packer _____
			Final Shut-In <u>120</u>	Mileage <u>118 100 30</u>
			T-On Location <u>23:00</u>	Sub Total: <u>1600.30</u>
			T-Started <u>00:05</u>	Std. By <u>1hr 30</u>
			T-Open <u>03:38</u>	Other _____
			T-Pulled <u>07:05</u>	Total: <u>1630.30</u>
			T-Out <u>10:21</u>	

Approved By Brad Rine
 Our Representative Kevin Hubbert



TRILOBITE TESTING, INC.

P.O. Box 362 • Hays, Kansas 67601

FLUID SAMPLER DATA

Ticket No. 17325 Date 2/9/04
 Company Name Diversified operating corp.
 Lease Caddy 20-104 Test No. 1
 County CLARK Sec. 20 Twp. 30 Rng. 21

SAMPLER RECOVERY

Gas 1.5 cu ft ML
 Oil 0 ML
 Mud 0 ML
 Water 0 ML
 Other 0 ML
 Pressure 190 ML
 Total 0 ML

PIT MUD ANALYSIS

Chlorides 5000 ppm.
 Resistivity _____ ohms @ _____ F
 Viscosity 46
 Mud Weight 9.1
 Filtrate 10.4
 Other _____

SAMPLER ANALYSIS


Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
 Gravity _____ corrected @60F


PIPE RECOVERY

TOP
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
MIDDLE
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
BOTTOM
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.

CHART PAGE

This is a photocopy of the actual AK-1 recorder chart





TRILOBITE TESTING INC.

P.O. Box 362 • Hays, Kansas 67601

No 18276

05/03

Test Ticket

Well Name & No. Caddy 20-10-4 Test No. 2 Date 2/10/04
 Company Diversified Operating Corp Zone Tested MISS.
 Address 1800 W 8th Ave STE 102 Golden, CO Elevation 2349 KB 2337 GL
 Co. Rep / Geo. Brad Rine Cont. _____ Est. Ft. of Pay _____ Por. _____ %
 Location: Sec. 20 Twp. 30S Rge. 21W Co. CLARK State KS
 No. of Copies _____ Distribution Sheet (Y, N) _____ Turnkey (Y, N) _____ Evaluation (Y, N) _____

Interval Tested 5268 - 5317 Initial Str Wt./Lbs. 70000 Unseated Str Wt./Lbs. _____
 Anchor Length 49' Wt. Set Lbs. 20000 Wt. Pulled Loose/Lbs. _____
 Top Packer Depth 5268 5263 Tool Weight 1800
 Bottom Packer Depth 5268 Hole Size 7 7/8" 5 Rubber Size 6 3/4" ✓
 Total Depth 5317 Wt. Pipe Run 0 Drill Collar Run 238
 Mud Wt. 8.8 LCM 3/4 Vis. 42 WL 0.4 Drill Pipe Size 4 1/2 Ft. Run 5025
 Blow Description FF - Good blow bob 5 min. died down instead
ISF - NO blow back
FF weak surface blow died in 3 min
FSI - NO blow back


Recovery - Total Feet	GIP	Ft. in DC	Ft. in DP
Rec. <u>62</u> Feet of _____	<u>248</u>	%gas <u>5</u> %oil _____ %water <u>95</u> %mud _____	
Rec. <u>62</u> Feet of _____		<u>15</u> %gas <u>5</u> %oil <u>15</u> %water <u>65</u> %mud _____	
Rec. <u>62</u> Feet of _____		<u>30</u> %gas <u>5</u> %oil <u>15</u> %water <u>50</u> %mud _____	
Rec. <u>62</u> Feet of _____		<u>5</u> %gas <u>5</u> %oil <u>45</u> %water <u>45</u> %mud _____	
Rec. _____ Feet of _____		%gas _____ %oil _____ %water _____ %mud _____	

BHT _____ °F Gravity _____ °API D @ _____ °F Corrected Gravity _____ °API
 RW _____ @ _____ °F Chlorides _____ ppm Recovery _____ Chlorides 3500 ppm System

AK-1	Alpine	Recorder No.	Test
(A) Initial Hydrostatic Mud	<u>2482</u> PSI	<u>6667</u>	<u>900</u>
(B) First Initial Flow Pressure	<u>34</u> PSI	(depth) <u>5268</u>	Elec. Rec. <u>✓</u> <u>150</u>
(C) First Final Flow Pressure	<u>67</u> PSI	Recorder No. <u>11019</u>	Jars <u>✓</u> <u>200</u>
(D) Initial Shut-In Pressure	<u>1425</u> PSI	(depth) <u>5317</u>	Safety Jt. <u>✓</u> <u>50</u>
(E) Second Initial Flow Pressure	<u>88</u> PSI	Recorder No. _____	Circ Sub _____
(F) Second Final Flow Pressure	<u>120</u> PSI	(depth) _____	Sampler <u>✓</u> <u>200</u>
(G) Final Shut-In Pressure	<u>1567</u> PSI	Initial Opening <u>02:42 10 min</u>	Straddle _____
(Q) Final Hydrostatic Mud	<u>2504</u> PSI	Initial Shut-In <u>02:52 30</u>	Ext. Packer _____
		Final Flow <u>03:22 30</u>	Shale Packer _____
		Final Shut-In <u>03:52 90</u>	Mileage <u>102</u> <u>10030</u>
		T-On Location <u>8:30 20:50</u>	Sub Total: <u>11600.30</u>
		T-Started <u>10:53 22:59</u>	Std. By <u>1hr</u> <u>30</u>
		T-Open <u>02:42</u>	Other _____
		T-Pulled <u>05:22</u>	Total: <u>1630.30</u>
		T-Out <u>07:30</u>	

TRILOBITE TESTING INC. SHALL NOT BE LIABLE FOR DAMAGED OF ANY KIND OF THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

Approved By Brad Rine
 Our Representative _____



TRILOBITE TESTING, INC.

P.O. Box 362 • Hays, Kansas 67601

FLUID SAMPLER DATA

Ticket No. 18276 Date 2/11/04
 Company Name Diversified Operating Corp.
 Lease Caddy 20-10-4 Test No. 2
 County CLARK Sec. 20 Twp. 30 Rng. 21

SAMPLER RECOVERY

Gas 8.9 cu FT ML
 Oil 0 ML
 Mud 0 ML
 Water 0 ML
 Other 0 ML
 Pressure 1000 ML
 Total 0 ML

PIT MUD ANALYSIS

Chlorides 3500 ppm.
 Resistivity _____ ohms @ _____ F
 Viscosity 4.6
 Mud Weight 9.1
 Filtrate 10.4
 Other _____

SAMPLER ANALYSIS

Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
 Gravity _____ corrected @60F

PIPE RECOVERY

TOP
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
MIDDLE
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.
BOTTOM
 Resistivity _____ ohms @ _____ F
 Chlorides _____ ppm.

CHART PAGE

This is a photocopy of the actual AK-1 recorder chart

