

15-025-21386

GEOLOGICAL REPORT

AMERICAN WARRIOR, INC.

Esplund Farms #1-29
SW SW NW
Sec. 29 T. 30S R. 23W
Clark County, Kansas

RECEIVED
KANSAS CORPORATION COMMISSION

APR 02 2008

CONSERVATION DIVISION
WICHITA, KS

OPERATOR:	AMERICAN WARRIOR, INC.
WELL:	Esplund Farms #1-29
LOCATION:	2250 FNL & 200 FWL SEC. 29 T 30S R. 23 W CLARK COUNTY, KANSAS
API NUMBER:	15-025-21386-0000
COMMENCED:	11/24/2006
COMPLETED:	12/7/2006
DRILLING CONTRACTOR:	Duke Drilling Co. Rig 5
ELEVATIONS:	Kelly Bushing 2458 Ground Level 2447
TOTAL DEPTH:	RTD 5534 LTD 5535
CASING:	SURFACE: 8 5/8 @ 679 W/ 325 SX PRODUCTION: 5 1/2 @ 5523 w/ 165 SX
DRILLING MUD	Contractor: Mudco Mud Type: Chemical Mud Up: 2687
DRILL STEM TESTS	Trilobite Testing Inc. Tests: 1
ELOGS:	Logging Company: LOG TECH Logs: DIL CDL/CNL BCS MEL
GAS DETECTOR:	MBC Well Logging
DRILL TIME:	4300 TO RTD
SAMPLES:	4300 TO RTD
GEOLOGIST:	JAMES DILTS

RECEIVED
KANSAS CORPORATION COMMISSION

APR 02 2008

CONSERVATION DIVISION
WICHITA, KS


LOG TOPS:

Heebner	4408	-1950
Brown Lime	4568	-2110
Lansing	4586	-2128
Stark Shale	4954	-2496
BKC	5061	-2603
Marmaton	5079	-2621
Cherokee	5211	-2753
Morrow Sand	5378	-2920
Mississppian	5392	-2934
RTD	5534	
LTD	5535	

RECOMMENDATIONS:

It was recommended to set casing on this well to further evaluate shows encountered.

Respectfully Submitted,



James Dilts

RECEIVED
KANSAS CORPORATION COMMISSION

APR 02 2008

CONSERVATION DIVISION
WICHITA, KS