

15-025-21395-0000

29-30S-23W

GEOLOGICAL REPORT

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 06 2008

CONSERVATION DIVISION
WICHITA, KS

AMERICAN WARRIOR, INC.

Esplund Farms #3-29
NW SW NE
Sec. 29 T. 30S R. 23W
Clark County, Kansas

NW SW NE

1380 FNL 2286 FEL

15-025-21395

OPERATOR:	AMERICAN WARRIOR, INC.
WELL:	Esplund Farms #3-29
LOCATION:	1380 FNL & 2286 FEL SEC. 29 T 30S R. 23 W CLARK COUNTY, KANSAS
API NUMBER:	15-025-21395-0000
COMMENCED:	1/9/2007
COMPLETED:	1/24/2007
DRILLING CONTRACTOR:	Murfin Drilling Co. Rig 2
ELEVATIONS:	Kelly Bushing 2522 Ground Level 2511
TOTAL DEPTH:	RTD 5690 LTD 5691
CASING:	SURFACE: 8 5/8 @ 652 W/ 275 SX PRODUCTION: 5 1/2 @ 5689 w/ 165 SX
DRILLING MUD	Contractor: Mudco Mud Type: Chemical Mud Up: 3944
DRILL STEM TESTS	Trilobite Testing Inc. Tests: 1
ELOGS:	Logging Company: LOG TECH Logs: DIL CDL/CNL BCS MEL
GAS DETECTOR:	MBC Well Logging
DRILL TIME:	4300 TO RTD
SAMPLES:	4300 TO RTD
GEOLOGIST:	JAMES DILTS


LOG TOPS:

Heebner	4474	-1952
Brown Lime	4632	-2110
Lansing	4648	-2126
Stark Shale	5024	-2502
BKC	5137	-2615
Marmaton	5154	-2632
Cherokee	5284	-2762
Morrow Sand	5454	-2932
Mississppian	5458	-2936
RTD	5690	
LTD	5691	

RECOMMENDATIONS:

It was recommended to set casing on this well to further evaluate shows encountered.

Respectfully Submitted,



James Dilts