

2-30-25 W  
NE NE **CONFIDENTIAL** 8/13/81  
KCC

KANSAS

WELL COMPLETION REPORT AND  
DRILLER'S LOG


State Geological Survey  
WICHITA BRANCH

S. 2 T. 30S R. 25 W

Loc. NE NE NE

County Clark

640 Acres  
N



Elev.: Gr. 2577

DF. 2586 KB 2587

API No. 15 — Clark — 025-20492  
County Number

Operator  
LADD PETROLEUM CORPORATION

Address  
P. O. Box 2848, Tulsa, Oklahoma 74101

Well No. 2 Lease Name  
ROONEY

Footage Location  
330 feet from (N) line 330 feet from (E) line

Principal Contractor RAINS & WILLIAMSON Geologist

Spud Date 7/16/81 Date Completed 8/13/81 Total Depth 5460' P.B.T.D. 5401'

Directional Deviation Oil and/or Gas Purchaser  
Inland Crude

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4	8 5/8	24	1545	65/35 Poz.	630	6% Gel
Production	7 7/8	5 1/2	15.5	5443	50/50 Poz.	200	8% Salt

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2	Jet	5342-5345
			4	Jet	5292-5300

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
12 Bbls. 7 1/2% HCl	5342-5345
1000 Gal. 7 1/2% HCl	5292-5300

**RELEASED**

INITIAL PRODUCTION

Date: AUG 1 1983

Date of first production 8/13/81 Producing method (flowing, pumping, gas lift, etc.) Flowing FROM CONFIDENTIAL

RATE OF PRODUCTION PER 24 HOURS Oil 91 bbls. Gas MCF Water bbls. Gas-oil ratio CFPB

Disposition of gas (vented, used on lease or sold) Producing interval(s)  
5342-5345, 5242-5300

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

LADD PETROLEUM CORPORATION

DESIGNATE TYPE OF COMP.: OIL, GAS,  
DRY HOLE, SWDW, ETC.:  
OIL

Well No. 2	Lease Name Rooney
S <u>2</u> T <u>30S</u> R <u>25</u> W	

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,  
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Redbed		2463		
Shale		2855		
Shale & Lime		3010		
Lime & Shale		5410		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	<i>L.O. Butner</i>
	L.O. Butner <small>Signature</small>
	Production Engineer
	<small>Title</small>
	9/9/81
	<small>Date</small>

DRILLER'S LOG



COMPANY: Ladd Petroleum Corporation

SEC. 2 T. 30S R. 25W

WELL NAME: Rooney #2

LOC. NE NE NE

COUNTY: Clark

RIG NO. #5

TOTAL DEPTH 5460'

ELEVATION

COMMENCED: 7-16-81

COMPLETED: 7-28-81

CONTRACTOR: Rains & Williamson Oil Co., Inc.

CASING RECORD:

SURFACE: 8 5/8" @ 1545' w/630 sx. 65/35 poz., 6% gel, 1/2# D-29 PS  
10# Coalite PS 3% cc. and 150 sx. Class H, 3% cc.

PRODUCTION: 5 1/2" @ 5443' w/200 sx. 50/50 poz., 8% salt, 3/4# CFR2.  
and 50 sx. THX0, 10# chl., 12 1/2# gelite, 4% gel, 5% salt,  
1/4# flowseal.

LOG

(Figures Indicate Bottom of Formations)

Redbed	2463
Shale	2855
Shale & Lime	3010
Lime & Shale	5460
<u>ROTARY TOTAL DEPTH</u>	<u>5460</u>

RECEIVED  
STATE CORPORATION COMMISSION

AUG - 3 1981

CONSERVATION DIVISION  
Wichita Kansas

STATE OF Kansas )  
COUNTY OF Sedgwick )

SS: