35-30s-33w

ORIGINAL

CONFIDENTIAL

15-081-21100

WELL NAME: Simpson # 5-35
COMPANY: Harris Oil & Gas Company
LOCATION: Sec. 35 Twp. 30S Rge.33W
Haskell County Kansas
DATE: 02/14/97

KCC
MAR 31
CONFIDENTIAL

RELEASED

SEP 25 1998

FROM CONFIDENTIAL

TRILOBITE TESTING L.L.C.

OPERATOR : Harris Oil & Gas Company DATE 2/8/97
WELL NAME: Simpson 5-35 KB 2939.00 ft TICKET NO: 9109 DST #1
LOCATION : 35-30S-33W Haskell KS GR 2926.00 ft FORMATION: Marmaton
INTERVAL : 4852.00 To 4867.00 ft TD 4867.00 ft TEST TYPE: CONV

RECORDER DATA

Mins		Field	1	2	3	4
PF 30	Rec.	2836	2836	10333		
SI 60	Range(Psi)	3500.0	3500.0	4075.0	0.0	0.0
SF 15	Clock(hrs)	12 HR	12 HR	12 HR		
FS 75	Depth(ft)	4864.0	4864.0	4856.0	0.0	0.0

TIME DATA----------
PF Fr. 0709 to 0739 hr
IS Fr. 0739 to 0839 hr
SF Fr. 0839 to 0854 hr
FS Fr. 0854 to 1009 hr

	Field	1	2	3	4
A. Init Hydro	2297.0	2206.0	0.0	0.0	0.0
B. First Flow	85.0	65.0	0.0	0.0	0.0
B1. Final Flow	94.0	57.0	0.0	0.0	0.0
C. In Shut-in	1377.0	1328.0	0.0	0.0	0.0
D. Init Flow	0.0	0.0	0.0	0.0	0.0
E. Final Flow	0.0	0.0	0.0	0.0	0.0
F. Fl Shut-in	0.0	0.0	0.0	0.0	0.0
G. Final Hydro	2172.0	2118.0	0.0	0.0	0.0
Inside/Outside	O	O	I		

T STARTED 0430 hr
T ON BOTM 0700 hr
T OPEN 0709 hr
T PULLED 1009 hr
T OUT 1300 hr

TOOL DATA----------

Tool Wt.	0.00 lbs
Wt Set On Packer	20000.00 lbs
Wt Pulled Loose	100000.00 lbs
Initial Str Wt	95000.00 lbs
Unseated Str Wt	95000.00 lbs
Bot Choke	0.75 in
Hole Size	7.88 in
D Col. ID	2.25 in
D. Pipe ID	3.80 in
D.C. Length	570.00 ft
D.P. Length	4261.00 ft

RECOVERY
Tot Fluid 130.00 ft of 130.00 ft in DC and 0.00 ft in DP
10.00 ft of Muddy Water 60% water 40% mud
0.00 ft of
60.00 ft of Muddy Water 80% water 20% mud
0.00 ft of
60.00 ft of Slightly Muddy Water 90% water 10% mud
0.00 ft of
0.00 ft of
0.00 ft of
SALINITY 29000.00 P.P.M. A.P.I. Gravity 0.00

MUD DATA----------

Mud Type	Chemical
Weight	9.10 lb/cf
Vis.	2.00 S/L
W.L.	9.60 in3
F.C.	0.00 in
Mud Drop	
Amt. of fill	0.00 ft
Btm. H. Temp.	118.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out	
Tool Chased	
Tester	Mike Colantonio
Co. Rep.	Gary Wilkins
Contr.	Allen Rig
Rig #	5
Unit #	
Pump T.	

BLOW DESCRIPTION
Initial Flow:
Weak blow, built to 3 1/2"

Initial Shut In:

Final Flow:
No blow


Final Shut In:

SAMPLES:
SENT TO:

RELEASED
SEP 25 1998
FROM CONFIDENTIAL

Test Successful: Y

CHART PAGE



This is a photocopy of the actual AK-1 recorder chart