

IMPORTANT
Kans. Geo. Survey request samples on this well.

KANSAS

WELL COMPLETION REPORT AND DRILLER'S LOG

WICHITA BRANCH

S. 26 T31S R14 W

Loc. C N $\frac{1}{2}$ N $\frac{1}{2}$

County Barber

API No. 15 — 007 — 21,062
County Number

Operator
Associated Petroleum Consultants, Inc. & The Presley Companies

Address
Suite 600 - One Main Place, Wichita, Kansas 67202


Well No. 1 Lease Name Mills (Govan)

Footage Location
feet from (N) (S) line feet from (E) (W) line

Principal Contractor Trans-Pac Drilling, Inc. Geologist Phil Paschang

Spud Date 1/29/81 Date Completed 2/12/81 Total Depth 4780' P.B.T.D. 4779' LTD

Directional Deviation Oil and/or Gas Purchaser



Locate well correctly
Elev.: Gr. 1964' RB
1694
DF KB

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 $\frac{1}{2}$ "	8 5/8"	20	329'	Common	325	3% CaCl 2% Gel
Production		5 $\frac{1}{2}$ "	14.5	4778'	60%/40% Pox Mix	150	10% Salt 2% Gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2		4722-38

Size	Setting depth	Packer set at
2 3/8"	4746.29	4722.19

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production 5/7/81	Producing method (flowing, pumping, gas lift, etc.) pumping
RATE OF PRODUCTION PER 24 HOURS	Oil 12 bbls. Gas MCF Water 20 bbls. Gas-oil ratio CFPB
Disposition of gas (vented, used on lease or sold)	Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

Associated Petroleum Consultants, Inc. & The Presley Companies

Oil Well

Well No.

1

Lease Name

Govan Mills

S 26 T 31SR 14 ^{EX}
W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.

TOP

BOTTOM

NAME

DEPTH

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Phyllis Buchanan

Signature

Office Manager

Title

March 25, 1981

Date

API No. 15-007-21062

KANSAS DRILLING LOG

State Geologist's Survey
WICHITA BRANCH

COMPANY: Associated Petroleum Consultants & The Presley Companies

Description: N/2 N/2

Well Name: Govan Mills #1

Location: 26-31S-14W

County: Barber County, Kansas

Rotary Total Depth: 4780'

Spud Date: January 29, 1981

Rotary Complete: February 13, 1981

Contractor: Trans-Pac Drilling

Date: February 23, 1981

Elevation: 1686 GL 1694 K.B.

Casing:

13 3/8"

10 3/4"

8 5/8" Ran 8 joint (319.80') set @ 329 ft. w/325 sacks common 3% CC, 2% Gel.

5 1/2" Run 113' 4770.30' new O.D. 14# Set @ 4778' w/150 sacks 60/40 Pozmix w/10% salt, 2% gel

4 1/2"

Figures Indicate Bottom of Formations

0	-43.50	Red Rock
43.50-1720		Red Rock
1720-4176		Shale
4176-4755		Lime/Shale
4755-4780		Lime/Shale
4780-T.D.		Lime/Shale

RECEIVED
STATE GEOLOGICAL SURVEY
APR - 8 1981
CONSERVATION DIVISION
Wichita, Kansas

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.