

15-007-23053.0000

35-31s-15w

GEOLOGICAL REPORT

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 06 2008

CONSERVATION DIVISION
WICHITA, KS

AMERICAN WARRIOR, INC.

Alexander #1-35
740 FNL & 2314 FWL
Sec. 35 T. 31S R. 15W
Barber County, Kansas

15-007-23053

SE NE NW

OPERATOR:	AMERICAN WARRIOR, INC.
WELL:	ALEXANDER #1-35
LOCATION:	740 FNL & 2314 FWL SEC. 35 T 31S R. 15 W BARBER COUNTY, KANSAS
API NUMBER:	15-007-23053
COMMENCED:	9/1/2006
COMPLETED:	9/9/2006
DRILLING CONTRACTOR:	Duke Drilling Co. Rig 7
ELEVATIONS:	Kelly Bushing 1896 Ground Level 1883
TOTAL DEPTH:	RTD 4914 LTD 4914
CASING:	SURFACE: 8 5/8 @ 313 W/ 225 SX PRODUCTION: None
DRILLING MUD	Contractor Mud Type: Chemical Mud Up: 3600
DRILL STEM TESTS	Trilobite Testing Inc. Tests: 2
ELOGS:	Logging Company: LOG TECH Logs: DIL CDL/CNL BCS MEL
GAS DETECTOR:	MBC Well Logging
DRILL TIME:	3800 TO RTD
SAMPLES:	3800 TO RTD
GEOLOGIST:	JAMES DILTS


LOG TOPS:

Stone Corral	816	1080
Chase	2257	-361
Wab	3105	- 1209
Heebner	3978	-2082
Toronto	3998	-2102
Lansing	4142	-2246
Stark Shale	4510	-2614
BKC	4596	-2700
Marmaton	4620	-2724
Cherokee	4707	-2811
Miss Chert	4716	-2820
Kinderhook	4812	-2916
RTD	4914	
LTD	4914	

RECOMMENDATIONS:

It was recommended to plug this well as noncommercial.

Respectfully Submitted,



James Dilts