


TICKET NO. 104SHOLOM DRILLING INC.DATE 5 27 63LEASE NAME Sanders WELL NO. 1 TEST NO. 1 LEASE OWNER Robinowitz Oil CoLOCATION 16 31 8 FIELD \_\_\_\_\_ COUNTY Harper STATE Kansas

|                     |              |                               |             |      |
|---------------------|--------------|-------------------------------|-------------|------|
| TOTAL DEPTH         | <u>4366</u>  | INITIAL CLOSED<br>IN TIME     | <u>20</u>   | MIN. |
| HOLE SIZE           | <u>7 7/8</u> | TOOL OPEN<br>FLOW PERIOD      | <u>25</u>   | MIN. |
| RATHOLE SIZE        |              | FINAL CLOSED<br>IN TIME       | <u>30</u>   | MIN. |
| TOP PACKER DEPTH    | <u>4343</u>  | INITIAL HYDRO<br>MUD PRESSURE | <u>2400</u> | LBS. |
| BOTTOM PACKER DEPTH | <u>4349</u>  | INITIAL CLOSED<br>IN PRESSURE | <u>1640</u> | LBS. |
| SIZE PACKER         | <u>6 3/4</u> | INITIAL FLOW<br>PRESSURE      | <u>1040</u> | LBS. |
| LENGTH ANCHOR       | <u>17</u>    | FINAL FLOW<br>PRESSURE        | <u>780</u>  | LBS. |
| MUD WEIGHT          | <u>9.7</u>   | FINAL CLOSED<br>IN PRESSURE   | <u>1620</u> | LBS. |
| VISCOSITY           | <u>44</u>    | FINAL HYDRO<br>MUD PRESSURE   | <u>2400</u> | LBS. |

## REMARKS:

Strong blow Gas surface 2 mins5 mins gauged 1.790.00015 mins gaug ed 2.530.000TESTER Sanders

WITNESSED BY \_\_\_\_\_




TICKET NO. 105SHOLOM DRILLING INC.DATE 5 28 63LEASE NAME Sanders WELL NO. 1 TEST NO. 2 LEASE OWNER Robinowitz Oil CoLOCATION 31 16 8 FIELD \_\_\_\_\_ COUNTY Harper STATE Kansas

|                     |       |                               |      |      |
|---------------------|-------|-------------------------------|------|------|
| TOTAL DEPTH         | 4386  | INITIAL CLOSED<br>IN TIME     | 30   | MIN. |
| HOLE SIZE           | 7 7/8 | TOOL OPEN<br>FLOW PERIOD      | 60   | MIN. |
| RATHOLE SIZE        |       | FINAL CLOSED<br>IN TIME       | 30   | MIN. |
| TOP PACKER DEPTH    | 4360  | INITIAL HYDRO<br>MUD PRESSURE | 2380 | LBS. |
| BOTTOM PACKER DEPTH | 4366  | INITIAL CLOSED<br>IN PRESSURE | 1300 | LBS. |
| SIZE PACKER         | 6 3/4 | INITIAL FLOW<br>PRESSURE      | 280  | LBS. |
| LENGTH ANCHOR       | 20    | FINAL FLOW<br>PRESSURE        | 280  | LBS. |
| MUD WEIGHT          | 9.9   | FINAL CLOSED<br>IN PRESSURE   | 1300 | LBS. |
| VISCOSITY           | 43    | FINAL HYDRO<br>MUD PRESSURE   | 2380 | LBS. |

## REMARKS:

Strong blow Gas to surface 2 mins to weak to gaugeRec 300' gas cut mud specks of oil180' oil & gas cut watery mudTESTER Cheney

WITNESSED BY \_\_\_\_\_




TICKET NO. 106SHOLOM DRILLING INC.DATE 5 28 63LEASE NAME Sanders WELL NO. 1 TEST NO. 3 LEASE OWNER Robinowitz Oil CoLOCATION 31 16 8 FIELD \_\_\_\_\_ COUNTY Harper STATE Kansas

|                     |                      |                               |      |      |
|---------------------|----------------------|-------------------------------|------|------|
| TOTAL DEPTH         | 4406                 | INITIAL CLOSED<br>IN TIME     | 20   | MIN. |
| HOLE SIZE           | 7 7/8                | TOOL OPEN<br>FLOW PERIOD      | 60   | MIN. |
| RATHOLE SIZE        |                      | FINAL CLOSED<br>IN TIME       | 30   | MIN. |
| TOP PACKER DEPTH    | 4380                 | INITIAL HYDRO<br>MUD PRESSURE | 2400 | LBS. |
| BOTTOM PACKER DEPTH | 4386                 | INITIAL CLOSED<br>IN PRESSURE |      | LBS. |
| SIZE PACKER         | 6 3/4                | INITIAL FLOW<br>PRESSURE      | 300  | LBS. |
| LENGTH ANCHOR       | <del>9 1/2</del> 20' | FINAL FLOW<br>PRESSURE        | 460  | LBS. |
| MUD WEIGHT          | <del>9.9</del> 9.9   | FINAL CLOSED<br>IN PRESSURE   | 1260 | LBS. |
| VISCOSITY           | 44                   | FINAL HYDRO<br>MUD PRESSURE   | 2400 | LBS. |

## REMARKS:

Fair blow thru out testRec 240' SO&GCM 180' OCM 180' HO&GCW 120' S&H wtrTESTER Swanson

WITNESSED BY \_\_\_\_\_



TICKET NO. 107SHOLOM DRILLING INC.DATE 6 1 63LEASE NAME Sanders WELL NO. 1 TEST NO. 1 LEASE OWNER Robinowitz Oil CoLOCATION 31 16 8 FIELD \_\_\_\_\_ COUNTY Harper STATE Kansas

|                     |              |                               |             |      |
|---------------------|--------------|-------------------------------|-------------|------|
| TOTAL DEPTH         | <u>4732</u>  | INITIAL CLOSED<br>IN TIME     | _____       | MIN. |
| HOLE SIZE           | <u>7 7/8</u> | TOOL OPEN<br>FLOW PERIOD      | <u># 30</u> | MIN. |
| RATHOLE SIZE        |              | FINAL CLOSED<br>IN TIME       | <u>20</u>   | MIN. |
| TOP PACKER DEPTH    | <u>4716</u>  | INITIAL HYDRO<br>MUD PRESSURE | <u>2620</u> | LBS. |
| BOTTOM PACKER DEPTH | <u>4722</u>  | INITIAL CLOSED<br>IN PRESSURE | _____       | LBS. |
| SIZE PACKER         | <u>6 3/4</u> | INITIAL FLOW<br>PRESSURE      | <u>0</u>    | LBS. |
| LENGTH ANCHOR       | <u>10</u>    | FINAL FLOW<br>PRESSURE        | <u>0</u>    | LBS. |
| MUD WEIGHT          | <u>9.9</u>   | FINAL CLOSED<br>IN PRESSURE   | <u>420</u>  | LBS. |
| VISCOSITY           | <u>45</u>    | FINAL HYDRO<br>MUD PRESSURE   | <u>2620</u> | LBS. |

REMARKS:

No blowRec 5' mudTESTER Cheney

WITNESSED BY \_\_\_\_\_

