

Lease <u>McC Gill</u>	Well No. <u>C-1</u>	Date <u>11-20-76</u>
County <u>Sumner</u>	Sec. <u>29</u> Twp. <u>31</u> Rng. <u>2</u>	Elevation
Company <u>Wilcoy ASH Co.</u>		Test No. <u>1</u>
Contractor <u>Red Tiger #6</u>		Zone Tested <u>INDIAN CANYON</u>
Charge To <u>Wilcoy ASH Co.</u>		Time Tool Opened <u>A.M.</u> <u>P.M.</u>
Approved By <u>L. E. Carter</u>		Tester <u>F. BOWMAN-017</u>

Initial Hydro Mud Press. 266 P.S.I.Initial Flow Press. 122 To 134 P.S.I. Initial Flow Period 30 Min.Initial Shut-in Press. 753 P.S.I. Initial Shut-in 30 Min.Final Flow Press. 351 To 488 P.S.I. Final Flow Period 30 Min.Final Shut-in Press. 740 P.S.I. Final Shut-in 30 Min.Final Hydro Mud Press. 817 P.S.I.Temperature 85Mud Weight 92 Viscosity 39Fluid Loss ✓Interval Tested 1571 To 1623Price Job 345.00

Other Charges

Total

Top Packer Depth 1566 Surface Choke SizeBottom Packer Depth 1571 Bottom Choke Size 5/8Total Depth 1623 Main Hole Size 7 7/8Drill Pipe Size Wt Rubber Size 6 3/4

Drill Collar I.D. Ft. Run

Blow Strong THROAT TEST.Recovery 180' muddy water, 540' water.

Remarks

P.O. Box 169

Great Bend, Kansas 67530

Lease <u>MCCILL</u>	Well No. <u>0-1</u>	Date <u>11-24-76</u>
County <u>SAN JUAN</u>	Sec. <u>29</u> Twp. <u>31</u> Rng. <u>2</u>	Elevation
Company <u>WILEY ASH CO.</u>		Test No. <u>2</u>
Contractor <u>Red Tiger #4</u>		Zone Tested <u>LANCING</u>
Charge To <u>WILEY ASH CO.</u>		Time Tool Opened A.M. P.M.
Approved By <u>L.E. Benter</u>		Tester <u>F. BOWMAN - 017</u>

Initial Hydro Mud Press. 1764 P.S.I.Initial Flow Press. 107 To 302 P.S.I. Initial Flow Period 30 ~~Min.~~ Min.Initial Shut-in Press. 1267 P.S.I. Initial Shut-in 30 ~~Min.~~ Min.Final Flow Press. 322 To 468 P.S.I. Final Flow Period 30 Min.Final Shut-in Press. 1257 P.S.I. Final Shut-in 45 Min.Final Hydro Mud Press. 1693 P.S.I.Temperature 113Mud Weight 98 Viscosity 42

Fluid Loss

Interval Tested 3350 To 3384Price Job 345.00

Other Charges

Total

Top Packer Depth 3345 Surface Choke SizeBottom Packer Depth 3350 Bottom Choke Size 5/8Total Depth 3384 Main Hole Size 7 7/8Drill Pipe Size 4 1/2 FH Wt 4 1/2 FH Rubber Size 6 3/4

Drill Collar I.D. Ft. Run

Blow STRONG THROAT TEST, 25 BOTTOM DASHED IN 1 1/2 MIN."SLID 10' TO T.P."Recovery 240' water mud. 600' muddy water.

Remarks

P.O. Box 169

Great Bend, Kansas 67530

Lease <u>MAGILL</u>	Well No. <u>C-1</u>	Date <u>11-24-76</u>
County <u>SUMNER</u> Sec. <u>29</u> Twp. <u>31S</u> Rng. <u>2W</u>	Elevation	
Company <u>WILFAY ASH SR.</u>	Test No. <u>3</u>	
Contractor <u>RED TIGER #6</u>	Zone Tested <u>KC.</u>	
Charge To <u>WILFAY ASH SR.</u>	Time Tool Opened <u>11:30</u> A.M. P.M.	
Approved By	Tester <u>Wills Bow 017</u>	

Initial Hydro Mud Press. 1663 P.S.I.Initial Flow Press. 48 To 48 P.S.I. Initial Flow Period 30 Min.Initial Shut-in Press. 1267 P.S.I. Initial Shut-in 15 Min.Final Flow Press. 48 To 48 P.S.I. Final Flow Period 15 Min.Final Shut-in Press. 1263 P.S.I. Final Shut-in 15 Min.Final Hydro Mud Press. 1655 P.S.I. Price Job 345.00Temperature 109 Other ChargesMud Weight 9.5 Viscosity 49

Fluid Loss

Interval Tested 3389 To 3431 TotalTop Packer Depth 3384 Surface Choke SizeBottom Packer Depth 3389 Bottom Choke Size 5 1/8Total Depth 3431 Main Hole Size 7 7/8Drill Pipe Size 4 1/2 FH Wt 4 1/2 FH Rubber Size 6 3/4

Drill Collar I.D. Ft. Run

Blow WEAK BLOW DEAD IN 30 MIN.Recovery 65' mud

Remarks

P.O. Box 169

Great Bend, Kansas 67530

Lease <u>MAGILL</u>	Well No. <u>G-1</u>	Date <u>11-27-76</u>
County <u>SUMNER</u>	Sec. <u>29</u> Twp. <u>31</u> Rng. <u>2</u>	Elevation
Company <u>WILEY ASH ST.</u>		Test No. <u>4</u>
Contractor <u>RED TIGER #6</u>		Zone Tested <u>MISS.</u>
Charge To <u>WILEY ASH ST.</u>		Time Tool Opened <u>2:40</u> A.M. P.M.
Approved By <u>Wiley R. Ash</u>		Tester <u>Walter Bowser</u>

Initial Hydro Mud Press. 2065 P.S.I.Initial Flow Press. 48 To 55 P.S.I. Initial Flow Period 60 Min.Initial Shut-in Press. 77 P.S.I. Initial Shut-in 30 Min.Final Flow Press. 55 To 55 P.S.I. Final Flow Period 15 Min.Final Shut-in Press. 110 P.S.I. Final Shut-in 30 Min.Final Hydro Mud Press. 2055 P.S.I.Temperature 111Mud Weight 9.8 Viscosity 51

Fluid Loss

Interval Tested 3929 To 3936Top Packer Depth 3924Bottom Packer Depth 3929Total Depth 3936Drill Pipe Size 4 1/2 FH Wt 4 1/2 FH

Drill Collar I.D. Ft. Run

Blow WEAK BLOW DEAD IN 15 MINRecovery 60' Mud

Remarks

P.O. Box 169

Great Bend, Kansas 67530

Lease <u>MAGILL</u>	Well No. <u>C-1</u>	Date <u>11-27-76</u>
County <u>SUMNER</u> Sec. <u>29</u> Twp. <u>30</u> Rng. <u>2</u>	Elevation	
Company <u>WILEY ASH ST.</u>	Test No. <u>5</u>	
Contractor <u>REDTIGER #6</u>	Zone Tested <u>MISS.</u>	
Charge To <u>WILEY ASH ST.</u>	Time Tool Opened	A.M. P.M.
Approved By <u>[Signature]</u>	Tester <u>Miller [Signature]</u> 017	

Initial Hydro Mud Press. _____ P.S.I.

Initial Flow Press. _____ To _____ P.S.I. Initial Flow Period _____ Min.

Initial Shut-in Press. _____ P.S.I. Initial Shut-in _____ Min.

Final Flow Press. 55 To 33 P.S.I. Final Flow Period 20 Min.

Final Shut-in Press. _____ P.S.I. Final Shut-in _____ Min.

Final Hydro Mud Press. _____ P.S.I.

Temperature _____

Mud Weight 9.8 Viscosity 51

Fluid Loss _____

Interval Tested 3910 To 3936Top Packer Depth 3910 Surface Choke Size _____Bottom Packer Depth _____ Bottom Choke Size 5/8Total Depth 3936 Main Hole Size 7 7/8Drill Pipe Size 4 1/2 FH Wt 4 1/2 FH Rubber Size 6 3/4

Drill Collar I.D. _____ Ft. Run _____

Blow WEAK BLOW DEAD IN 10 MIN.Recovery 20' mud

Remarks _____