RECEIVED

JUN 2 7 2003 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY – DESCRIPTION OF WELL & LEASE


	Septemb	er 1999
(F)	Form Must Ba	A Voec
(((7

Form ACO-1

API No. 15 - 175-21702-0001 Operator: License # ___ Name:____ OXY USA Inc. County: Seward - <u>SW - NE - NE</u> Sec<u> 6</u> Twp. <u>31</u> S. R<u>33W</u> Address: P.O. Box 2528 City/State/Zip: Liberal, KS 67905 1250 feet from S (Qicircle one) Line of Section Enron 1250 ____ feet from W (circle one) Line of Section Purchaser: _____ Operator Contact Person: Vicki Carder Footages Calculated from Nearest Outside Section Corner: Phone: (620) 629-4200 (circle one) (NE) SE NW SW Contractor: Name: Best Well Service Lease Name: Conover B Well #: 2 License: 32564 Field Name: Hugoton Chase Producing Formation: Chase Wellsite Geologist: Elevation: Ground: 2929 Kelly Bushing: 2939 Designate Type of Completion: X Workover Total Depth: 2879 Plug Back Total Depth; 2865 _____ Re-Entry New Well SWD ____ SIOW _____ Temp. Abd. Oil X Gas _____ ENHR ____ SIGW Multiple Stage Cementing Collar Used? ☐ Yes☐ No _ Dry ___ ____ Other (Core, WSW, Expl, Cathodic, etc) If yes, show depth set ___ If Workover/Re-entry: Old Well Info as follows: If Alternate II completion, cement circulated from feet depth to Operator: OXY USA Inc. Well Name: Conover B-2 Drilling Fluid Management Plan

REWORK

\$\frac{\frac{7}{22/03}}{}\$ Original Comp. Date: 02/11/98 Original Total Depth: 2879 (Data must be collected from the Reserve Pit) Chloride content _____ ppm Fluid volume _____ bbls Deepening X Re-perf. Conv. To Enhr./SWD ____ Plug Back Total Depth Dewatering method used _____ Plug Back ___ Docket No. Location of fluid disposal if hauled offsite: Commingled Operator Name: ____ Dual Completion Docket No. Other (SWD or Enhr.?) Docket No. Lease Name: _____ License No.: ____ 03/01/03 03/12/03 Quarter ____ Sec. ___ Twp, ___ S. R. ___ East West Date of START Date Reached TD Completion Date of County: _____ Docket No.: ____ WORKOVER OF WORKOUFF INSTRUCTIONS: An original an two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market – Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTINGTICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge. KCC Office Use Only Signature: Signature _____ Letter of Confidentiality Attached Title: Capital Project _ Date June 26, 2003___ If Denied, Yes Date: Subscribed and sworn to before me this 26⁺ ✓ __ Wireline Log Received ___ Geologist Report Received Notary Public: UIC Distribution Date Commission Expires:



Side Two

sec6	Twp. <u>31</u> S.	R. <u>33W</u>	_ 🗆 E	ast 🔀	West	County: _		Seward		
ime tool open and luid recovery, and	w important tops a I closed, flowing an I flow rates if gas to reyed. Attach final	d shut-in po surface te	ressures, st, along	whether with final	shut-in p	ressure reac	hed static level,	hydrostatic pre	ssures, bottom	hole temperatur
Orill Stem Tests To		☐ Yes	X No			Log	Formation (To	p), Depth and [Datum	☐ Sample
(Attach Additional Sheets)			ma			Name			Тор	Datum
•	Seological Survey	∐ Yes	⊠ No							
Cores Taken		∐ Yes	X No							
(Submit Copy)	T	Yes	∐ No		1					
ist All E. Logs Ru	n: TracerS	Carr								. •
		Repor		SING RE		☐ New ☐ ace, intermedia		C.		
Purpose of String	Size Hole Drilled	Size Ca Set(in. 0	sing	Weigl Lbs./f	ht	Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
onductor		`				1	С			
urface							С			
roduction							C			
			ADDITIO	NAL CEN	MENTING	S / SQUEEZE	RECORD	·		
urpose:	Depth	Type of #0			Type and Percent Additives					
Perforate	Top Bottom	Cer	nent	#Sacr	is Useu	ļ	· · · · · · · · · · · · · · · · · · ·	pe and reicem	Additives	
Protect Casing Plug Back TD	-	<u> </u>		ļ						·
Plug off Zone	-									
Shots Per Foot	PERFORATION RECORD – Bridge Plugs Set/type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
3	2626-2636, 2595-2605, 2566-2570					2000 gls 15% Acid				
						61,206 gls	80% N2, 56,20	7# 12/20 Sand		<u> </u>
UBING RECORD	Size 2 3/8	Set At 2790	Pa	cker At		Liner Run	Yes	⊠ No		
	ed Production, SWD of 5/03	r Enhr.	Producing	g Method	Flow	ing 🛛 Pur	nping 🔲 G	Gas Lift Otl	her (Explain)	
stimated Production Per 24 Hours	Oil BBL	S	•	Gas Mcf 84		Wat	er Bbls	Gas-Oi	Ratio	Gravity
		ME	THOD O	F COMP	LETION			Product	tion Interval	
isposition of Gas										
isposition of Gas	d 🛛 Sold 🔲	Used on Le				ole 🔯 Per	f. Dually	Comp. 🔲 Co	mminaled	