


KCC

NOV 11 2008

CONFIDENTIAL


 TRILOBITE TESTING, INC.	DRILL STEM TEST REPORT	
	EOG Resources 3817 NW Expwy STE 500 Oklahoma City Ok, 73112 ATTN: Dale Passig	Cullison 28 #2 28/31/35 Job Ticket: 27231 DST#:1 Test Start: 2008.07.25 @ 13:00:00

GENERAL INFORMATION:

Formation: Chester		Test Type: Conventional Bottom Hole
Deviated: No Whipstock: ft (KB)		Tester: Mike Slemp/Chris Hag
Time Tool Opened: 17:27:00		Unit No: 28
Time Test Ended: 02:01:30		Reference Elevations: 3023.00 ft (KB)
Interval: 6015.00 ft (KB) To 6070.00 ft (KB) (TVD)		3011.00 ft (CF)
Total Depth: 6070.00 ft (KB) (TVD)		KB to GR/CF: 12.00 ft
Hole Diameter: 7.78 inches Hole Condition: Good		

Serial #: 8321	Inside				
Press@RunDepth: 131.28 psig @ 6018.00 ft (KB)		Capacity: 7000.00 psig			
Start Date: 2008.07.25	End Date: 2008.07.26	Last Calib.: 2008.07.26			
Start Time: 13:00:01	End Time: 02:01:30	Time On Btm: 2008.07.25 @ 17:21:45			
		Time Off Btm: 2008.07.25 @ 22:05:45			

TEST COMMENT: IF- Strong building blow BOB in 4 min
 ISI- No blow back
 FF- Strong steady blow BOB ASAO
 FSI- No blow back




PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2806.95	134.92	Initial Hydro-static
6	29.04	134.08	Open To Flow(1)
37	65.89	142.38	Shut-In(1)
94	1598.60	144.68	End Shut-In(1)
97	72.80	143.21	Open To Flow(2)
154	131.28	146.45	Shut-In(2)
274	1583.29	149.33	End Shut-In(2)
284	2712.62	149.24	Final Hydro-static

Recovery		
Length (ft)	Description	Volume (bbl)
184.00	50%oil,50%mud	0.90
184.00	30%oil,70%mud	0.90

Gas Rates			
	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)

RECEIVED
 KANSAS CORPORATION COMMISSION
 NOV 14 2008



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

EOG Resources

Cullison 28 #2

3817 NW Expwy STE 500
Oklahoma City Ok, 73112

28/31/35

Job Ticket: 27231

DST#:1

ATTN: Dale Passig

TestStart: 2008.07.25 @ 13:00:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

18000ppm

Viscosity: 86.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.38 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1200.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
184.00	50%oil,50%mud	0.905
184.00	30%oil,70%mud	0.905

Total Length: 368.00ft Total Volume: 1.810 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Sampler: 1.7 cu.ft @ 250psi, 4000 ML= 60%mud,40%gas with skim of oil
RW=.298@87F=18,000ppm

Serial #: 8321


Inside

EOG Resources

28/31/35

DST Test Number: 1

Pressure vs. Time



Triobite Testing, Inc

Ref. No: 27231

Printed: 2008.07.28 @ 08:34:25 Page 3