


KANSASSection 30 Township 31 Range 39NWell No. #1 Milburn "A"Company Stanolind

Sec. 30 Twp. 31 R. 39W

Well No. #1 Milburn "A" Farm

Stanolind Company

Hugoton


 Ft. from N. Line

150 Ft. from S. Line

 Ft. from E. Line

150 Ft. from W. Line

SW NE



1948 **Elev. 3233'** REPORT

1/28 Location

2/4 "

2/11 10" @ 565'
WOC

2/18 TD 2360'
6" @ 2356'
RUST

2/25 "

3/3 Drlg. 2540'

3/10 TD 2570'
229' of 5" Perf. liner @ 2570
16,000 Acid

3/17 "

3/24 "

3/31 "

4/7 "

4/14 "

4/21 "

4/28 6" @ 2356'
229' of 5" Perf Liner @ 2570
Acid 16,000
Gas 7,108,000
R. Pr. 417#
TD 2570'

COMPLETED

Map No. _____ Sec. 30 Twp. 31 R. 39W

Well No. 1 Milburn "A"

Stanolind Company

FIRST REPORT Contractor

SW NE

SECTION PLAT

_____ Ft. from N. Line

150 Ft. from S. Line

_____ Ft. from E. Line

150 Ft. from W. Line

Morton County

Location X

Rig up _____

Drilling and Remarks:

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

JAN 28 1948

19

S. J. LEWIS Scout

Map No. _____ Sec. 30 Twp. 31 R. 39W

Well No. 1 Milburn "A"

Stanolind Company

COMPLETE Contractor

SW NE

E1,323

SECTION PLAT

		0	

_____ Ft. from N. Line

150 Ft. from S. Line

_____ Ft. from E. Line

150 Ft. from W. Line

Morton County

Location _____

Rig up _____

Drilling and Remarks:

6" C2356

228' by 5" Perf liner

C2570

16000 Acid

7,108,000 Gas

*417 * R/P*

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth *2570*

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

APR 28 1948 19 S. J. LEWIS Scout