

CONFIDENTIAL
RECEIVED

DEC 07 2001
KCC WICHITA

ORIGINAL



TRILOBITE
TESTING, INC.

KCC
DEC 07 2001
CONFIDENTIAL

DRILL STEM TEST REPORT

Prepared For: **Woolsey Petl.Corp.**

125 N. Market Ste.1000
Wichita KS 67202

ATTN: Mike Maune

28-32s-12w Barber KS

Tedrow #6

Start Date: 2001.08.14 @ 07:07:47

End Date: 2001.08.14 @ 17:29:46

Job Ticket #: 14959 DST #: 1

Release

FEB 17 2003

**From
Confidential**

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Woolsey Petl.Corp.

Tedrow #6

28-32s-12w Barber KS

DST # 1

Snyderville

2001.08.14



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Woolsey Petl. Corp.
 125 N. Market Ste. 1000
 Wichita KS 67202
 ATTN: Mike Maune


Tedrow #6
28-32s-12w Barber KS
 Job Ticket: 14959 DST#: 1
 Test Start: 2001.08.14 @ 07:07:47

GENERAL INFORMATION:

Formation: **Snyderville**
 Deviated: **No Whipstock:** ft (KB)
 Test Type: **Conventional Bottom Hole**
 Time Tool Opened: 08:59:16 Tester: **Gary Pevoteaux**
 Time Test Ended: 17:29:46 Unit No: **13**
 Interval: **3751.00 ft (KB) To 3780.00 ft (KB) (TVD)**
 Reference Elevations: **1658.00 ft (KB)**
 Total Depth: **3780.00 ft (KB) (TVD)** **1650.00 ft (CF)**
 Hole Diameter: **7.88 inches** Hole Condition: **Poor** KB to GR/CF: **8.00 ft**

Serial #: 2342 Inside
 Press@RunDepth: **183.71 psig @ 3752.00 ft (KB)** Capacity: **7000.00 psig**
 Start Date: **2001.08.14** End Date: **2001.08.14** Last Calib.: **2001.08.03**
 Start Time: **07:07:47** End Time: **17:29:46** Time On Btm: **2001.08.14 @ 08:56:46**
 Time Off Btm: **2001.08.14 @ 15:32:16**

TEST COMMENT: IF: Fair to strong blow . B.O.B. in 14 mins.
 IS: No blow .
 FF: Fair to strong blow . B.O.B. in 12 mins.
 FS: Weak blow . 1". Dead in 30 mins.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1796.13	104.20	Initial Hydro-static
3	31.80	104.54	Open To Flow (1)
32	85.51	109.61	Shut-In(1)
93	1305.40	111.75	End Shut-In(1)
93	92.06	111.74	Open To Flow (2)
153	183.71	113.39	Shut-In(2)
394	1328.07	114.26	End Shut-In(2)
396	1782.11	114.30	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
310.00	MW with oil specs Rw .06 ohms @ 85 de4.35	
29.00	OCM 25%o 25%w 50%m	0.41
1.00	Clean oil	0.01
270.00	Gas in pipe.	3.79

Gas Rates

	Choke(inches)	Pressure (psig)	Gas Rate (Mcf/d)

CONFIDENTIAL

 TRILOBITE TESTING, INC.	DRILL STEM TEST REPORT	TOOL DIAGRAM
	Woolsey Petl. Corp. 125 N. Market Ste. 1000 Wichita KS 67202 ATTN: Mike Maune	Tedrow #6 28-32s-12w Barber KS Job Ticket: 14959 DST#: 1 Test Start: 2001.08.14 @ 07:07:47

Tool Information

Drill Pipe: Length: 3749.00 ft	Diameter: 3.80 inches	Volume: 52.59 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe: Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar: Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 58000.00 lb
Total Volume: 52.59 bbl			Tool Chased 0.00 ft
Drill Pipe Above KB: 25.00 ft			String Weight: Initial 46000.00 lb
Depth to Top Packer: 3751.00 ft			Final 48000.00 lb
Depth to Bottom Packer: ft			
Interval between Packers: 29.00 ft			
Tool Length: 56.00 ft			
Number of Packers: 2	Diameter: 6.75 inches		

ORIGINAL

KCC

DEC 06 2001

RECEIVED

DEC 07 2001

KCC WICHITA

CONFIDENTIAL

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			3725.00	
S.I. Tool	5.00			3730.00	
HMV	5.00			3735.00	
Jars	5.00			3740.00	
Safety Joint	2.00			3742.00	
Packer	4.00			3746.00	27.00 Bottom Of Top Packer
Packer	5.00			3751.00	
Stubb	1.00			3752.00	
Recorder	0.00	2342	Inside	3752.00	
Perforations	23.00			3775.00	
Recorder	0.00	10248	Outside	3775.00	
Bullnose	5.00			3780.00	29.00 Bottom Packers & Anchor

Total Tool Length: 56.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

28-32s-12w Barber KS

Job Ticket: 14959

DST#: 1

ATTN: Mike Maune

Test Start: 2001.08.14 @ 07:07:47

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity: 113000 ppm

Viscosity: 45.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.72 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
310.00	MV with oil specs Rw .06 ohms @ 85 deg.F	4.348
29.00	OCM 25%o 25%w 50%m	0.407
1.00	Clean oil	0.014
270.00	Gas in pipe.	3.787

Total Length: 610.00 ft

Total Volume: 8.556 bbl

Num Fluid Samples: 1

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

CONFIDENTIAL

DST Test Number: 1


28-32s-12w Barber KS

Woolsey Pelt Corp.

Inside

Serial #: 2342

Pressure vs. Time




RECEIVED
 DEC 07 2001
 KCC
 CONFIDENTIAL
 NUC WICHITA

Ref. No: 14959

Trilobite Testing, Inc

14 Tue Aug 2001

CONFIDENTIAL



**TRILOBITE
TESTING, INC.**

ORIGINAL

DRILL STEM TEST REPORT

Prepared For: **Woolsey Petl.Corp.**

125 N. Market Ste.1000
Wichita KS 67202

ATTN: Mike Maune

28-32s-12w Barber KS

Tedrow #6

Start Date: 2001.08.17 @ 04:55:11

End Date: 2001.08.17 @ 16:26:10

Job Ticket #: 14960 DST #: 2

RECEIVED

DEC 07 2001

KCC WICHITA

KCC

DEC 07 2001

CONFIDENTIAL

Woolsey Petl.Corp.

Tedrow #6

28-32s-12w Barber KS

DST # 2

Miss

2001.08.17

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

CONFIDENTIAL

28-32s-12w Barber KS

Job Ticket: 14960

DST#: 2

ATTN: Mike Maune

Test Start: 2001.08.17 @ 04:55:11

Tool Information

Drill Pipe:	Length: 4457.00 ft	Diameter: 3.80 inches	Volume: 62.52 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			Total Volume: 62.52 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	12.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	4472.00 ft			Final 56000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	58.00 ft			
Tool Length:	85.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

ORIGINAL

**RECEIVED
DEC 07 2001
KCC WICHITA**

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

C.O. Sub	1.00			4446.00	
S.I. Tool	5.00			4451.00	
HMV	5.00			4456.00	
Jars	5.00			4461.00	
Safety Joint	2.00			4463.00	
Packer	4.00			4467.00	27.00 Bottom Of Top Packer
Packer	5.00			4472.00	
Stubb	1.00			4473.00	
Recorder	0.00	2342	inside	4473.00	
Perforations	5.00			4478.00	
C.O. Sub	1.00			4479.00	
Blank Spacing	30.00			4509.00	
C.O. Sub	1.00			4510.00	
Perforations	15.00			4525.00	
Recorder	0.00	10248	Outside	4525.00	
Bullnose	5.00			4530.00	58.00 Bottom Packers & Anchor
Total Tool Length:	85.00				

KCC

DEC 0 2001

CONFIDENTIAL



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Petr. Corp.
125 N. Market Ste. 1000
Wichita KS 67202
ATTN: Mike Maune

Tedrow #6
28-32s-12w Barber KS
Job Ticket: 14960 DST#: 2
Test Start: 2001.08.17 @ 04:55:11

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 82000 ppm	
Viscosity: 48.00 sec/qt	Cushion Volume: bbl		
Water Loss: 10.15 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	OCMW 5%o 10%m 85%w Rw .073 ohms @ !	0.842
190.00	GMCO 25%g 40%o 35%m	2.665
130.00	GOCM 20%g 18%o 62%m	1.824
0.00	Gas in all fluid free pipe	0.000

Total Length: 380.00 ft Total Volume: 5.331 bbl
 Num Fluid Samples: 1 Num Gas Bombs: 1 Serial #: gp
 Laboratory Name: Caraway Laboratory Location: Liberal KS
 Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

CONFIDENTIAL

28-32s-12w Barber KS

Job Ticket: 14960

DST#: 2

ATTN: Mike Maune

Test Start: 2001.08.17 @ 04:55:11

**RECEIVED
DEC 07 2001
KCC WICHITA**

Gas Rates Information


Temperature: 59 deg C
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table


Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m ³ /d)
2	5	0.25	9.00	37.12
2	10	0.13	8.00	8.38
2	15	0.13	8.00	8.38
2	20	0.13	9.00	8.76
2	25	0.13	9.00	8.76
2	30	0.13	10.00	9.13
2	35	0.13	11.00	9.51
2	40	0.13	11.00	9.51
2	45	0.13	12.00	9.88
2	50	0.13	12.00	9.88
2	55	0.13	13.00	10.26
2	60	0.13	14.00	10.63

ORIGINAL

**KCC
DEC 07 2001
CONFIDENTIAL**



CONFIDENTIAL



**TRILOBITE
TESTING, INC.**

RECEIVED
DEC 07 2001
KCC WICHITA

DRILL STEM TEST REPORT

Prepared For: **Woolsey Petl.Corp.**

125 N. Market Ste.1000
Wichita KS 67202

ATTN: Mike Maune

28-32s-12w Barber KS

Tedrow #6

Start Date: 2001.08.18 @ 16:30:49

End Date: 2001.08.19 @ 03:42:48

Job Ticket #: 14961 DST #: 3

OK

KCC

DEC 0 2001

CONFIDENTIAL

Woolsey Petl.Corp.

Tedrow #6

28-32s-12w Barber KS

DST # 3

Viola

2001.08.18

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Woolsey Petr. Corp.
 125 N. Market Ste. 1000
 Wichita KS 67202
 ATTN: Mike Maune

Tedrow #6
28-32s-12w Barber KS
 Job Ticket: 14961 DST#: 3
 Test Start: 2001.08.18 @ 16:30:49

GENERAL INFORMATION:


Formation: **Viola**
 Deviated: **No** Whipstock: **ft (KB)**
 Time Tool Opened: **19:01:18**
 Time Test Ended: **03:42:48**
 Interval: **4748.00 ft (KB) To 4780.00 ft (KB) (TVD)**
 Total Depth: **4780.00 ft (KB) (TVD)**
 Hole Diameter: **7.88 inches** Hole Condition: **Poor**
 Test Type: **Conventional Bottom Hole**
 Tester: **Gary Pevoteaux**
 Unit No: **13**
 Reference Elevations: **1658.00 ft (KB)**
1650.00 ft (CF)
 KB to GR/CF: **8.00 ft**

Serial #: 2342

Inside

Press@RunDepth: **36.41 psig @ 4749.00 ft (KB)** Capacity: **7000.00 psig**
 Start Date: **2001.08.18** End Date: **2001.08.19** Last Calib.: **2001.08.01**
 Start Time: **16:30:49** End Time: **03:42:48** Time On Btm: **2001.08.18 @ 18:58:48**
 Time Off Btm: **2001.08.19 @ 01:39:48**

TEST COMMENT: IF: Fair to strong blow . B.O.B. in 14 mins.
 IS: No blow .
 FF: Strong blow . B.O.B. in 70 secs.
 FS: No blow .



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2351.57	115.02	Initial Hydro-static
3	21.39	115.73	Open To Flow (1)
32	29.11	118.43	Shut-In(1)
92	584.13	120.76	End Shut-In(1)
92	24.58	120.77	Open To Flow (2)
152	36.41	122.25	Shut-In(2)
397	1531.09	125.93	End Shut-In(2)
401	2305.74	126.01	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
40.00	Mud with oil specs	0.56
300.00	Gas in pipe.	4.21
		3.79

Gas Rates

	Choke(inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

CONFIDENTIAL

28-32s-12w Barber KS

Job Ticket: 14961

DST#: 3

ATTN: Mike Maune

Test Start: 2001.08.18 @ 16:30:49

Tool Information

Drill Pipe:	Length: 4726.00 ft	Diameter: 3.80 inches	Volume: 66.29 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			<u>Total Volume: 66.29 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	5.00 ft			String Weight: Initial 63000.00 lb
Depth to Top Packer:	4748.00 ft			Final 63000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	32.00 ft			
Tool Length:	59.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

RECEIVED
DEC 07 2001
KCC WICHITA

Tool Description Length (ft) Serial No. Position Depth (ft) Accum. Lengths

C.O. Sub	1.00			4722.00		
S.I. Tool	5.00			4727.00		KCC
HMV	5.00			4732.00		DEC 07 2001
Jars	5.00			4737.00		
Safety Joint	2.00			4739.00		
Packer	4.00			4743.00	27.00	CONFIDENTIAL Bottom Of Top Packer
Packer	5.00			4748.00		
Stubb	1.00			4749.00		
Recorder	0.00	2342	Inside	4749.00		
Perforations	26.00			4775.00		ORIGINAL
Recorder	0.00	10248	Outside	4775.00		
Bullnose	5.00			4780.00	32.00	Bottom Packers & Anchor

Total Tool Length: 59.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

28-32s-12w Barber KS

Job Ticket: 14961

DST#: 3

ATTN: Mike Maune

Test Start: 2001.08.18 @ 16:30:49

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

5000 ppm

Viscosity: 45.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.76 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
40.00	Mud with oil specs	0.561
300.00	Gas in pipe.	4.208
		3.787

Total Length: 340.00 ft

Total Volume: 4.769 bbl

Num Fluid Samples: 1

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

CONFIDENTIAL

DST Test Number: 3


28-32s-12w Barber KS

Woolsey Petl Corp.

Inside

Serial #: 2342

Pressure vs. Time




RECEIVED
DEC 07 2001
NCC WICHITA

KCC
DEC 06 2001
CONFIDENTIAL

Ref. No: 14961

Trilobite Testing, Inc

CONFIDENTIAL



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Woolsey Petl.Corp.**

125 N. Market Ste.1000
Wichita KS 67202

ATTN: Mike Maune

28-32s-12w Barber KS

Tedrow #6

Start Date: 2001.08.20 @ 00:01:56

End Date: 2001.08.20 @ 11:35:25

Job Ticket #: 14962 DST #: 4

RECEIVED

DEC 07 2001

KCC WICHITA

KCC

DEC 08 2001

CONFIDENTIAL

Woolsey Petl.Corp.

Tedrow #6

28-32s-12w Barber KS

DST # 4

Simpson

2001.08.20

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Petl. Corp.

Tedrow #6

125 N. Market Ste. 1000
Wichita KS 67202

CONFIDENTIAL

28-32s-12w Barber KS

Job Ticket: 14962

DST#: 4

ATTN: Mike Maune

Test Start: 2001.08.20 @ 00:01:56

Tool Information

Drill Pipe:	Length: 4485.00 ft	Diameter: 3.80 inches	Volume: 62.91 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 360.00 ft	Diameter: 2.25 inches	Volume: 1.77 bbl	Weight to Pull Loose: 80000.00 lb
			Total Volume: 64.68 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 72000.00 lb
Depth to Top Packer:	4857.00 ft			Final 73000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	43.00 ft			
Tool Length:	70.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

**CONFIDENTIAL RECEIVED
DEC 07 2001
KCC WICHITA**

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4831.00	
S.I. Tool	5.00			4836.00	
HMV	5.00			4841.00	
Jars	5.00			4846.00	
Safety Joint	2.00			4848.00	
Packer	4.00			4852.00	27.00 Bottom Of Top Packer
Packer	5.00			4857.00	
Stubb	1.00			4858.00	
Recorder	0.00	2342	Inside	4858.00	
Perforations	37.00			4895.00	
Recorder	0.00	10248	Outside	4895.00	
Bullnose	5.00			4900.00	43.00 Bottom Packers & Anchor

Total Tool Length: 70.00

**KCC
DEC 08 2001
CONFIDENTIAL**



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Petl. Corp.
125 N. Market Ste. 1000
Wichita KS 67202
ATTN: Mike Maune

Tedrow #6
28-32s-12w Barber KS
Job Ticket: 14962 DST#: 4
Test Start: 2001.08.20 @ 00:01:56

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	4000 ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.77 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
115.00	GOCM 15%g 4%o 81%m	0.566
125.00	gas in pipe.	0.615

Total Length: 240.00 ft Total Volume: 1.181 bbl
 Num Fluid Samples: 1 Num Gas Bombs: 0 Serial #: none
 Laboratory Name: Laboratory Location:
 Recovery Comments:


Serial #: 2342

Inside Woolsey Reil, Corp.

28-32s-12w Barber KS

DST Test Number: 4

Pressure vs. Time



CONFIDENTIAL

RECEIVED
DEC 07 2001
KCC WICHITA

KCC
DEC 07 2001
CONFIDENTIAL

Ref. No: 14962

Trilobite Testing, Inc