

DATE 7-18-77

SEC. 23 TWN 32S RG 12 W

LEGAL DESCRIPTION NW NW NW



10 copies of charts

TICKET NO. 15995

TEST NO. 1

P. O. BOX 547 PHONE (316) 793-3370
GREAT BEND, KANSAS

COMPANY Mallonee - Mahoney, Inc.

ADDRESS 925 Sutton Place - Wichita, KS.

LEASE Bloom WELL NO. 2 COUNTY Barber STATE Ks.

INVOICES SENT TO: - Same -

DST COPIES SENT TO: - Same - 10

GENERAL INFORMATION		PRESSURE DATA & TIME	
		FIELD READINGS	CORRECTED READINGS
TOOL JT. <u>4 1/2 FH</u>	HOLE SIZE <u>7 7/8</u>	PACKER O.D. <u>6 3/4</u>	
ELEV. <u>1532 DF</u>	TOTAL DEPTH <u>4350</u>		
TESTED FROM <u>4324</u>	TO <u>4350</u>		
ANCHOR LENGTH BELOW <u>26'</u>	BETWEEN		
TOOL OPEN 1ST FLOW <u>12:30</u>	A.M. P.M.	INITIAL HYDROSTATIC <u>2247</u>	<u>2236</u>
TOOL CLOSED INITIAL SHUT-IN <u>1:30</u>	A.M. P.M.	INITIAL 1ST FLOW <u>111</u>	<u>111</u>
TOOL OPEN 2ND FLOW <u>2:30</u>	A.M. P.M.	FINAL 1ST FLOW <u>111</u>	<u>111</u>
TOOL CLOSED FINAL SHUT-IN <u>3:30</u>	A.M. P.M.	INITIAL SHUT-IN <u>111</u>	<u>111</u>
MUD WT. <u>9.5</u>	VISCOSITY <u>41</u>	W.L. <u>20.8</u>	C.C.
SP. GRAVITY OIL	BOTTOM HOLE TEMPERATURE <u>109°</u>	FINAL 2ND FLOW <u>111</u>	<u>111</u>
LENGTH DRILL COLLAR <u>420'</u>	I.D. <u>2.25</u>	FINAL SHUT-IN <u>111</u>	<u>111</u>
LENGTH WEIGHT PIPE <u>✓</u>	I.D. <u>✓</u>	FINAL HYDROSTATIC <u>2217</u>	<u>111</u>
SUCCESSFUL TEST NO. <u>1</u>	MISRUN NO.	TOOL OPEN: 1ST FLOW <u>1</u>	HR. <u>2219</u> MIN.
CHOKES: TOP <u>1/2" ID</u>	BOTTOM <u>1/2" ID</u>	INITIAL SHUT-IN <u>1</u>	HR. MIN.
		2ND FLOW <u>1</u>	HR. MIN.
		FINAL SHUT-IN <u>1</u>	HR. MIN.
		TOP RECORDER NO. <u>6233</u>	BOTTOM RECORDER NO. <u>13240</u>

TYPE BLOW Fair blow building to strong blow in 30 min on 1st Flow.
Weak blow, building to Fair steady blow in 1 hour on 2nd Flow.

RECOVERY: 80' of mud

EXTRA EQUIPMENT _____
APPROVED BY: KA Holke MILLER TESTING COMPANY
TESTER: David Hunt
FORMATION TESTED Mississippi
OPERATOR TIME: Thank You

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>400.00</u>
EXTRA CHARGES	\$ <u>18.00</u>
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>418.00</u>

415

MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company MALLONEE-MAHONEY, INC.

Lease and Well No. BLOOM #2

County BARBER

State

KANSAS

Date JULY 18, 1977

Formation Test No. 1 Total Depth 4350 Elev. 1532 D. F.
Interval Tested 4324 To 4350 Anchor Length 26'
Size Hole 7 7/8 Size Drill Pipe 4 1/2 F H Size Packer 6 3/4
Mud Weight 9.5 Viscosity 41 Water Loss 20.8 c.c. Bottom Hole Temp. 109 °F
Chokes: Top 1/2 I D Bottom 1/2 I D Ticket No. 15995
Length of Drill Collar 420 I. D. 2.25 Length Flexweight _____ I. D. _____

RECOVERY

FAIR BLOW BUILDING TO STRONG BLOW IN 30 MINUTES ON FIRST
FLOW. WEAK BLOW BUILDING TO FAIR STEADY BLOW IN 1
HOUR ON SECOND FLOW.

80 FEET OF MUD

Lease and Well No.


BLOOM #2

NW NW NW

23-32S-12W

Formation Test No.

1



Tool Open: 1st Flow 1 hr. _____ mins: Shut-in Initial 1 hr. _____ min: 2nd Flow 1 hr. _____ min: Shut-in Final 1 hr. _____ min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2247</u>	<u>2236</u>
(B) Initial 1st Flow Pressure	<u>111</u>	<u>111</u>
(C) Final 1st Flow Pressure	<u>111</u>	<u>111</u>
(D) Initial Shut-in Pressure	<u>111</u>	<u>111</u>
(E) Initial 2nd Flow Pressure	<u>111</u>	<u>111</u>
(F) Final 2nd Flow Pressure	<u>111</u>	<u>111</u>
(G) Final Shut-in Pressure	<u>111</u>	<u>111</u>
(H) Final Hydrostatic Pressure	<u>2217</u>	<u>2219</u>

15995

DATE 7-19-77

SEC. 23 TWN 32S RG 12W

LEGAL DESCRIPTION NW NW NW



TICKET N^o 15996

TEST NO. 2

COMPANY Mallonee - Mahoney, Inc.

ADDRESS 925 Sutton Place, 209 E. William - Wichita, KS.

LEASE Bloom WELL NO. 2 COUNTY Barber STATE KS.

INVOICES SENT TO: - Same -

DST COPIES SENT TO: - Same -

GENERAL INFORMATION		PRESSURE DATA & TIME	
		FIELD READINGS	CORRECTED READINGS
TOOL JT. <u>4 1/2 FH</u>	HOLE SIZE <u>7 7/8</u> PACKER O.D. <u>6 3/4</u>	INITIAL HYDROSTATIC	<u>2276</u> / <u>2247</u>
ELEV. <u>1532 DF</u>	TOTAL DEPTH <u>4366</u>	INITIAL 1ST FLOW	<u>91</u> / <u>101</u>
TESTED FROM <u>4350</u>	TO <u>4366</u>	FINAL 1ST FLOW	<u>111</u> / <u>121</u>
ANCHOR LENGTH BELOW <u>16'</u>	BETWEEN _____	INITIAL SHUT-IN	<u>132</u> / <u>132</u>
TOOL OPEN 1ST FLOW _____	A.M. <u>2:40</u> P.M. _____	INITIAL 2ND FLOW	<u>132</u> / <u>132</u>
TOOL CLOSED INITIAL SHUT-IN _____	A.M. <u>3:25</u> P.M. _____	FINAL 2ND FLOW	<u>142</u> / <u>146</u>
TOOL OPEN 2ND FLOW _____	A.M. <u>4:10</u> P.M. _____	FINAL SHUT-IN	<u>386</u> / <u>386</u>
TOOL CLOSED FINAL SHUT-IN _____	A.M. <u>4:55</u> P.M. _____	FINAL HYDROSTATIC	<u>2247</u> / <u>2247</u>
MUD WT. <u>9.5</u> VISCOSITY <u>41</u> W.L. <u>20.8</u> C.C. _____		TOOL OPEN: 1ST FLOW _____	HR. <u>45</u> MIN.
SP. GRAVITY OIL _____ BOTTOM HOLE TEMPERATURE <u>117°</u>		INITIAL SHUT-IN _____	HR. <u>45</u> MIN.
LENGTH DRILL COLLAR <u>420'</u> I.D. <u>2.25</u>		2ND FLOW _____	HR. <u>45</u> MIN.
LENGTH WEIGHT PIPE <input checked="" type="checkbox"/> I.D. <input checked="" type="checkbox"/>		FINAL SHUT-IN _____	HR. <u>45</u> MIN.
SUCCESSFUL TEST NO. <u>2</u> MISRUN NO. _____		TOP RECORDER NO. <u>6233</u>	BOTTOM RECORDER NO. <u>13240</u>
CHOKES: TOP <u>1/2" ID</u> BOTTOM <u>1/2" IR</u>			

TYPE BLOW Fair blow, building to strong blow in 15 min. on 1st Flow.
Fair blow, building to good steady blow in 1 HR. on 2nd Flow.

RECOVERY:

135' of slightly mud cut gassy salt water.
180' of gassy salt water
315 Total Fluid.

EXTRA EQUIPMENT _____

APPROVED BY: KA Holde

TESTER: David Hunt

FORMATION TESTED Mississippi

OPERATOR TIME: Thank You

MILLER TESTING COMPANY

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>400.00</u>
EXTRA PACKERS	\$ <u>18.00</u>
JARS	\$ <u>15.00</u>
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>418.00</u> <u>415.00</u>

MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company MALLONEE-MAHONEY, INC.

Lease and Well No. BLOOM #2

County BARBER State KANSAS Date JULY 19, 1977

Formation Test No. 2 Total Depth 4366 Elev. 1532 D. F.

Interval Tested 4350 To 4366 Anchor Length 16'

Size Hole 7 7/8 Size Drill Pipe 4 1/2 F H Size Packer 6 3/4

Mud Weight 9.5 Viscosity 41 Water Loss 20.8 c.c. Bottom Hole Temp. 117 °F

Chokes: Top 1/2 I D Bottom 1/2 I D Ticket No. 15996

Length of Drill Collar 420 I. D. 2.25 Length Flexweight I. D.

RECOVERY

FAIR BLOW BUILDING TO STRONG BLOW IN 15 MINUTES, ON FIRST FLOW.
FAIR BLOW BUILDING TO GOOD STEADY BLOW IN 1 HOUR ON SECOND FLOW.

135 FEET OF SLIGHTLY MUD CUT GASSY SALT WATER
180 FEET OF GASSY SALT WATER

Lease and Well No.


BLOOM #2

NW NW NW

23-32S-12W

Formation Test No.

2



Tool Open: 1st Flow hr. 45 mins: Shut-in Initial hr. 45 min: 2nd Flow hr. 45 min: Shut-in Final hr. 45 min


	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2276</u>	<u>2247</u>
(B) Initial 1st Flow Pressure	<u>91</u>	<u>101</u>
(C) Final 1st Flow Pressure	<u>111</u>	<u>121</u>
(D) Initial Shut-in Pressure	<u>132</u>	<u>132</u>
(E) Initial 2nd Flow Pressure	<u>132</u>	<u>132</u>
(F) Final 2nd Flow Pressure	<u>142</u>	<u>146</u>
(G) Final Shut-in Pressure	<u>386</u>	<u>386</u>
(H) Final Hydrostatic Pressure	<u>2247</u>	<u>2247</u>

15996

DATE 7-21-77

SEC. 23 TWN 32S RG 12 W

LEGAL DESCRIPTION NW NW NW



TICKET N^o 15997

TEST NO. 3

COMPANY Mallouee - Mahoney, Inc.

ADDRESS 925 Sutton Place, 209 E. William - Wichita, KS.

LEASE Bloom WELL NO. 2 COUNTY Barber STATE KS.

INVOICES SENT TO: - Same -

DST COPIES SENT TO: - Same -

GENERAL INFORMATION				PRESSURE DATA & TIME			
				FIELD READINGS		CORRECTED READINGS	
TOOL JT. <u>4 1/2 FH</u>	HOLE SIZE <u>7 7/8</u>	PACKER O.D. <u>6 3/4</u>		INITIAL HYDROSTATIC	<u>2536</u>	<u>2456</u>	
ELEV. <u>1532 DF</u>	TOTAL DEPTH <u>4713</u>			INITIAL 1ST FLOW	<u>71</u>	<u>71</u>	
TESTED FROM <u>4694</u>	TO <u>4713</u>			FINAL 1ST FLOW	<u>71</u>	<u>71</u>	
ANCHOR LENGTH BELOW <u>19'</u>	BETWEEN			INITIAL SHUT-IN	<u>71</u>	<u>71</u>	
TOOL OPEN 1ST FLOW	A.M. <u>2:10</u>	P.M.		INITIAL 2ND FLOW	<u>✓</u>	<u>—</u>	
TOOL CLOSED INITIAL SHUT-IN	A.M. <u>2:40</u>	P.M.		FINAL 2ND FLOW	<u>✓</u>	<u>—</u>	
TOOL OPEN 2ND FLOW	A.M. <u>3:10</u>	P.M.		FINAL SHUT-IN	<u>✓</u>	<u>—</u>	
TOOL CLOSED FINAL SHUT-IN	A.M. <u>—</u>	P.M.		FINAL HYDROSTATIC	<u>2506</u>	<u>2436</u>	
MUD WT. <u>9.9</u>	VISCOSITY <u>43</u>	W.L. <u>12.8</u>	C.C.	TOOL OPEN: 1ST FLOW		HR. <u>30</u>	MIN.
SP. GRAVITY OIL	BOTTOM HOLE TEMPERATURE <u>115°</u>			INITIAL SHUT-IN		HR. <u>30</u>	MIN.
LENGTH DRILL COLLAR <u>420'</u>	I.D. <u>2.25</u>			2ND FLOW		HR. <u>—</u>	MIN.
LENGTH WEIGHT PIPE <u>✓</u>	I.D. <u>✓</u>			FINAL SHUT-IN		HR. <u>—</u>	MIN.
SUCCESSFUL TEST NO. <u>3</u>	MISRUN NO.			TOP RECORDER NO. <u>6233</u>		BOTTOM RECORDER NO. <u>13240</u>	
CHOKES: TOP <u>1/2" ID</u>	BOTTOM <u>1/2" ID</u>						

TYPE BLOW Very weak blow, blow died in 1 min. Flushed tool no help.

RECOVERY: 5' of mud

EXTRA EQUIPMENT _____

APPROVED BY: RA Holke **MILLER TESTING COMPANY**

TESTER: David Hunt

FORMATION TESTED Benjamin Sand

OPERATOR TIME: Thank You

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>400.00</u>
EXTRA PACKERS <u>COPIES</u>	\$ <u>18.00</u>
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>418.00</u>

MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company MALLONEE-MAHONEY, INC.

Lease and Well No. BLOOM #2

County BARBER State KANSAS Date JULY 21, 1977


Formation Test No.	<u>3</u>	Total Depth	<u>4713</u>	Elev.	<u>1532 D. F.</u>		
Interval Tested	<u>4694</u>	To	<u>4713</u>	Anchor Length	<u>19'</u>		
Size Hole	<u>7 7/8</u>	Size Drill Pipe	<u>4 1/2 F H</u>	Size Packer	<u>6 3/4</u>		
Mud Weight	<u>9.9</u>	Viscosity	<u>43</u>	Water Loss	<u>12.8</u> c.c.	Bottom Hole Temp.	<u>115</u> °F
Chokes: Top	<u>1/2 I D</u>	Bottom	<u>1/2 I D</u>	Ticket No.	<u>15997</u>		
Length of Drill Collar	<u>420</u>	I. D.	<u>2.25</u>	Length Flexweight	<u>I. D.</u>		

RECOVERY

VERY WEAK BLOW BLOW DIED IN 1 MINUTE. FLUSHED TOOL NO HELP.

5 FEET OF MUD

Lease and Well No. BLOOM #1 NW NW NW 23-32S-12W Formation Test No. 3



Tool Open: 1st Flow hr. 30 mins: Shut-in Initial hr. 30 min: 2nd Flow hr. --- min: Shut-in Final hr. --- min


	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2536</u>	<u>2456</u>
(B) Initial 1st Flow Pressure	<u>71</u>	<u>71</u>
(C) Final 1st Flow Pressure	<u>71</u>	<u>71</u>
(D) Initial Shut-in Pressure	<u>71</u>	<u>71</u>
(E) Initial 2nd Flow Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(F) Final 2nd Flow Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(G) Final Shut-in Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(H) Final Hydrostatic Pressure	<u>2506</u>	<u>2436</u>

15997

DATE 7-22-77

SEC. 23 TWN 32S RG 12 W

LEGAL DESCRIPTION NW NW NW



TICKET N^o 15998

TEST NO. 4

P. O. BOX 547 PHONE (316) 793-3370
GREAT BEND, KANSAS

COMPANY Mallonee - Mahoney, Inc.

ADDRESS 925 Sutton Place, 209 E. William - Wichita, Ks.

LEASE Bloom WELL NO. 2 COUNTY Barber STATE Ks.

INVOICES SENT TO: - Same -

DST COPIES SENT TO: - Same -

GENERAL INFORMATION		PRESSURE DATA & TIME	
TOOL JT. <u>4 1/2 FH</u>	HOLE SIZE <u>7 7/8</u>	PACKER O.D. <u>6 3/4</u>	
ELEV. <u>1530 DF</u>	TOTAL DEPTH <u>4810</u>		
TESTED FROM <u>4742</u>	TO <u>4810</u>		
ANCHOR LENGTH BELOW <u>68</u>	BETWEEN _____		
TOOL OPEN 1ST FLOW _____	A.M. <u>2:25</u>	P.M. _____	
TOOL CLOSED INITIAL SHUT-IN _____	A.M. <u>3:25</u>	P.M. _____	
TOOL OPEN 2ND FLOW _____	A.M. _____	P.M. _____	
TOOL CLOSED FINAL SHUT-IN _____	A.M. _____	P.M. _____	
MUD WT. <u>9.9</u>	VISCOSITY <u>43</u>	W.L. <u>12.8</u>	C.C. _____
SP. GRAVITY OIL _____	BOTTOM HOLE TEMPERATURE <u>117°</u>		
LENGTH DRILL COLLAR <u>420'</u>	I.D. <u>2.25</u>		
LENGTH WEIGHT PIPE <input checked="" type="checkbox"/>	I.D. <input checked="" type="checkbox"/>		
SUCCESSFUL TEST NO. <u>4</u>	MISRUN NO. _____		
CHOKES: TOP <u>1/2" ID</u>	BOTTOM <u>1/2" ID</u>		
		FIELD READINGS	CORRECTED READINGS
		INITIAL HYDROSTATIC <u>2526</u>	<u>2526</u>
		INITIAL 1ST FLOW <u>111</u>	<u>103</u>
		FINAL 1ST FLOW <u>111</u>	<u>103</u>
		INITIAL SHUT-IN <u>325</u>	<u>325</u>
		INITIAL 2ND FLOW _____	<u>NONE TAKEN</u>
		FINAL 2ND FLOW _____	<u>" "</u>
		FINAL SHUT-IN _____	<u>" "</u>
		FINAL HYDROSTATIC <u>2446</u>	<u>2496</u>
		TOOL OPEN: 1ST FLOW _____	HR. _____ MIN. _____
		INITIAL SHUT-IN _____	HR. _____ MIN. _____
		2ND FLOW _____	HR. _____ MIN. _____
		FINAL SHUT-IN _____	HR. _____ MIN. _____
		TOP RECORDER NO. <u>6233</u>	BOTTOM RECORDER NO. <u>13240</u>

TYPE BLOW Weak blow, died in 23 min.

RECOVERY: 30' of slightly gas cut mud, with a few specks of oil, on top of my tool.

EXTRA EQUIPMENT _____

APPROVED BY: A. W. Mahoney MILLER TESTING COMPANY

TESTER: David Hunt

FORMATION TESTED M. Simpson

OPERATOR TIME: Thank you

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>400.00</u>
EXTRA PACKERS <u>COPIES</u>	\$ <u>18.00</u>
JARS	\$ <u>15.00</u>
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>418.00</u>

MILLER TESTING COMPANY

Box 547

GREAT BEND, KANSAS

Company MALLONEE-MAHONEY, INC.

Lease and Well No. BLOOM #1

County BARBER State KANSAS Date JULY 22, 1977

Formation Test No. 4 Total Depth 4810 Elev. 1532 D. F.

Interval Tested 4742 To 4810 Anchor Length 68'

Size Hole 7 7/8 Size Drill Pipe 4 1/2 F H Size Packer 6 3/4

Mud Weight 9.9 Viscosity 43 Water Loss 12.8 c.c. Bottom Hole Temp. 117 °F

Chokes: Top 1/2 I D Bottom 1/2 I D Ticket No. 15998

Length of Drill Collar 420 I. D. 2.25 Length Flexweight _____ I. D. _____

RECOVERY

WEAK BLOW DIED IN 23 MINUTES.


30 FEET OF SLIGHTLY GAS CUT MUD WITH A FEW SPECKS OF OIL
ON TOP OF MY TOOL.

Lease and Well No. BLOOM #1

NW NW NW

23-32S-12W

Formation Test No. 4



Tool Open: 1st Flow 1 hr. ___ mins: Shut-in Initial 1 hr. ___ min: 2nd Flow ---hr. ___ min: Shut-in Final---hr. ___ min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2526</u>	<u>2526</u>
(B) Initial 1st Flow Pressure	<u>111</u>	<u>103</u>
(C) Final 1st Flow Pressure	<u>111</u>	<u>103</u>
(D) Initial Shut-in Pressure	<u>325</u>	<u>325</u>
(E) Initial 2nd Flow Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(F) Final 2nd Flow Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(G) Final Shut-in Pressure	<u>NONE TAKEN</u>	<u>NONE TAKEN</u>
(H) Final Hydrostatic Pressure	<u>2446</u>	<u>2496</u>