KANSAS

WELL COMPLETION REPORT AND DRILLER'S LOG

API No. 15 — 007 — 21,095
County — Number

S. 26 T. 32S R. 15 E/W

Loc. NW/2 NW/2

County Barber

640 Acres



Locate well correctly

Elev.: Gr. 1935

DF 1944 KB 1946

Operator: Raymond Oil Company, Inc.

Address: One Main Place, Suite 900, Wichita, Kansas 67202

Well No.: 2

Lease Name: Cline "A"

Footage Location: 330 feet from (N) (X) line; 660 feet from (X) (W) line

Principal Contractor: Graves Drlg. Co., Inc.

Geologist: Joe M. Baker

Spud Date: 2-6-81

Date Completed: 2-13-81

Total Depth: RTD 3593

P.B.T.D.:

Directional Deviation:

Oil and/or Gas Purchaser:

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12-1/4	8-5/8	24#	252'		215	2% gel, 3% cc

LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement

TUBING RECORD

Size	Setting depth	Packer set at

PERFORATION RECORD

Shots per ft.	Size & type	Depth interval

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production:

Producing method (flowing, pumping, gas lift, etc.):

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold):

Producing interval(s):

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Raymond Oil Company, Inc.		
Well No. 2	Lease Name Cline "A"	Dry Hole
S 26 T 32S R 15 E/W		

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
DST #1 30-30-30-30	3580	3593	LOG TOPS	
Rec. 20' GCM, 60' GCMW/oil spks,				
60' G & O spkd OCM			Winfield	2334
FP 68/68 - 68/54 - SIP 1078/423			Towanda	2434
			B/Florence	2562
			Bader	2739
			Cottonwood	2854
			Neva	2876
			Admire Zone	3102
			Wabaunsee	3155
			Stotler	3299
			Tarkio	3354
			Topeka	3575
			LTD	3586
D&A				
Plugged 2-13-81				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	RAYMOND OIL COMPANY, INC.
	Kathleen Pipes (Signature)
	Kathleen Pipes Secretary (Title)
	April 3, 1981 (Date)

E

26-32-15W

State Geological Survey
WICHITA, BRANCH

ROTARY DRILLERS' LOG

OPERATOR: Raymond Oil Company, Inc.
One Main Place, Suite 900
Wichita, Kansas 67202

DRILLING COMMENCED: February 6, 1981

CONTRACTOR: Graves Drilling Co., Inc.
910 Union Center
Wichita, Kansas 67202

DRILLING COMPLETED: February 13, 1981

CASING RECORD: 6 Jts. 252' of new 8-5/8" cemented with 215 sacks.

LOCATION: Cline "A" No. 2
N/2 NW NE
Section 26-32S-15W
Barber County, Kansas

- -

0 - 108	Red bed
108 - 130	Gyp
130 - 252	Red bed
252 - 704	Red bed & shale
704 - 1235	Cement
1235 - 1653	Lime & shale
1653 - 3310	Shale & lime
3310 - 3418	Lime & shale
3418 - 3593	Shale & lime
3593	Rotary Total Depth

I hereby certify the foregoing statements to be true and correct to the best of my knowledge.

PACKING SLIPS ONLY
DO NOT PAY FROM THIS

Copy sent to:
State Corporation Commission
Kansas Geological Society
Kansas Geological Survey

GRAVES DRILLING CO., INC.

By Betty Brandt
Secretary-Treasurer

STATE OF KANSAS)
) ss: